

Page 1 of 5

GC-073 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards SDS Revision Date: 1/25/2024 SDS Revision: 1.0 1. PRODUCT & COMPANY IDENTIFICATION Product Name 11 **RICK ROSS QUICK DETAILER** 1.2 Chemical Name: **Aqueous Solution** 1.3 Synonyms: NA 1.4 Trade Names: Rick Ross Quick Detailer 1.5 Product Use: Automotive Exterior Detailer The Slippery Soap, LLC 1.6 Distributor's Name 2950 North Loop West, Suite 500, PMB #664, Houston Texas 77092-8830 USA 1.7 Distributor's Address: Emergency Phone: 1.8 THE SLIPPERY SOAP +1 (954) 483-5647 1.9 Business Phone: Tel: +1 (954) 483-5647 2. HAZARDS IDENTIFICATION Hazard Identification Prepared in accordance with UN Globally Harmonized standards. Intended to comply with OSHA 29 CFR 1910.1200. Canadian WHMIS and Australian Work Health and Safety. WARNING! CAUSES MILD SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATON. Classification: Skin Irrit. 3; Eye Irrit. 2A Signal Word: WARNING 2.2 Label Elements: Hazard Statements (H): H316 – Causes mild skin irritation. H319 – Causes serious eye irritation. Precautionary Statements (P): P264+P265 – Wash thoroughly after handling. Do not touch eyes. P280 – Wear protective gloves/ eye protection/ face protection. P302+P352 – IF ON SKIN: Wash with plenty of water. P321 - Specific treatment see this container label or section 4 of this SDS. P332+P317 - If skin irritation occurs: Get medical help. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P317 - if eye irritation persists: Get medical help. P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). Other Warnings: In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. Aqueous solution. KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC ppm ppm ppm ES-ES-STFI PFI STFI CHEMICAL NAME(S) CAS No. RTECS No **EINECS No** TWA STEL PEAK IDLH OTHER 7732-18-5 ZC0110000 231-191-2 90-99 NE NE NF NF NF NE NE NE WATER 63148-62-9 NA 687-578-3 0.1-3 NA NF NA NA NF NF NA NA POLYDIMETHYL SILOXANE NA NA NA 0.1-1 NA NA NF NF NF NA NA NA FRAGRANCE 633-03-4 NA 211-190-1 0-0.1 NA NA NF NF NF NA NA NA BRILLANT GREEN 4. FIRST AID MEASURES DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center 4.1 First Aid: Ingestion: or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure Eyes: complete flushing. If irritation persists, seek immediate medical attention. Skin: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek Inhalation: immediate medical attention. If breathing stops, perform artificial respiration. Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: Moderately irritating to the eyes. Eyes: This product can cause mild, transient skin irritation with short-term exposure. This product can cause allergic Skin: skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. Vapors of this product may be irritating to the nose, throat and other tissues of the respiratory system. Symptoms of Overexposure: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon

prolonged or repeated exposure.



Page 2 of 5 **GC-073**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards SDS Revision: 1.0 SDS Revision Date: 1/25/2024

		4. FIRST	<u>AID M</u> I	<u>EAS</u> L	<u>JRES –</u>	<u>cont</u> '	<u>d</u>				
1.4	Acute Health Effects:	Moderate irritation to eyes and skin dizziness, headaches and nausea.	near affe	cted are	as. Additio	nally, hig	h concent	trations o	f vapors o	can cau	se drowsin
1.5	Chronic Health Effects:	The material may accentuate any p	The material may accentuate any pre-existing dermatitis condition.								
.6	Target Organs:	Eyes, Skin & Respiratory System.									
.7	Medical Conditions Aggravated by Exposure:	Persons with pre-existing skin disc					HEALTH	1			1
	, ,	kidney function may be more s substance.	usceptible	e to the	e enecis c	or the	FLAMM	ABILITY	1		0
		Substance.					PHYSICAL HAZARDS		0		
							PROTEC	CTIVE E	QUIPME	ENT	В
						_	EYES	SKIN			
		5. FIRE	FIGHT	INGI	MEASII	RES					
.1	Fire & Explosion Hazards:	This product is a non-flammable	liquid. W	/hen inv	olved in a		s produc	t may ig	nite and		
2	Extinguishing Methods:	decompose to form toxic gases (e.ç								1	
3	Firefighting Procedures:	When involved in a fire, this produc	•		nose to pro	duce car	hon oxide	26		4	1
		First responders should wear eye protective equipment. Use a water s in extinguishing a fire involving this	protections	on. Stru	ctural firefi	ghters n	nust wear	SCBAs			
		6. ACCIDEN	TAI R	FI F	ASE ME	ΔSUI	RFS				
1	Spills:	Before cleaning any spill or leak, inc						oropriate	Personal	Protect	ive Fauipm
	•	CAUTION – may be slippery if sp		iivoivou	iii opiii oica	партпао	. wour app	oropriate	r croonar	1 101001	ivo Equipini
		For small spills (e.g., < 1 gallon (3.8	8 L)) wear								
		ventilation (open doors and windov									
		container(s) for disposal. Dispose	of proper	.1		241. 1 1	atata and	d fadaral	rogulatio	nc M/	ach all affor
		areas and outside of container with before reuse									
		before reuse.	plenty of v	varm wa	ter and soa	p. Remo	ve any co	ntaminate	ed clothing	g and w	ash thorou
		before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8)	plenty of v 8 L)), den	varm wa y entry t	iter and soa o all unprot	p. Remo ected ind	ve any coo dividuals.	ntaminate Dike and	ed clothing	g and w spill wit	ash thorough
		before reuse.	plenty of v 8 L)), den d to conta	varm wa y entry t iiners fo	iter and soa o all unprot r recovery o	p. Remo ected ind or dispos	ve any co dividuals. al and sol	ntaminate Dike and id diking	ed clothing I contain material t	g and w spill wit to sepa	ash thorough inert mate rate contair
		before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.(e.g., sand or earth). Transfer liqui	plenty of v 8 L)), den d to conta minated c	varm wa y entry t iiners foi lothing p	iter and soa o all unprot r recovery o promptly and	p. Remo ected ind or dispos d wash a	ve any co dividuals. al and sol	ntaminate Dike and id diking	ed clothing I contain material t	g and w spill wit to sepa	ash thorough inert mate rate contair
		before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.(e.g., sand or earth). Transfer liquifor proper disposal. Remove contained cleaning runoffs out of municipals.	plenty of v 8 L)), den d to conta minated c pal sewers	y entry t y entry t liners for lothing p s and op	nter and soa o all unprot r recovery coromptly and en bodies c	p. Remo ected ind or dispos d wash a of water.	ve any coudividuals. al and sol	ntaminate Dike and id diking	ed clothing I contain material t	g and w spill wit to sepa	ash thorough inert mate rate contair
1	Work & Hygiene Practices:	before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liqui for proper disposal. Remove contar and cleaning runoffs out of municiper. 7. HANDLING	plenty of v 8 L)), den d to conta minated c pal sewers	y entry t iners for lothing p s and op	o all unproter recovery coromptly and en bodies of	p. Remo ected ind or disposed wash a of water.	ve any coldividuals. al and solffected sk	ntaminate Dike and id diking in areas v	ed clothing I contain material t with soap	g and w spill wit to sepa and wa	rash thorough inert mate rate contain ter. Keep s
1	Work & Hygiene Practices:	before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liqui for proper disposal. Remove contart and cleaning runoffs out of municipate of the properties of	plenty of v 8 L)), den d to conta minated c oal sewers & ST(id direct s	y entry t iners for lothing p s and op DRAC kin conta	ter and soa o all unprot r recovery o promptly and en bodies o BE INFO act. Wash I	p. Remo ected incorr disposed wash a of water. DRMA nands the	ve any coldividuals. all and soldiffected sk	Dike and id diking in areas v	d clothing I contain material to with soap	g and w spill wit to sepa and wa	h inert materate containter. Keep s
1	Work & Hygiene Practices:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liqui for proper disposal. Remove contart and cleaning runoffs out of municipate of the same series. 7. HANDLING Use normal hygiene practices. Avordrinking, or smoking. Good personal	plenty of v 8 L)), den d to conta minated c oal sewers & ST(id direct s	y entry t iners for lothing p s and op ORAC kin conta	ter and soa o all unprot r recovery o promptly and en bodies o BE INFO act. Wash I	p. Remo ected incorr disposed wash a of water. DRMA nands the	ve any coldividuals. all and soldiffected sk	Dike and id diking in areas v	d clothing I contain material to with soap	g and w spill wit to sepa and wa	h inert materate containter. Keep s
	Work & Hygiene Practices: Storage & Handling:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liqui for proper disposal. Remove contart and cleaning runoffs out of municipe. 7. HANDLING Use normal hygiene practices. Avordrinking, or smoking. Good personal clothing, are recommended.	plenty of v 8 L)), den d to conta minated c oal sewers & ST(id direct s	y entry t iners for lothing p s and op ORAC kin conta	ter and soa o all unprot r recovery o promptly and en bodies o BE INFO act. Wash I	p. Remo ected incorr disposed wash a of water. DRMA nands the	ve any coldividuals. all and soldiffected sk	Dike and id diking in areas v	d clothing I contain material to with soap	g and w spill wit to sepa and wa	h inert materate containter. Keep s
2		before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contain and cleaning runoffs out of municiparts. 7. HANDLING Use normal hygiene practices. Avoidrinking, or smoking. Good personal clothing, are recommended. Keep away from sources of heat.	B L)), den d to contaminated coal sewers	y entry t iners for lothing p s and op DRAC kin conta practice	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a of water. DRMA mands the washing	ve any conditividuals. all and sol ffected sk	Dike and id diking in areas v	d contain material the with soap	g and w spill wit to sepa and wa duct and emovin	h inert mate rate contain iter. Keep s
2	Storage & Handling:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liqui for proper disposal. Remove contart and cleaning runoffs out of municipe. 7. HANDLING Use normal hygiene practices. Avordrinking, or smoking. Good personal clothing, are recommended.	B L)), den d to contaminated coal sewers	y entry t iners for lothing p s and op DRAC kin conta practice	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a of water. DRMA mands the washing	ve any conditividuals. all and sol ffected sk	Dike and id diking in areas v	d contain material the with soap	g and w spill wit to sepa and wa duct and emovin	h inert mate rate contain iter. Keep s
2	Storage & Handling:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liqui for proper disposal. Remove contain and cleaning runoffs out of municiparts. 7. HANDLING Use normal hygiene practices. Avoidrinking, or smoking. Good persona clothing, are recommended. Keep away from sources of heat. Follow all instructions on product la of children.	8 L)), den d to contaminated coal sewers 8 ST(id direct sal hygiene	y entry t iners for lothing ps and op DRAC kin contai	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a of water. DRMA mands the washing when no	ve any conditividuals. all and sol ffected sk TION broughly a lany skin continue.	Dike and id diking in areas vafter using ontact are	d contain material is with soap g this process and re	g and w spill wit to sepa and wa duct and emovin	h inert mate rate contain iter. Keep s
3	Storage & Handling:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liqui for proper disposal. Remove contart and cleaning runoffs out of municipe. 7. HANDLING Use normal hygiene practices. Avordrinking, or smoking. Good personal clothing, are recommended. Keep away from sources of heat. Follow all instructions on product later.	8 L)), den d to contaminated coal sewers 8 ST(id direct sal hygiene	y entry t inners for lothing p s and op DRAC kin conta practice	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a of water. DRMA mands the washing when no	ve any conditividuals. all and sol ffected sk TION broughly a lany skin continue.	Dike and id diking in areas vafter using ontact are	d contain material is with soap g this process and re	g and w spill wit to sepa and wa duct and emovin	h inert mate rate contain iter. Keep s
3	Storage & Handling: Special Precautions:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liqui for proper disposal. Remove contart and cleaning runoffs out of municipal states. 7. HANDLING Use normal hygiene practices. Avordrinking, or smoking. Good persona clothing, are recommended. Keep away from sources of heat. Follow all instructions on product la of children. 8. EXPOSURE CONT	8 L)), den d to conta minated c oal sewers & ST(id direct s al hygiene	y entry t inners for lothing ps and op ORAC kin contain practice p contain practice process.	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a of water. DRMA mands the washing when no	dividuals. al and sol ffected sk TION Droughly a any skin c t in use.	Dike and id diking in areas varieter using ontact are	d contain material that with soap geas and reas and all contain that with soap geas and reas and reas and reas and reas and all contains the soap geas and reas and reas and all contains the soap geas and the soap geas geas generally general	g and w spill wit to sepa and wa duct and emoving	h inert mate rate contain iter. Keep s d before eat g contamina
3	Storage & Handling: Special Precautions: Exposure Limits:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contain and cleaning runoffs out of municipal street of the same street of the sam	8 L)), den d to conta minated c oal sewers & ST(id direct s al hygiene abel. Kee	y entry t inners for lothing ps and op ORAC kin contain practices p contain practices are step to the	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a of water. DRMA nands the washing when no	dividuals. al and sol ffected sk TION broughly a any skin c t in use.	Dike and id diking in areas varieter using ontact are Keep this	g this process and resonant of the same of	g and w spill wit to sepa and wa duct and emoving	h inert mate rate contain iter. Keep s d before eat g contamina
3	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contain and cleaning runoffs out of municipa. 7. HANDLING Use normal hygiene practices. Avordrinking, or smoking. Good personal clothing, are recommended. Keep away from sources of heat. Follow all instructions on product la of children. 8. EXPOSURE CONT	8 L)), den d to contaminated c coal sewers & ST(id direct s al hygiene abel. Kee	y entry t inners for lothing ps and op DRAC kin conta practices p contains STEL NA	o all unproter recovery coromptly and en bodies of act. Wash I as, such as well as the coron of the coro	p. Remo ected incor disposed wash a soft water. DRMA mands the washing when no AL PI NOBSC ESTEL NF	ve any coldividuals. al and solffected sk TION broughly a any skin coldinate the skin c	Dike and id diking in areas varieties with the contact are contact and contact are contact are contact are contact are contact are contact and contact are contact are contact are contact and contact are contact are contact and contact are contact are contact and contact are contact are contact are contact and contact are contact are contact and contact are contact are contact and contact are contact are contact are contact and contact are contact are contact and contact are contact are contact are contact are contact are contact and contact are contact are contact and contact are contact	g this process and all cosha	g and w spill witto sepa and wa duct and emoving	h inert mate rate contain ter. Keep s d before eat g contaminates out of re
2 3	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³)	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contain and cleaning runoffs out of municipal street of the same street of the sam	8 L)), den d to contaminated c coal sewers 8 ST(id direct s al hygiene abel. Kee	y entry t inners for lothing ps and op ORAC kin contain practices p contain step	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a soft water. DRMA mands the washing when no AL PI NOHSC ES- STEL NF nt when to	dividuals. al and sol ffected sk TION Droughly a any skin c t in use. ROTE(ES-PEAK NF his product	Dike and id diking in areas variety after using ontact are Keep this CTION PEL NA ct is in use	g this process and all cosha STEL NA e. Use lo	g and w spill witto sepa and wa duct and emoving	h inert mate rate contain ter. Keep s d before eat g contaminates out of re
3	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contar and cleaning runoffs out of municip 7. HANDLING Use normal hygiene practices. Avordrinking, or smoking. Good personal clothing, are recommended. Keep away from sources of heat. Follow all instructions on product last of children. 8. EXPOSURE CONT CHEMICAL NAME(S) NA General mechanical (e.g., fans) or ventilation to effectively remove ar that an eyewash station, sink or weights or survey.	& L)), den d to contaminated c coal sewers & ST(id direct s al hygiene abel. Kee TROLS ACC TLV NA natural vend preven ashbasin	y entry t inners for dothing ps and op ORAC kin contar practices p contain STEL NA entilatior t buildup is availa	o all unproter recovery comptly and en bodies of sect. Wash I ses, such as well as the sect of vapors of vapors obter in case.	p. Remo ected incor disposed wash a soft water. DRMA mands the washing when no AL PI NOHSC ES- STEL NF nt when to or mist go of expose	dividuals. al and sol ffected sk TION Droughly a any skin c t in use. ROTE(ES-PEAK NF his produce enerated to sure to eye	Dike and id diking in areas variety after using ontact are Keep this PEL NA et is in usefrom the less.	osha STEL NA e. Use lonandling of	g and w spill witto sepa and wa duct and emoving chemica	h inert mate rate contain ter. Keep s d before eat g contaminates out of re
2 3 1	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contart and cleaning runoffs out of municipates. 7. HANDLING Use normal hygiene practices. Avoid drinking, or smoking. Good personate clothing, are recommended. Keep away from sources of heat. Follow all instructions on product last of children. 8. EXPOSURE CONT CHEMICAL NAME(S) NA General mechanical (e.g., fans) or ventilation to effectively remove are that an eyewash station, sink or we not since the single state of the single single state of the single s	& L)), den d to contaminated coal sewers & ST(id direct sal hygiene abel. Kee ROLS ACC TLV NA natural vend preventashbasin ions of us	y entry t inners for dothing ps and op ORAC kin contain practices p contain practices p contain stell practices A PI SIH STEL NA entilation t buildup is available. In irrespondents	o all unproter recovery comptly and en bodies of the bodie	p. Remo ected incor disposed wash a of water. DRMA nands the washing when no AL PI NOHSC ES- STEL NF nt when to or mist go of exposence vaposence vaposence control or mist go of exposence vaposence vapose	dividuals. al and sol ffected sk TION Droughly a any skin c t in use. ROTE(ES-PEAK NF his producted sure to eye ors or spin	Dike and id diking in areas variety after using ontact are Keep this PEL NA ct is in use from the less.	g this process and reseased and all contains of the same of the sa	g and w spill witto sepa and wa duct and emoving chemica IDLH NA cal or g of this p	h inert mate rate contain ter. Keep s d before eat g contaminates out of re
.2	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contart and cleaning runoffs out of municipate of the proper disposal. Remove contart and cleaning runoffs out of municipate of the proper disposal. Remove contains and cleaning runoffs out of municipate of the properties. 7. HANDLING Use normal hygiene practices. Avoid drinking, or smoking. Good personate clothing, are recommended. Keep away from sources of heat. Follow all instructions on product late of children. 8. EXPOSURE CONT CHEMICAL NAME(S) NA General mechanical (e.g., fans) or ventilation to effectively remove are that an eyewash station, sink or wently remove and the properties of the	8 L)), den d to contaminated coal sewers 8 ST(id direct sal hygiene abel. Kee TROLS ACC TLV NA natural vend preven ashbasin ions of us tion is ne	y entry t inners for lothing ps and op ORAC kin contain practices p contain practices SEL NA entilation t buildup is availated, useded, useded, useded, useded, useded, useded in the lothing is available.	o all unproter recovery comptly and en bodies of the bodie	p. Remo ected incor disposed wash a soft water. DRMA mands the washing when no AL PI NOHSC ES- STEL NF nt when to or mist go of exposence vapuetection a	dividuals. al and sol ffected sk TION Droughly a any skin c t in use. ROTEC ES-PEAK NF his produce enerated feure to eye ors or spiuthorized	Dike and id diking in areas was after using ontact are the this to the this to the thick that is in use from the best areas of the by 29 CF	g this process and all contains and all	g and w spill witto sepa and wa duct and emoving chemica IDLH NA cal or g of this p	h inert mate rate contain ter. Keep s d before eat g contaminates out of re
.2	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contain and cleaning runoffs out of municipe. 7. HANDLING Use normal hygiene practices. Avoid drinking, or smoking. Good personate clothing, are recommended. Keep away from sources of heat. Follow all instructions on product la of children. 8. EXPOSURE CONT CHEMICAL NAME(S) NA General mechanical (e.g., fans) or ventilation to effectively remove are that an eyewash station, sink or we not required under normal conditing generated, and respiratory protect applicable U.S. State regulations,	8 L)), den d to contaminated coal sewers 8 ST(id direct sal hygiene ACC TLV NA natural von ashbasin ions of us tion is necor the Ca	y entry t iners for lothing ps and op ORAC kin contain practice p	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a soft water. DRMA mands the washing when no AL PI NOHSC ES- STEL NF nt when to or mist go of exposence vapuetection a	dividuals. al and sol ffected sk TION Droughly a any skin c t in use. ROTEC ES-PEAK NF his produce enerated feure to eye ors or spiuthorized	Dike and id diking in areas was after using ontact are the this to the this to the thick that is in use from the best areas of the by 29 CF	g this process and all contains and all	g and w spill witto sepa and wa duct and emoving chemica IDLH NA cal or g of this p	h inert mate rate contain ter. Keep s d before eat g contaminates out of re
.2	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contart and cleaning runoffs out of municipy. 7. HANDLING Use normal hygiene practices. Avoid drinking, or smoking. Good personate clothing, are recommended. Keep away from sources of heat. Follow all instructions on product last of children. 8. EXPOSURE CONT CHEMICAL NAME(S) NA General mechanical (e.g., fans) or ventilation to effectively remove are that an eyewash station, sink or well with the contact of the co	ROLS TLV NA natural vend preventables of use of the Castates, or	y entry t iners for lothing ps and op ORAC kin contain practices p contain practices b & PI STEL NA entilation t buildup is availated, us availated, us anadian r Austral	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a soft water. DRMA mands the washing when no AL PI NOHSC ES- STEL NF not when to or mist g of exposence vap tection a ard Z94.	dividuals. al and sol ffected sk TION Droughly a any skin c t in use. ROTEC ESPEAK NF his producenerated feaure to eye ors or spi uthorized 4-93 and	Dike and id diking in areas was after using ontact are was a to be a contact are was a from the less. Tays of the by 29 CF applicable.	g this process and all contains and all	g and w spill witto sepa and wa duct and emoving chemica IDLH NA cal or g of this p ct are 0.134, rds of	h inert mate rate contain ter. Keep s d before eat g contaminates out of re
.2	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contart and cleaning runoffs out of municipy. 7. HANDLING Use normal hygiene practices. Avoid drinking, or smoking. Good personal clothing, are recommended. Keep away from sources of heat. Follow all instructions on product last of children. 8. EXPOSURE CONT CHEMICAL NAME(S) NA General mechanical (e.g., fans) or ventilation to effectively remove are that an eyewash station, sink or well with the contact of the con	ROLS ACC TLV NA natural vend preventashbasin ions of us states, or wear that	y entry t iners for lothing ps and op ORAC kin contain practices p contain practices b & PI STEL NA entilation t buildup is availated, us availated, us anadian r Austral conform	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a soft water. DRMA mands the washing when no AL PI NOHSC ES- STEL NF not when to or mist g of exposence vap tection a ard Z94.	dividuals. al and sol ffected sk TION Droughly a any skin c t in use. ROTEC ESPEAK NF his producenerated feaure to eye ors or spi uthorized 4-93 and	Dike and id diking in areas was after using ontact are was a to be a contact are was a from the less. Tays of the by 29 CF applicable.	g this process and all contains and all	g and w spill witto sepa and wa duct and emoving chemica IDLH NA cal or g of this p ct are 0.134, rds of	h inert mate rate contain ter. Keep s d before eat g contaminates out of re
.1 .2 .3 .3 .4 .5	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contart and cleaning runoffs out of municipy. 7. HANDLING Use normal hygiene practices. Avoid drinking, or smoking. Good personal clothing, are recommended. Keep away from sources of heat. Follow all instructions on product large of children. 8. EXPOSURE CONT CHEMICAL NAME(S) NA General mechanical (e.g., fans) or ventilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove and that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove and that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation. State regulations, Canadian Provinces, EC member Avoid eye contact. Protective eye standards) should be used when head and the state of the stat	ROLS ACC TLV NA natural vend preventashbasin ions of us states, or wear that nandling a	y entry t iners for lothing ps and op ORAC kin contain practices p contain practices p contain step in a second practice practices NA entilation t buildup is availated, us availated, us anadian practice practices	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a soft water. DRMA mands the washing when no AL PI NOHSC ES- STEL NF the washing of exposemere vape tection a start Z94.	dividuals. al and sol ffected sk TION Droughly a any skin c t in use. ROTEC ESPEAK NF his producenerated fesure to eye ors or spi uthorized 4-93 and rother app	Dike and id diking in areas was after using ontact are was after using using the later was after using	g this process and all contains produced as a contains and appropriate as a contains a contai	g and w spill witto sepa and wa duct and emoving chemica IDLH NA cal or g of this p ct are 0.134, rds of priate	h inert mate rate contain ter. Keep s d before eat g contaminates out of re
.2	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contain and cleaning runoffs out of municipa. 7. HANDLING Use normal hygiene practices. Avoid drinking, or smoking. Good persona clothing, are recommended. Keep away from sources of heat. Follow all instructions on product la of children. 8. EXPOSURE CONT CHEMICAL NAME(S) NA General mechanical (e.g., fans) or ventilation to effectively remove are that an eyewash station, sink or we not required under normal conditing generated, and respiratory protective applicable U.S. State regulations, Canadian Provinces, EC member Avoid eye contact. Protective eye standards) should be used when he Use gloves constructed of chemical	ROLS ACC TLV NA natural vend preventashbasin ions of us states, or wear that nandling a	y entry t iners for lothing ps and op ORAC kin contain practices p contain practices p contain step in a second practice practices NA entilation t buildup is availated, us availated, us anadian practice practices	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a soft water. DRMA mands the washing when no AL PI NOHSC ES- STEL NF the washing of exposemere vape tection a start Z94.	dividuals. al and sol ffected sk TION Droughly a any skin c t in use. ROTEC ESPEAK NF his producenerated fesure to eye ors or spi uthorized 4-93 and rether apprents of the sure to expense of the sure to eye or sor spi uthorized 4-93 and rether apprents of the sure to eye or sor spi uthorized 4-93 and rether apprents of the sure to eye or sor spi uthorized 4-93 and rether apprents of the sure sure sure sure sure sure sure sur	Dike and id diking in areas was after using ontact are was after using using the later was after using	g this process and all contains produced as a contains and appropriate as a contains a contai	g and w spill witto sepa and wa duct and emoving chemica IDLH NA cal or g of this p ct are 0.134, rds of priate	h inert mate rate contain ter. Keep s d before eat g contaminates out of re
2 3 1 2	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection:	before reuse. For large spills (e.g., ≥ 1 gallon (3.4 (e.g., sand or earth). Transfer liquifor proper disposal. Remove contart and cleaning runoffs out of municipy. 7. HANDLING Use normal hygiene practices. Avoid drinking, or smoking. Good personal clothing, are recommended. Keep away from sources of heat. Follow all instructions on product large of children. 8. EXPOSURE CONT CHEMICAL NAME(S) NA General mechanical (e.g., fans) or ventilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove and that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove and that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation to effectively remove are that an eyewash station, sink or wentilation. State regulations, Canadian Provinces, EC member Avoid eye contact. Protective eye standards) should be used when head and the state of the stat	ROLS ACC TLV NA natural vend preventashbasin ions of us states, or wear that nandling a al resistan	y entry t iners for lothing ps and op ORAC kin contain practices p contain practices p contain practices B & PI STEL NA entilation to buildup is availated, us anadian r Austral conforming chemit t material	o all unproter recovery coromptly and en bodies of the bod	p. Remo ected incor disposed wash a of water. DRMA mands the washing when no AL PI NOHSC ESSTEL NF nt when to go f exposence vapuection a ard Z94. Z87.1 (oret. neoprene	dividuals. al and sol ffected sk TION Droughly a any skin c t in use. ROTEC ESPEAK NF his produce enerated feaure to eye ors or spi uthorized 4-93 and rother appressor heavy	Dike and id diking in areas was after using ontact are was a to be a contact and a contact are was a to be a contact are was a to be a contact and a contact are was a contact and a con	g this process and reseased all contains of the soap o	g and w spill witto sepa and wa duct and emoving chemica IDLH NA cal or g of this p ct are 0.134, rds of priate quent	h inert mate rate contain ter. Keep s d before eat g contaminates out of re



Special Considerations:

NA

13.2

SAFETY DATA SHEET

Page 3 of 5

GC-073 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards SDS Revision Date: 1/25/2024 SDS Revision: 1.0 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: 9 1 Oily green liquid 9.2 Odor Coconut Odor Threshold 9.3 NA pH: 9.4 6.0-8.0 9.5 Melting Point/Freezing NA Point: Initial Boiling Point/Boiling 9.6 NA Range: 9.7 Flashpoint: NA Upper/Lower Flammability 9.8 ND 9.9 Vapor Pressure: ND 9.10 Vapor Density: NA 9.11 Relative Density: 1.0 9.12 Solubility: Partial to complete 9.13 Partition Coefficient (log NA 9.14 Autoignition Temperature: NA 9.15 Decomposition NA Temperature: 9.16 Viscosity: NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions of use Hazardous Decomposition 10.2 None known. Products 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Strong oxidizers and reducing agents. 10.5 Incompatible Substances Strong oxidizing agents, strong acids and bases. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO 11.1 Routes of Entry: Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is 11.2 available for some of the components of the product, but is not presented in this document. 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity See Section 4.5 Suspected Carcinogen: 11.5 No 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans 11.7 Irritancy of Product: See Section 4.2 Biological Exposure Indices: 11.8 ΝE 11.9 Physician Treat symptomatically. Recommendations 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data available for this product. 12.2 Effects on Plants & Animals: There are no specific data available for this product 12.3 Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS 13 1 Waste Disposal: Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and

federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and

disposal of hazardous waste must be provided by a licensed facility or waste hauler.



Page 4 of 5 **GC-073**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards SDS Revision: 1.0 SDS Revision Date: 1/25/2024

		14. TRANSPORTATION INFORMATION
		ber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED
		15. REGULATORY INFORMATION
15.1	SARA Reporting	This product does not contain any substance subject to SARA Title III, Section 313 reporting requirements
	Requirements:	
15.2	SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity:	NA NA
15.5	Other Federal Requirements:	This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
15.7	State Regulatory Information:	No ingredients in this product present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov
15.8	Other Requirements:	This product is found on the following inventory lists: Australia - AICS, China – IECSC, Europe – ELINCS/EINEC, Japan – ENCS; Korea – KECI; New Zealand – NZIoC; {Philippines – PICCS; USA – TSCA.
		16. OTHER INFORMATION
16.1	Other Information:	WARNING! CAUSES MILD SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATON. Wash thoroughly after handling. Wear protective gloves/ eye protection/ face protection. IF ON SKIN: Wash with plenty of water. Specific treatment see this container label or section 4 of this SDS. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Do not touch eyes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Keep container tightly closed. Store locked up. KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Goodwin's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	The Slippery Soap, LLC 2950 North Loop West, Suite 500, PMB #664 Houston Texas 77092-8830 http://www.slipperysoapllc.com email: theslipperysoapllc@gmail.com
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 5 of 5 **GC-073**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards

SDS Revision: 1.0

SDS Revision Date: 1/25/2024

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS	European Inventory of Existing Commercial Chemical Substances Number
No.	

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	0 Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α		
В		
С		
D		
Е		
F		





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	LAMMABILITY LIMITS IN AIR:			
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ ~~~ ~~ ~
W	Use No Water	HEALTH 🔪
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TDio	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(4)	③	(3)	\odot	(4)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond					¥2>
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment