ARLO SCONCE



RTO LIGHTING

SPEC SHEET

ARLO SCONCE

DESCRIPTION	LAMPING
The Arlo Sconce features a spun bronze reflector affixed to a curved brass arm, complimenting any space with warmth and subtlety.	 We suggest the use of LED bulbs under 40 Watts. In order to reduce the consumption of electricity and to ensure the lifetime guarantee of our products. Incandescent bulbs emit heat that can cause damage to the luminaire overtime. E12 Lamp Base. 120VAC. Ships with complimentary Tala Pluto LED bulb.
SPECIFICATIONS	ARMATURE + BACKPLATE
Materials: Bronze, Brass (All finishes are lacquered) Available in Brushed Satin Brass with Brushed Satin Bronze Shade, Oil Rubbed Brass with Oil Rubbed Bronze Shade, Brushed Satin Nickel with Brushed Satin Bronze Shade. Dimming compatible.	Oil Rubbed Brass Brass Brass Nickel
	Finish samples available upon request.
This item is made-to-order with a 10-12 week production lead time prior to shipping.	
	SHADE FINISH
CERTIFICATIONS	
cUL, UL Certified.	
CE certification available upon request.	Oil Rubbed Bronze Bushed Satin Bronze
Dry or damp location rated	Finish samples available upon request.
PRODUCT CARE	
Please care for the brass pieces with a soft cloth. Avoid using any abrasive cleaners or products. Natural patina process is quickened by touch and exposure.	
Gloves are recommended for installation.	



