CECIL ADJUSTABLE CEILING LIGHT



RTO LIGHTING SPEC SHEET

CECIL ADJUSTABLE CEILING LIGHT

DESCRIPTION

Undulating bent brass and movable milk glass globe pendants provide practicality to the Cecil Adjustable Ceiling Light, our polished yet utilitarian solution to centering pendants over an expandable dining table.

LAMPING

We suggest the use of LED bulbs under 40 Watts. In order to reduce the consumption of electricity and to ensure the lifetime guarantee of our products. Incandescent bulbs emit heat that can cause damage to the luminaire overtime.

E26 Lamp Base. 120VAC

Ships with complimentary Tala Globe LED bulb.

SPECIFICATIONS

Materials: Glass, Brass (All finishes are lacquered)

Each ceiling light is made to order. List price includes 38" overall drop for 24" Cecil and 40" overall drop for 36" and 50" Cecil. Additional charges apply for drops over 40". Available in a variety of configurations.

Globe: 8", 10" or 12" Milk Glass or Clear Glass.

Dimming compatible.

This item is made-to-order with a 10-12 week production lead time prior to shipping.

ARM FINISH





Brushed Satin Brass

Antique Brass

Finish samples available upon request.

CERTIFICATIONS

cUL, UL Certified.

CE certification available upon request.



PRODUCT CARE

Dry location rated.

Please care for the brass pieces with a soft cloth. Avoid using any abrasive cleaners or products. Natural patina process is quickened by touch and exposure.

Gloves are recommended for installation.

GLASS FINISH






Milk Glass

Clear Glass

Finish samples available upon request.

RTO LIGHTING SPEC SHEET

24" CECIL ADJUSTABLE CEILING LIGHT **DIMENSIONS** 24" Overall Dimensions: - 24" W x 38" H



- Includes one 10" Globe
- 38" drop is standard.

36" CECIL ADJUSTABLE CEILING LIGHT

40" Ø 12"

DIMENSIONS

Overall Dimensions:

- 36" W x 40" H
- Includes one 12" Globe
- 40" drop is standard. Drop height can be determined by customer.

RTO LIGHTING SPEC SHEET

