CECIL SCONCE



RTO LIGHTING

SPEC SHEET

RTO LIGHTING SPEC SHEET

CECIL SCONCE

DESCRIPTION

Form and function meet with the Cecil Sconce's undulating bent brass arm and swiveling backplate. Choose either a milk glass globe for ambiance or a clear glass globe for maximum illumination.

LAMPING

We suggest the use of LED bulbs under 40 Watts. In order to reduce the consumption of electricity and to ensure the lifetime guarantee of our products. Incandescent bulbs emit heat that can cause damage to the luminaire overtime.

E26 lamp base. 120VAC.

Ships with complimentary Tala Pluto LED bulb.

SPECIFICATIONS

Materials: Glass, Brass (All finishes are lacquered)

On / Off Rotary Switch on backplate.

Dimming compatible.

This item is made-to-order with a 10-12 week production lead time prior to shipping.

FINISH





Brushed Satin Brass

Antique Brass

Finish samples available upon request.

CERTIFICATIONS

cUL, UL Certified.

CE certification available upon request.



Dry location rated.

GLASS FINISH





Milk Glass

Clear Glass

PRODUCT CARE

Please care for the brass pieces with a soft cloth. Avoid using any abrasive cleaners or products. Natural patina process is quickened by touch and exposure.

Gloves are recommended for installation.

RTO LIGHTING SPEC SHEET

