CLASSIC MIRROR OPERATING LIGHT



RTO LIGHTING

SPEC SHEET

CLASSIC MIRROR OPERATING LIGHT

DESCRIPTION	LAMPING
Eye-catching with its clean details and unique form, the Classic Operating Light multiplies the light with its intriguing mix of metal and glass.	We suggest the use of LED bulbs under 40 Watts. In order to reduce the consumption of electricity and to ensure the lifetime guarantee of our products. Incandescent bulbs emit heat that can cause damage to the luminaire overtime. E26 Lamp Base. 120VAC
SPECIFICATIONS	ARM FINISH
Materials: Galvanized Steel, Glass, Brass (All finishes are lacquered).	
List price includes 36" overall drop. Additional charges apply for drops over 36".	Oil Rubbed Bronze
Canopy: 4 -1/2" Diameter.	
Dimming compatible.	Finish samples available upon request.
This item is made-to-order with a 10-12 week production lead time prior to shipping.	GLASS FINISH
CERTIFICATIONS	
cUL, UL Certified.	Milk Glass Clear Glass Ribbon Glass
CE certification available upon request.	
CERTIFIED	Finish samples available upon request.

PRODUCT CARE

Please care for the brass pieces with a soft cloth. Avoid using any abrasive cleaners or products. Natural patina process is quickened by touch and exposure.

Gloves are recommended for installation.



