MONROE ICELANDIC SPAR SCONCE



RTO LIGHTING

SPEC SHEET

RTO LIGHTING SPEC SHEET

MONROE ICELANDIC SPAR SCONCE

DESCRIPTION

Made of a naturally occurring stone, the Monroe Sconce emanates diffused light through hand-laid Icelandic spar. Expect natural variations in each unique sconce. Part of our Natural Stone Collection.

LAMPING

We suggest the use of LED bulbs under 40 Watts. In order to reduce the consumption of electricity and to ensure the lifetime guarantee of our products. Incandescent bulbs emit heat that can cause damage to the luminaire overtime.

E12 Lamp Base. 120VAC.

Ships with complimentary Tala Candelabra LED bulb.

SPECIFICATIONS

Materials: Brass, Icelandic Spar (All metal finishes are lacquered)

Hardwire or Plug-in.

Overall height and depth may change slightly due to variances in size of Icelandic Spar. Sconces sold in pairs will be made as similarly sized as possible.

Dimming compatible.

This item is made-to-order with a 10-12 week production

CERTIFICATIONS

cUL, UL Certified.

CE certification available upon request.

Dry and damp location rated.



ARMATURE AND BACKPLATE FINISH



Brushed Satin Brass

Finish samples available upon request.

DIFFUSER FINISH




Icelandic Spar

PRODUCT CARE

Please care for the brass pieces with a soft cloth. Avoid using any abrasive cleaners or products. Natural patina process is quickened by touch and exposure.

Gloves are recommended for installation.

RTO LIGHTING SPEC SHEET



RTO LIGHTING SPEC SHEET

