Special Lighting & Appliances



FEBRUARY 2024 FIREFLY PRICE LIST

(Prices and specifications are subject to change without prior notice)

FELCO

FIREFLY ELECTRIC & LIGHTING CORPORATION

7/F Zen Offices Bldg. 1111 Natividad Lopez St., Ermita, Manila, Philippines

- (02) 8789-1000 (Trunkline)
- www.fireflyelectric.com
- info@fireflyelectric.com
 @FireflyLightingPH

Contact Person:

TIPS ON PROPER MAINTENANCE OF EMERGENCY LAMPS USING RECHARGEABLE BATTERIES:

- To prolong the battery life, it must be discharged and charged every 3 months
- Emergency lamps for residential use must not be left unattended during charging. Charging time must not exceed 24 hours and must be unplugged after charging.
- · Emergency lamps for commercial use can be left charging continuously, but must be discharged every 3 months.
- Refer to qualified technician for repair.
- · Carefully read manual before use.

	Item Code & Description	Pkg. Pcs./Ctn.	Suggested Retail Price SRP		Item Code & Description	Pkg. Pcs./Ctn.	Suggested Retail Price SRP
--	-------------------------	----------------	----------------------------------	--	-------------------------	----------------	----------------------------------

HANDY MULTIFUNCTION FANS

New! Mini Handheld Fan with Stand

F	EL813	
•	5V DC	

- 3.7V 2Ah Lithium-Ion Battery
- Charging Time: 3 Hours
- Usage Duration: 5 Hours Low 4 Hours Mid 3 Hours High



60





630.00

450.00



Handy Portable Fan

FEL806	60	500.00
• 5V DC		

- 3.7V 2Ah Lithium-Ion Battery
- · Charging Time: 6 Hours
- Usage Duration: 6 Hours 3 Hours 2 Hours





Portable Handy Stand Fan with Mobile Phone Holder





FEL809









• 5V DC	
• 3.7V 2Ah Lithium-Ion Battery	
OI : T' OII	

 Charging Time: 6 Hours • Usage Duration: 5 Hours - Low 3 Hours - Mid 2 Hours - High



60 **450.00**






Rechargeable Clip-on Fan with Night Light

FEL811	20	780.00
• 5V DC		
Rated Power: 6 Watts		
 3.7V 1.8Ah Lithium-Ion Battery 	SAFE	(III)

• Charging Time: 8 Hours Usage Duration:

Night Light 9 Hours - Low 6 Hours - Mid 100 Hours - Low 25 Hours - Mid 10 Hours - High 6 Hours - Mid 2.5 Hours - High







3" Mini Mist Fan

FEL801*	40
• 5V DC	
• 3.7V 1.5Ah Lithium-Ion Battery	
 Charging Time: 4 - 6 Hours 	SAFE

Usage Duration: 8 Hours - Fan only
 12 Hours - Mist only
 5 Hours - Fan & Mist







Handy Portable Fan

FEL803*	60	400.00
• 5V DC		
 3.7V 2Ah Lithium-Ion Battery 		

Charging Time: 7 Hours Usage Duration: 6 Hours - Low 3 Hours - Mid 2 Hours - High









• 3.7V 2Ah Lithium Polymer Battery

Charging Time: 4 Hours

Handy Mirror Fan

Usage Duration: 8.5 Hours - Low 4.5 Hours - Mid 2.5 Hours - High







MID MULTIFUNCTION FANS



• Rated Power: 12 Watts

 3.7V 1.8Ah Lithium-Ion Battery • Charging Time: 4 - 5 Hours

 Usage Duration: Fan: 3 Hours - Low 2 Hours - Mid 1.5 Hours - High

Lamp: 6 Hours - Low 2 Hours - High











New! 12" Rechargeable Desk Fan with Night Lamp

FEL6117 20 **1,200.00** • 5V DC

• Rated Power: 7 Watts 3.7V 4Ah Lithium-Ion Battery

Charging Time: 4 - 6 Hours
 Usage Duration:

8 Hours - Low 5 Hours - Mid 3 Hours - High

Fan:

Lamp: 12 Hours
















WOLITIO	NOTION LANS				
	Item Code & Description	Pkg. Pcs./Ctn. Suggested Retail Price SRP		Item Code & Description	Pkg. Pcs./Ctn. Suggested Retail Price SRP
	MID MULTIFUNCTION FANS				
	New! Foldable and Rechargeable	Mini Desk Fan		New! Rechargeable Mini Desk Fa	n with Ring Lamp
	FEL665 • 5V DC	20 1,100.00		FEL664 • 5V DC	20 1,200.00
PRINTEY	Rated Power: 11 Watts			Rated Power: 6 Watts	
	• 3.7V 4Ah Lithium-Ion Battery • Charging Time: 4 - 6 Hours			3.7V 4Ah Lithium-Ion Battery Charging Time: 4 - 6 Hours	SAFE COD (CO)
	• Usage Duration: Fan: 12 Hours - Low 6 Hours - Mid 3 Hours - High		PRINCY	• Usage Duration: Fan: Lamp: 12 Hours - Low 8 Hours	
				6 Hours - Mid 4 Hours - High	
	• • 5V=				
	Micro USB port for charging				
	g.ng			With hook to function as ceiling fan	
	5" Rechargeable Fan with Night Ligh	ht		12" Rechargeable Wooden Design Oscillating Fan with Night Light	
ARTIN .	FEL651 • 5V DC	30 850.00		FEL662 • 230V AC	2 4,000.00
	• 3.7V 2Ah Lithium-Ion Battery • Charging Time: 6 - 8 Hours			Rated Power: 30 Watts	SAFE SAFE
	Usage Duration: LED Night Light: Fan:	SAFE COD		4V 3Ah Sealed Lead Acid Battery Charging Time: Max. 6 Hours	
	65 Hours - Low 18 Hours - Mid 4.5 Hours - Low 3 Hours - Mid			Usage Duration: Night Lamp: Fan:	
	7 Hours - High 2 Hours - High		AC/DC	45 Hours - Max 100 Hours - Min 3 Hours - Mid 2 Hours - High	BPS CERTIFIED Product Safety License No. Q-2947
	With night light Anti-skid rubber			Oscillating function With night light	
	Rechargeable Mini Fan with Ring Lig			Rechargeable Wooden Design Circ with Night Lamp	ulator Fan
	• 5V DC	9 900.00		FEL663 • 230V AC	4 3,900.00
The State of the S	Rated Power: 12 Watts3.7V 1.8Ah Lithium-Ion Battery	SAFE SAFE	PRESTO	Rated Power: 30 Watts	
	 Charging Time: 6 Hours Usage Duration:			3.7V 3Ah Lithium-lon Battery Charging Time: 8 Hours	
Available in:	Ring Light: Fan: 8 Hours - Low 5 Hours - Low 2 Hours - High 3 Hours - Mid	3	ð	Usage Duration: Night Lamp: Fan: 80 Hours - Low 10 Hours - Low	SEC.
FEL657GY ⊚ Gray	2 Hours - High 3 Hours - Mid 2 Hours - High		AC/DC	20 Hours - High 5 Hours - Mid 3 Hours - High	CERTIFIED Product Safety License No. Q-2947
	May function as				
	mini ceiling fan and ceiling lamp when mounted				
	With ring light using its hook			Tilt fan vertically Horizontal oscillation	With night light
	6" Rechargeable Fan with Night Ligh			Rechargeable Mist Fan FEL6113	6 2,900.00
	FEL655 • 5V DC	12 1,000.00		5V DC Rated Power: 10 Watts	GAGE CAN
	Rated Power: 5 Watts3.7V 3Ah Lithium Polymer Battery	SAFE SAFE	12277855	 3.7V 5Ah Lithium Polymer Battery Charging Time: 10 - 12 Hours 	
	 Charging Time: 6 Hours Usage Duration: 9 Hours - Low		**************************************	Tank Capacity: 700 ml Usage Duration:	
	4 Hours - Mid 2 Hours - High			Fan: 10 Hrs - Low 7 Hrs - Mid Fan + Mist: 3.5 Hrs - High Spee - High Mist	Fan + Mist + Oscillation: 3 Hrs - High Speed - High Mist - Oscillation
		0		7 Hrs - Mid - Hiğh Mist 5 Hrs - High	- High Mist - Oscillation
	3-speed fan With night light	Micro USB port for charging		Portable and rechargeable Easy to move	
MERKHII DA	Rechargeable Foldable Mini Stand F	an with Night Lamp		mist and fan in one with built-in handle	
PREFET	FEL659	12 1,700.00		Rechargeable Fan with Night Lamp FEL658	20 1,400.00
Tomas destroy	• 5V DC • Rated Power: 9 Watts			5V DC Rated Power: 12 Watts	Í
	• 3.7V 4Ah Lithium-Ion Battery • Charging Time: 6 - 8 Hours	SAFE (S)		3.7V 3Ah Lithium Polymer Battery Charging Time: Max. 6 Hours	SAFE
	Usage Duration: Night Lamp: Fan:		00	Usage Duration: Night Lamp: Fan:	
	>40 Hours 7 Hours - Low 4 Hours - Mid 2 Hours - High			20 Hours - Low 10 Hours - High 5 Hours - Mid	
				3 Hours - High	
				entilyse.	
	Foldable and compact design With night	light		Convenient carrying handle With night light	



Night Light: 18 - 20 Hours 5 Hours - Low 3 Hours - High


	Item Code & Description Pkg. Pcs./Ctn. Suggested Retail Price SRP		Item Code & Description Pkg. Pcs./Ctn. Suggested Retail Prior SRP
	MID MULTIFUNCTION FANS		SKP
AC/DC	Rechargeable 3-Speed Fan with Night Light FEL653 • 230V AC 60Hz • 6V 4.5Ah Lead Acid Battery • 24 pieces SMD LED • Charging Time: 7 Hours • Usage Duration: Night Light: 15 Hours - Low 8 Hours - High Fan: 7 Hours - Low 5 Hours - Mid 4 Hours - High		Rechargeable Foldable Telescopic Stand Fan with Night Lamp FEL661 • 5V DC • Rated Power: 15 Watts • 3.7V 10Ah Lithium Polymer Battery • Charging Time: 6 - 8 Hours • Usage Duration: Night Lamp: >40 Hours Fan: 11 Hours - Low 7 Hours - Mid 6 Hours - High
The state of the s	Mini Table Fan with Night Light FEL650* • 110 - 240V AC 50/60Hz • 2 pcs. 4V 1.3Ah Lead Acid Battery • Charging Time: 10 Hours • Usage Duration: Night Light: 15 Hours Fan: 6 Hours - Low 4 Hours - Mid 3 Hours - High	AC/DC	Telephone Charger FEL617* • 220-240V AC 50/60Hz • 12 pieces SMD LED • 6V 4.5Ah Lead Acid Battery • Charging Time: 12 - 15 Hours • Usage Duration: Desk Lamp: 25 Hours - Low 7.5 Hours - High Telephone Charger 3 2,770.00 2,770.00 2,770.00
AC/DC	BIG MULTIFUNCTION FANS 16" Rechargeable Stand Fan with LED Night Light FEL635 230V AC 60Hz 60V 74h Lead Acid Battery Charging Time: 12 - 15 Hours Usage Duration: Night Light: 75 Hours Fan: 20 Hours - Low 12 Hours - High With LED night light With LED night light	AC/DC	16" Fan With Innovative Digital Display FEL633 • 220V AC • 12V DC • Rated Power: 40 Watts • 2 pcs. 6V 4.5Ah Lead Acid Battery • 4 pcs. SMD LED • Charging Time: 12 - 15 Hours • Usage Duration: Night Light: 45 Hours Pan: 20 Hours - Low 2 Hours - High Digital LED display and mode selection With remote control
AC/DC	14" Fan Blade with Built-in LED Night Light FEL632 • 230V AC 60Hz • 1 piece 6V 9Ah Lead Acid Battery • 6 pieces SMD LED • Charging Time: 24 Hours • Usage Duration: Night Light: 20 Hours Fan: 10 Hours - Low 5 Hours • High With USB mobile phone charger		16" Rechargeable Mist Fan with Digital Display and LED Night Light FEL646 • 230V AC 60Hz • 12V 4.5Ah Lead Acid Battery • Charging Time: 12 - 15 Hours • Usage Duration: Night Light: 80 Hours - Low 35 Hours - High Fan: 25 Hours - Mid 2 Hours - High Conveniently move or transfer With remote control With night light
AC/DC	18" Rechargeable Stand Fan with LED Night Light and Remote Control FEL634 • 230V AC 60Hz • 12V 4.5Ah Lead Acid Battery • Charging Time: 12 - 15 Hours • Usage Duration: Night Light: 60 Hours Fan: 10 Hours - Low 5 Hours - High With remote control With night light With night light	J AODC	Rechargeable Mist Fan with Built-in Emergency Light FEL645 • 220-240V AC • Rated Power: 75 Watts • 12V 4.5Ah Lead Acid Battery • 10 pieces SMD LED • Tank Capacity: 2.5L • Charging Time: 12 - 15 Hours • Usage Duration: Night Light: 80 Hours - Low 35 Hours - High Mist Fan: 5 Hours - Low 3 Hours - High Mist Fan: 4 Hours - High SETTIFIED LIGHT STATE OF SAIT OF SAI

www.fireflyelectric.com

10 pieces SMD LED emergency night light

	Item Code & Description	Pkg. Pcs./Ctn. Suggested Retail Price SRP		Item Code & Description	Pkg. Pcs./Ctn. Suggested Retail Price SRP
	HANDHELD FLASHLIGHTS				
	New! Rechargeable Handheld To FEL568 • 5V DC • Rated Power: 5 Watts • 3.7V 2Ah Lithium-Ion Battery • Charging Time: 5 - 6 Hours • Usage Duration: 15 Hours - Low 8 Hours - High	60 650.00		Multifunction Handheld Flashlight FEL564 • 220-240V AC 50/60Hz • 4V 0.9Ah Lead Acid Battery • Lamp Type: LED Torch Lamp COB LED Night Light • Charging Time: 15 Hours • Usage Duration: 3 Hours - LED Torch Lamp 6 Hours - COB LED Night Light	50 270.00
	Type-C charging port Comfortable grip handle Handheld Rechargeable Flashlight with Mobile Phone Charger FEL567 5V DC 3.7V 3.6Ah Lithium-lon Battery	20 1,000.00		Multifunction Handheld Flashlight FEL560* • 5V DC • 3.7V 1.2Ah Lithium-lon Battery • 3W Torch + 1.4W Desk Lamp • Charging Time: 5 Hours	80 350.00
	Charging Time: 6 - 8 Hours Usage Duration: 8 Hours - Low 2 Hours - High Emergency mobile phone charging port Comes with a strap Rechargeable LED Torch Light			Usage Duration: 10 Hours - Low Power Torch 2 Hours - High Power Torch 5 Hours - Desk Lamp Multifunction Handheld Flashlight FEL562 5V DC 3.7V 2Ah Lithium-Ion Battery Charging Time: 7 Hours Usage Duration: 6 Hours - Side Lamp 4 Hours - Torch	30 350.00
Niema Ariema	FEL441 • 220-240V AC 50/60Hz • Rated Power: 4W Lamp + 1W Torch • 4V 2Ah Lead Acid Battery • Charging Time: 20 - 24 Hours • Usage Duration: 10 Hours - LED Torch (1W) 10 Hours - Low Power Lamp (0.9W) 2.5 Hours - High Power Lamp (4W)	20 720.00		3-in-1 Multifunction Rechargeable L FEL565 - 5V DC - Rated Power: 4 Watts - 3.7V 1.8Ah Lithium-lon Battery - Charging Time: 9 Hours	ED Torch Lamp 60 500.00
	Rechargeable LED Solar Torch Light FEL559 • 220-240V AC 50/60Hz • Rated Power: 3 Watts LED Torch 4 Watts LED Lamp • 2 pcs. 4V 0.9Ah Lead Acid Battery • Charging Time: 15 - 20 Hours • Usage Duration: 2 Hours • LED Torch (2.6W)	20 900.00	AC/DC Available in: FEL565W • White FEL565Y • Yellow	Usage Duration: 8 Hours - Torch Light 6 Hours - Lamp Light 5 Hours - Ring Light Torch Armp Bring 3-in-1: ring, torch, lamp light Rechargeable LED Torch Light	
	4 Hours - Lantern Low Power (1.5W) 1.5 Hours - Lantern High Power (4W) Built-in Solar Charger Torch + Emergency Ligh Powerful Torch Light with USB Mobil FEL556 - 230V AC 50/60Hz	_	RESPAY	FEL563 • 5V DC • 4V 0.8Ah Lead Acid Battery • 1.6W Lamp + 1.4W Torch • Charging Time: 6 Hours • Usage Duration: 2 Hours - LED Torch 2 Hours - LED Lamp	80 220.00
	Rated Power: 3 Watts LED Torch Light 4V 3Ah Sealed Lead Acid Battery Charging Time: 20 - 24 Hours Usage Duration: 21 Hours - Low Torch 5 Hours - High Torch Convenient carrying hand and shoulder strap	e e		Powerful LED Torch Lamp with AM/ FEL548* • 220V AC 50/60Hz • Rated Power: 5 Watts Hi-Power LED • 4V 1.6Ah Sealed Lead Acid Battery • Charging Time: 12 - 15 Hours • Usage Duration: AM/FM Radio: 4 Hours 4 Hours 4 Hours - Low Power 1 Hour - High Power	FM Radio 20 990.00





	Item Code & Description Pkg. Pcs./Ctn. Suggested Retail Price SRP	Item Code & Description Pkg. Pcs./Ctn. Suggested Retail Price SRP
	HOUSEHOLD LAMPS	
mounty of the state of the stat	Handy Emergency Lamp FEL439 • 220-240V AC • 4V 2Ah Lead Acid Battery • Lamp: 30 pieces LED • Charging Time: 20 - 24 Hours • Usage Duration: 9 Hours - Low 2.5 Hours - High	Rechargeable 180° LED Lantern • 220-240V AC 50/60Hz • Charging Time: 20 - 24 Hours FEL343 • 4V 1.6Ah Lead Acid Battery • 18 pieces SMD LED (4 Watts) • Usage Duration: 12 Hours - Lich Power Setting
	Flashlight + emergency light Handy Emergency Lamp FEL438 • 220-240V AC • 4V 2Ah Lead Acid Battery • 2 pieces SMD LED + 1 piece COB • Charging Time: 20 - 24 Hours • Usage Duration: 9 Hours - Low	1.5 Hours - High Power Setting FEL344 • 2 pcs. 4V 1.6Ah Lead Acid Battery • 30 pieces SMD LED (6 Watts) • Usage Duration: 10 Hours - Low Power Setting 1.5 Hours - High Power Setting Wall mounting hole Removable surface mount holder Built-in hanger
	2.5 Hours - High Wall mounting hook Handy Emergency Lamp FEL442 • 5V DC • 2pcs. 3.7V 2Ah Lithium-lon Battery • Charging Time: 10 Hours • Usage Duration: 5 Hours - 2 Lamps 2.5 Hours - 4 Lamps	60 LED Swivel Desk Lamp with Solar Charger and USB Mobile Phone Charger FEL722* • 230V AC 50/60Hz • 6V 120mA Solar Charger • 6V 1.6Ah Sealed Lead Acid Battery • Charging Time: 20 - 24 Hours • Usage Duration: 2.5 - 10 Hours • Solar Charging: 60 Hours or more (depends on light intensity)
AG/DC	Rechargeable Portable Bluetooth® Speaker Lamp FEL416* • Bluetooth Speaker	16 LED Camping Lamp with USB Mobile Phone Charger FEL423* • 230V AC 50/60Hz • 9V DC • 16 pcs. Bright LED • 6V 2.3Ah Sealed Lead Acid Battery • Charging Time: 8 - 12 Hours • Usage Duration: 7 Hours
	Rated Power: 3.6 Watts 4.2V DC 3.7V 2Ah Lithium-lon Battery Lamp: 18 pieces SMD LED Charging Time: 3 Hours Usage Duration: 4 Hours Rechargeable Bluetooth® Speaker Lamp	16 LED Solar Camping Lamp with Touch Dimmer Switch FEL431* 10 900.00 • 230V AC 50/60Hz • 4V 1W Solar Charger 16 pcs. Bright LED
	FEL415* • Bluetooth Speaker • Rated Power: 2.4 Watts • 5V DC • 3.7V 2Ah Lithium-lon Battery • Lamp: 24 pieces SMD LED • Charging Time: 4 Hours • Usage Duration: 10 Hours	• 4V 2.0Ah Sealed Lead Acid Battery • Charging Time: 12 - 16 Hours • Usage Duration: 3 - 20 Hours • Solar Charging: 90 Hours or more (depends on light intensity) 16 LED Solar Camping Lamp with USB Mobile Phone Charger
AC/DC	31 LED Multi-function Desk & Spot Lamp • AM/FM Radio FEL413* • 220 - 240V AC 50/60Hz • 24 x 1500mcd Multi-angle Light 7 x 1500mcd Spot LED Lamp • AM/FM Scan Radio • 6V 4.5Ah Sealed Lead Acid Battery • Charging Time: 20 Hours • Usage Duration: 30 Hours - Light 40 Hours - Torch 13 Hours - Radio	FEL432* • 230V AC 50/60Hz • 8V 1W Solar Charger • 16 pcs. Bright LED • 6V 2.3Ah Sealed Lead Acid Battery • Charging Time: 6 - 8 Hours • Usage Duration: 7 Hours • Solar Charging: 48 Hours or more (depends on light intensity)
	31 LED Camping Lamp FEL511* • 220 - 240V AC 50/60Hz • 24 x 1500mcd Bright LED Light 7 x 1500mcd Bright LED Torch • 6V 4.5Ah Sealed Lead Acid Battery • Charging Time: 20 - 24 Hours • Usage Duration: 30 Hours - Light 40 Hours - Torch	24 LED Camping Lamp with Touch Dimmer Switch FEL421* 10 870.00 230V AC 50/60Hz • 6V DC 24 pcs. Bright LED 4V 2Ah Sealed Lead Acid Battery Charging Time: 6 - 8 Hours Usage Duration: 3 - 15 Hours

	Item Code & Description	Pkg. Pcs./Ctn. Suggested Retail Price SRP		Item Code & Description	Pkg. Pcs./Ctn.	Sugges Retail Pr SRP
	HOUSEHOLD LAMPS			OTHERS		
R	Rechargeable Emergency Bulb Daylight (6500K) Color Temperature	Comes with Portable Lamp Holder		New! Alkaline Batteries AAA FDB301P2 • LR03 1.5V 1.2Ah Alkaline batteries	288/12	34.0
	À		+ encerty	• 2 pieces per pack FDB301P4 • LR03 1.5V 1.2Ah Alkaline batteries • 4 pieces per pack	288/12	64.0
	Portable lamp holder Instant flashlight FEL105DL 5 Watts • 230V AC	60 380.00	HAV.	FDB301P8 • LR03 1.5V 1.2Ah Alkaline batteries • 8 pieces per pack	96/8	120.0
	• 3.7V 2Ah Lithium-Ion Battery • Lumens: AC Mode ≥ 540 Lm	CERTIFIED Posted Safely License No. Q-2996		AA FDB201P2 • LR6 1.5V 2.6Ah Alkaline batteries • 2 pieces per pack	288/12	44.
	Usage Duration: 4 Hours FEL107DL 7 Watts	60 420.00	FIREFLY	FDB201P4 • LR6 1.5V 2.6Ah Alkaline batteries • 4 pieces per pack	288/12	82.
	• 100-240V 50/60Hz • 4.2V 1.5Ah Lithium-Ion Battery • Lumens: AC Mode ≥ 700 Lm	CENTAGE BPS CENTAGED THE CONTROL MANY LINEARS No. Q-2297	REFLY	FDB201P8 • LR6 1.5V 2.6Ah Alkaline batteries • 8 pieces per pack	96/8	158.
PREFEY	Usage Duration: 3 Hours FEL108DL 8 Watts 230V AC 3.7V 2Ah Lithium-Ion Battery	80 420.00		Rechargeable Sealed Lead Acid E FELB4/0.4 0.4Ah 4V • For emergency lamps EEL541R/G/Y/ battery replacement	100	60.
	 Lumens: AC Mode ≥ 650 Lm DC Mode ≥ 300 Lm Charging Time: 12 Hours Usage Duration: 3.5 Hours 	CERTIFIED Product Sale) License No. Q-2996		FELB4/1.5 1.5Ah 4V • For emergency lamp FEL619 battery	- replacement	120
AC/DC	FEL109DL • 9 Watts	60 500.00		FELB4/1.6-B 1.6Ah 4V • For emergency lamps FEL713 batter	replacement	120
	 100-240V 50/60Hz 4.2V 1.5Ah Lithium-Ion Battery Lumens: AC Mode ≥ 1100 Lm DC Mode ≥ 200 Lm Charging Time: 9 Hours 	CERTIFIED ROSS LICENS No. 0,2237		FELB4/1.6 1.6Ah 4V • For emergency lamps FEL343, FEL3 FEL207L battery replacement	- 44, FEL548,	130
	Usage Duration: 4 Hours FEL110DL	80 500.00		FELB4/3.0-B 3.0Ah 4V • For emergency lamps FEL342 battery	- v replacement	245
	• 10 Watts • 230V AC • 3.7V 2Ah Lithium-Ion Battery • Lumens: AC Mode ≥ 950 Lm DC Mode ≥ 450 Lm	CERTIFED		FELB4/3.0 3.0Ah 4V • For emergency lamps FEL434, FEL6. battery replacement	- 28	260
	Charging Time: 12 Hours Usage Duration: 3.5 Hours FEL112DL	Protect Radio (Contract No. G-2996) 80 620.00	FIREFLY	FELB6/2 2.0Ah 6V • For Emergency Lamps FEL333, FEL8 FEL534 Replacement	40	355.
	 12 Watts 230V AC 3.7V 2Ah Lithium-Ion Battery Lumens: AC Mode ≥ 1200 Lm DC Mode ≥ 360 Lm 	ers		FELB6/2.8 2.8Ah 6V • For emergency lamp FEL614 battery	- replacement	540.
	Charging Time: 12 Hours Usage Duration: 4 Hours	CERTIFIED Product Stately License No. Q-2996		FELB6/3.0 3.0Ah 6V • For emergency lamp FEL629 battery	- replacement	400.
	OTHERS 24 LED Wall Mounted Lamp with H	andla		FELB6/4.5 4.5Ah 6V • For emergency lamps FEL615, FEL5	10/20 11. FEL413.	540.
A	FEL342* • 230V AC 50/60Hz • 24 pieces, 0.5W SMD LED Light	12 600.00		FEL201L, FEL205L, FEL616, FEL617 FEL624, FEL625, FEL633 battery rep	, FEL538,	
and the second	4V 3Ah Sealed Lead Acid Battery Charging Time: 12 - 24 Hours Usage Duration: 3 Hours - Low Power Setting 1.5 Hour - High Power Setting			FELB6/7.0 7.0Ah 6V • For emergency lamp FEL6110 battery	replacement	1,220.
N	4 Pin Light FPL7W 7 W 2G7	100 79.95		FELB6/9.0 9.0Ah 6V • For emergency lamp FEL632 battery	replacement	880.
FRIDY	FPL9W 9W 2G7 • For Emergency Lamps FEL501, FEL503, FEL505, FEL401, FEL403, & FEL405 Replacement	100 79.95		FELB12/4.5 4.5Ah 12V • For emergency lamp FEL645 battery	- replacement	1,450.

	Item Code & Description	Pkg. Pcs./Ctn. Retai	gested il Price RP	Item Code & Description	Pkg. Pcs./Ctn.	Suggeste Retail Prid SRP
	EMERGENCY POWER SUPPLY (E	PS)				
	FEP109 • For 9W LED Tube (Max) / 6W(Min) • 7.4V 2000mAh Li-lon	25 2,38	30.00	FEP320 • For T8 20W FL (Max.) • 6V 1800mAh Ni-CD, 220V	10	1,300.00
Strayers Translated 2771.	FEP118 • For 18W LED Tube (Max) / 10W(Min) • 11.1V 4400mAh Li-lon	20 3,38	0.00	FEP340 • For T8 40W FL (Max.) • 6V 2500mAh Ni-CD, 220V	10	1,500.00
S M PE	FEP114 • For 14W CFL (Max.) • 6V 1800mAh Ni-CD, 220V	10 1,30	0.00	FEP420 • For 10W LED Bulbs. (Max.) • 12V 4000mAh Li-lon, 220V	8	3,000.00
	FEP228 • For T5 28W FL (Max.) • 6V 2500mAh Ni-CD, 220V	10 1,50	0.00	• Min. Load - 11W • Max. Load - 20W		
	COMMERCIAL EMERGENCY LAN	IPS				
	Rechargeable Twinhead Emergency	Lamp		Dual Optics Emergency Light		
VIII.	FEL201L • 220V 60Hz • 1 Head = 0.6 Watts LED 2 Heads = 1.6 Watts LED • 6V 4.5Ah Sealed Lead Acid Battery • Charging Duration: 20 - 24 Hours • Solar Charging: 21 - 24 Hours • Usage Duration: 32 Hours - 1 Head	5 1,600	0.00	FEL208L • 220-240V AC 50/60Hz • 4V 2Ah Lead Acid Battery • 2 Watts SMD LED • Charging Time: 24 Hours • Usage Duration: 2 Hours	20	1,000.0
	17 Hours - 2 Heads 18 Heads 3.5' dome reflector for wider light distribution Dual Optics			Can be wall-mounted 90° tilt range Mini Dual Optics FEL207L	24	800.0
MANY STATES	FEL205L • 230V 60Hz • 2 x 3 Watts LED Bulb • 6V 4.5Ah Sealed Lead Acid Battery • Charging Duration: 20 - 24 Hours • Usage Duration: 2 Hours	6 1,800 Soft	0.00	230V AC 50/60Hz 2 Watts Hi-Power LED 4V 1.6Ah Sealed Lead Acid Battery Charging Time: 20 - 24 Hours Usage Duration: 2 Hours	SAFE	
	Automatically lights up during power failure			Automatically lights up during power failure		
	FEL221A FEL222A FULL STATE OF THE PROPERTY OF	FEL225A SVIII				
EXIT.	Single-Faced Exit Light with Wall/Ce 3.6V 350mAh Ni-CD Battery Operating Voltage: 220-240V Lamp: 8 pieces SMD LED Charging Time: 24 Hours Usage Duration: 3 Hours Color: Green Dimensions: 310 x 50 x 245	10 1,500	D news	Acrylic Type Single-sided Face 1.2V, 600mAh Rechargeable Ni-C Operating Voltage: 220V AC Lamp: 4 x 1500mcd 110° LED Charging Time: 24 Hours Usage Duration: 90 Color: Green Dimensions: 250 x 355 x 25	20	1,200.0
EXIT	3.6V 350mAh Ni-CD Battery Operating Voltage: 220-240V Lamp: 8 pieces SMD LED Charging Time: 24 Hours Usage Duration: 3 Hours Color: Green Dimensions: 310 x 50 x 245 PEL227 Double-Faced Exit Light with Wall/Ce 3 x 1.2V 350mAh (3.6V) Ni-CD Batte Operating Voltage: 220-240V Lamp: 8 pieces SMD LED Charging Time: 24 Hours Usage Duration: ≥ 90 (Min.) Color: Green	10 1,500 Safe (A) Safe (A) Safe (A) Safe (A) Safe (A) Safe (A) Safe (A)	O.OO FIRE FIRE FIRE FIRE FIRE	Acrylic Type Single-sided Face 1.2V, 600mAh Rechargeable Ni-C Operating Voltage: 220V AC Lamp: 4 x 1500mcd 110° LED Charging Time: 24 Hours Usage Duration: 90 Color: Green	20	AC/DC)
TURES:	3.6V 350mAh Ni-CD Battery • Operating Voltage: 220-240V • Lamp: 8 pieces SMD LED • Charging Time: 24 Hours • Usage Duration: 3 Hours • Color: Green • Dimensions: 310 x 50 x 245 Double-Faced Exit Light with Wall/Ce 3 x 1.2V 350mAh (3.6V) Ni-CD Batte • Operating Voltage: 220-240V • Lamp: 8 pieces SMD LED • Charging Time: 24 Hours • Usage Duration: ≥ 90 (Min.)	10 1,500 A Beiling Mount Option Try 10 1,500 A	0.00 FRE	Acrylic Type Single-sided Face 1.2V, 600mAh Rechargeable Ni-C Operating Voltage: 220V AC Lamp: 4 x 1500mcd 110° LED Charging Time: 24 Hours Usage Duration: 90 Color: Green Dimensions: 250 x 355 x 25 Double-Faced Exit Light with Wall 3.6V 600mAh Ni-CD Battery FEL228 Operating Voltage: 220-240V Lamp: 6 pieces Straw Hat LED Charging Time: 24 Hours Usage Duration: ≥ 90 (Min.) Color: Green	/Ceiling Mount 10 Detachable left and right arrows	Option 1,500.0

www.fireflyelectric.com

1,150.00

1,200.00

1,350.00

1,450.00

1,250.00

1,400.00

930.00 1,100.00 1,350.00

6

6













FEFC14/08W

FEFC14/10W

FEFC15/08W

FEFC15/10W

8"

10"


8" 20W

25W

10"

20W

25W



FEFW20/06W	6"	20W	150 ft³/min	≤40	16 - 20	8	1,000.00
FEFW20/08W	8"	25W	290 ft³/min	≤41	20 - 25	5	1,100.00
FEFW20/10W	10"	35W	450 ft³/min	≤43	30 - 37	5	1,200.00



78 ft³/min

71 ft³/min

78 ft³/min

≤45

≤46


71 ft³/min ≤45 8 - 12

≤46

8 - 12

12 - 16

12 - 16



FEFW21/04W							550.00
FEFW21/06W	6″	1500	88 ft³/min	≤44	7 - 10	18	680.00

mur		a a			8" 10" 12"	27.6 x 1	Dimensions (cm) (a x b x c) 12.3 x 25.4 x 13.1 x 31 x 12.5 x 37
FEFC16/08W	8"	20W	230 ft³/min	≤44	10 - 14	5	930.0
FEFC16/10W	10"	30W	350 ft³/min	≤44	16 - 20	5	1,100.0

							FEFC16/12W	12"	35W	520 ft ³ /min	≤49	25 - 30	
							Duct-free type						
	a a a a a a a a a a a a a a a a a a a	b c b	 - -	4" 6" 20	15 x 15 x 9	Dimensions (cm) (a x b x c x d x e) 9.9 x 8 x 1.7 7 x 8.4 x 1.8			a	b b c		10" 2	22 x 15 24 x 15 .6 x 16
FEFW22/04W	4" 10W	39 ft³/min	≤39	4 - 6	20	650.00	FIRESTY			ď			

7 - 10

≤46

81 ft³/min

9×8×1.7 (8.4×1.8	PRINTY		a a a a a a a a a a a a a a a a a a a			10" 24	x 15.4 x 2 x 15.6 x 2	Dimensions (cm) (a x b x c) 20.4 x Ø98 22.8 x Ø98 25.5 x Ø99
750.00	C17/08W	8"	22W	70 ft³/min	≤40	8 - 12	6	1,000.00
		-						,
FEFC	C17/10W	10"	26W	84 ft³/min	≤42	12 - 16	6	1,100.00
FEFC	C17/12W	12"	30W	110 ft³/min	≤43	15 - 20	4	1,500.00

FEFW22/06W

15W

FIREFLY home

Air Coolers





Cools



Pkg. Pcs./Ctn.





Item Code & Description

Suggested Retail Price SRP

AIR COOLERS

New! Air Cooler with Ionizer

FHF108 Rated/Cooling Power : 110 Watts Operating Frequency : 230V 60Hz : 450 CFM : 45 sqm Area Coverage Tank Capacity : 6 Liters Timer Options : 1, 2, 4, 8 Hours Dimension (L x W x H) : 359 x 279 x 825 mm

Ioinizer Function
 purifies air from the harmful air
 contaminants

 Intelligent Memory Function saves the last fan setting during normal operation. Fan will resume to default setting after unexpected power outage or if the unit is unplugged

 Remote Control for easy & convenient usage 10,500.00

Water Shortage Protection automatically shuts off the water pump when water level is low to protect it from damage

• Wind Modes
can be set between normal,
natural and sleep mode

• 3 Levels Air Flow provides options for high, medium, low







Remote Control



Automatic Vertical and Horizontal Oscillation



Ice Packs



Omni Directional Wheels



Soft Button Control



Smart WIFI Vortex Air Cooler

FHF106 Rated/Cooling Power : 120 Watts Operating Frequency : 230V 60Hz : 1420 CFM : 150 sqm Area Coverage Tank Capacity : 12 Liters

Timer Options : 1 - 9 Hours

Dimension (L x W x H) : 400 x 240 x 806.4 mm

•WIFI Function
via Tuya App, you can control
the unit using your smartphone

Intelligent Memory Function
saves the last fan setting
during normal operation. Fan
will resume to default setting
after unexpected power outage
or if the unit is unplugged

Auto-Drying Function for cooling the pad before storage

1 11,500.00

Water Shortage Protection automatically shuts off the water pump when water level is low to protect it from damage

Remote Control for easy & convenient usage

Wind Modes can be set between normal, natural and sleep mode

• 3 Levels Air Flow provides options for high, medium, low









Vortex Fan System with a distance of 12 meters



Detachable Cooling Pad and Dustproof Filter



Ice Pack and Ice Cubes Top-Load Compartment



Removable Water Tank



Elegant Touch Key Controls



Smart WIFI Dual Fan Air Cooler

FHF105 Rated/Cooling Power 90 Watts Operating Frequency : 230V 60Hz Rated Airflow : 765 CFM : 75 sqm Area Coverage Tank Capacity : 10 Liters : 1 - 9 Hours Timer Options

Dimension (L x W x H) : $368 \times 289.7 \times 930 \text{ mm}$

Removable Water Tank

•WIFI Function

via Tuya App, you can control the unit using your smartphone

Intelligent Memory Function saves the last fan setting during normal operation. Fan will resume to default setting after unexpected power outage or if the unit is unplugged

 Auto-Drying Function for cooling the pad before storage

11,000.00

Water Shortage Protection automatically shuts off the water pump when water level is low to protect it from damage

Remote Control for easy & convenient usage

Wind Modes can be set between normal, natural and sleep mode

• 3 Levels Air Flow provides options for high, medium, low











Ice Packs



Hidden Caster Wheels



Elegant Touch Key Controls

FIREFLY home

Suggested Retail Price

SRP

7,000.00



Item Code & Description

Pkg. Pcs./Ctn.

AIR COOLERS

Vortex Air Cooler

FHF107	
Rated/Cooling Power	: 60 Watts
Operating Frequency	: 230V 60Hz
Rated Airflow	: 587 CFM
Area Coverage	: 26 sqm
Tank Capacity	: 5.5 Liters
Timer Options	: 1 - 9 Hours
Dimension (L x W x H)	: 310 x 282 x 650 mm

Intelligent Memory Function saves the last fan setting during normal operation. Fan will resume to default setting after unexpected power outage or if the unit is unplugged

Water Shortage Protection automatically shuts off the water pump when water level is low to protect it from damage

 Remote Control for easy & convenient usage Wind Modes
 can be set between normal,
 natural and sleep mode

• 3 Levels Air Flow provides options for high, medium, low









Vortex Fan System





Removable Water Tank



Ice Packs



Elegant Touch Key Controls



Handle Design for Portability



Portable Air Co	ortable Air Cooler				
FHF101*					
Rated/Cooling Power	: 55 Watts				
Operating Frequency	: 230V 60Hz				
Airflow Efficiency	: 270 m³/h				
Air Velocity	: 7 m/s				
Area Coverage	: 159 CFM, 35 sqm				
Tank Capacity	: 7 Liters				
Timer Options	: 1, 2, 4, 8 Hours				
Dimension (L x W x H)	: 322 x 325 x 737 mm				

- 3 Wind Modes can be set to normal, natural or sleep mode
- sleep mode

 4 Wind Speed Settings
 provide options for silent, low,
 medium and high

 Water Pump Protection
 automatically shuts off when
 water level is low to protect
 water pump from damage.

 Overtime Working Protection
- Overtime WorkingProtection Automatic shutdown after 15 hours of continuous working without any operation
- Cooling Pad Drying Function press the "speed" button for 3s to start the cooling-pad drying function and the unit will

8,500.00

7,500.00

- automatically turn off after 20mins
- Intelligent Memory Function saves the last fan setting during normal operation. Fan will resume to default setting after unexpected power outage or if the unit is unplugged



Tower Air Cooler

TOWCI All GOO!	
FHF102	
Rated/Cooling Power	: 35 Watts
Operating Frequency	: 230V 60Hz
Airflow Efficiency	: 100 m³/h
Air Velocity	: ≥ 6.5 m/s
Area Coverage	: 59 CFM, 22 sqm
Tank Capacity	: 7 Liters
Timer Options	: 0.5 - 7.5 Hours
Dimension (L x W x H)	: 254.2 x 254.2 x 819.8 mm

- 90° Automatic Oscillation perfect to cool the entire room
- 3 Wind Speed Setting provides options for low, medium and high
 4 Wind Modes
- Water Pump Protection
 automatically shuts off when water level is low to protect water pump from damage











Large Water Tank Capacity up to 7L 2 pcs. Ice Pack





Hidden Wheels



Item Code & Description

Pkg. Pcs./Ctn.

Suggested Retail Price SRP

12,500.00

AIR COOLERS

Air Cooler

FHF103*	
Rated/Cooling Power	: 190 Watts
Operating Frequency	: 230V 60Hz
Airflow Efficiency	: 3000 ml/hr
Air Velocity	: 11.5±1 m/s
Area Coverage	: 424 CFM, 75 sqm
Tank Capacity	: 30 Liters
Timer Options	: 0.5 - 7.5 hours
Dimension (L x W x H)	: 360.5 x 523.5 x 1030 mm

90° Automatic Oscillation perfect to cool the entire room

Wind Speed Settings provide options for silent, low, medium and high

 3 Wind Modes can be set to normal, natural or sleep mode

Filter Cleaning Indicator after 200 hours use of cooling system

Intelligent Memory Function saves the last fan setting during normal operation. Fan will resume to default setting after unexpected power outage or if the unit is unplugged

Large Tank Capacity can hold up to 30L

• Water Pump Protection automatically shuts off when water level is low to protect water pump from damage



Turbo Air Cooler

FHF104 Rated/Cooling Power : 280 Watts Operating Frequency : 230V 60Hz : 3000 ml/hr Airflow Efficiency Air Velocity : 8 m/s Area Coverage : 1765 CFM, 255 sqm : 80 Liters Tank Capacity Timer Ontions : 1 - 12 hours Dimension (L x W x H) : $778 \times 493.5 \times 1181.5 \ mm$

• 3 Wind Speed Setting provides options for low, medium & high

 Adjustable Wind Direction can swing left-right & up-down

 Axial Flow Blades for quiet operation

• Large Tank Capacity can hold up to 80L

Temperature Display for ease of use and checking


21,000.00

• Filter Cleaning Indicator after 200 hours use of cooling system

Water Pump Protection automatically shuts off when water level is low to protect water pump from damage Large Cooling Pad

for larger evaporation and better cooling

Super Airflow



Remote Control & Holder



LED Panel Display



20" Black-oxidized Metal Blade



Honeycomb Filter Easy to Detach & Clean



Water Pump Sprinkling Cycling System



Two Way Water Refill



AC FANS



Item Code & Description







Suggested Retail Price

3,800.00





P

Pkg. Pcs./Ctn.



New! Air Circulator Fan



FHF204 : 40 Watts Operating Frequency : 230V AC/60Hz Average Noise Level : < 52dB Max Airflow : ≤ 650 m^3/h

Dimension (L x W x H) : 200 x 186 x 290 mm

: 1, 2, 4, 8 Hours

Aromatherapy slot for use of essential oils



Touch key controls & digital display

• Timer Options

can be set to 1h, 2h, 4h, 8h • 5 Wind Speed Levels

to suit your preference

• 3 Wind Modes can be set to normal, natural

and sleep mode Remote Control for easy and convenient usage •Intelligent Memory Function saves the last fan setting during normal operation. Fan will resume to default setting after unexpected power outage

or if the unit is unplugged
Touch Key Controls





Suggested Retail Price

SRP

3,800.00



Item Code & Description

AC FANS

Air Circulator Fan

FHF201*	
Rated Power	: 24 Watts
Operating Frequency	: 230V~ 60Hz
Average Noise Level	: < 55dB
Max Airflow	: 720m³/h
Max Air Velocity	: 6m/s
Timer Options	: 1 - 12 hours
Dimension (L x W x H)	: 240 x 240 x 354 mm

• 3 Wind Modes can be set to normal, natural or sleep mode

- 24 Wind Speed Levels to suit preference
- Intelligent Memory Function saves the last fan setting during normal operation. Fan will resume to default setting after unexpected power outage or if the unit is unplugged

Touch Control Panel

Pkg. Pcs./Ctn.

- Remote Control for easy & convenient usage • 12 Hours Timer Options
- Standby Memory Function





Air Circulator Fan


FHF203 Rated Power : 75W Operating Voltage : 230V~ 60Hz : < 55 dB Average Noise Level Airflow Flow Rate : 1140m³/h Air Velocity : 6.5m/s Timer Options : up to 8 hours Dimension (L x W x H) : $326 \times 240 \times 350 \text{ mm}$

- 4 Wind Speed Levels to suit preference
- Remote Control for easy & convenient usage
- Timer Options can be set up to 8 hours



4,500.00







Room temperature display



Touch key controls & digital display



Detachable fan cover for easy cleaning



Circulator Stand Fan with 3D Stereoscopic Oscillation

FHF202*	
Rated Power	: 65W
Operating Frequency	: 230V~ 60Hz
Average Noise Level	: < 55dB
Max Airflow	: 1800m³/h
Max Air Velocity	: 7.5m/s
Timer Options	: 1-12 hours
Dimension (L x W x H)	: 320 x 320 x 790 mm

- 3 Wind Modes can be set to normal, natural or sleep mode
- 4 Wind Speed Levels
 can be set among silent, low, medium and high
- can be set among silent, low, medium and nign

 Intelligent Memory Function
 saves the last fan setting during normal operation.
 Fan will resume to default setting after unexpected
 power outage or if the unit is unplugged

 Remote Control
 for easy & convenient usage



5,900.00





FHF302* Rated Power : 65 Watts Operating Frequency : 230V~ 60Hz Average Noise Level · < 55dB Max Airflow : 120m³/h Max Air Velocity : 10m/s Timer Options : 1,2,4,8 hours Dimension (DIA x H) : Ø 370 x 1148.3 mm

- 4 Wind Modes can be set to normal, nature, sleep or ECO
- 3 Wind Speed Levels can be set among low, medium and high
- Intelligent Memory Function saves the last fan setting during normal operation. Fan will resume to default setting after unexpected power outage or if the unit is unplugged
- Remote Control for easy & convenient usage
- LED Display



6,900.00

Pkg. Pcs./Ctn.

Suggested Retail Price

SRP



Item Code & Description

AC FANS

Stand Fan with Multi-Angle Oscillation

	3.0
FHF401*	
Rated Power	: 65 Watts
Operating Frequency	: 230V~ 60Hz
Average Noise Level	: < 55dB
Max Airflow	: 3600m³/h
Max Air Velocity	: 3m/s
Timer Options	: 1, 2, 4, 8 hours
Dimension (L x W x H)	: 453 x 414 x 1400 mm

• 3 Wind Modes can be set to normal, nature or sleep mode

• 3 Wind Speed Levels can be set among low, medium and high

Intelligent Memory Function saves the last fan setting during normal operation. Fan will resume to default setting after unexpected power outage or if the unit is unplugged

Remote Control
 for easy & convenient usage



6,900.00



FOR YOU AND YOUR FAMILY'S PEACE OF MIND



Benefits of using an Air Humidifier



Reduces respiratory diseases and airborne infections



Rehydrates skir preventing dryness and dullness







Prevents hoarseness of the throat

Pkg. Pcs./Ctn.



FYH101

Rated Power

Rated Voltage

2-in-1 Air Humidifier & Purifier

: 15 Watts

: 220V - 240V

Item Code & Description







- No Mist Humidifying
- Alarm & Auto Shut-Off Function notifies once water level is low; automatically shuts off when water tank is empty.
- Touch Control Panel
 & LED Display
 for ease of use and display
 current operation settings
- DC Motor (Made In Japan) is durable and operates silently at 35db
- 10,000.00

Suggested Retail Price SRP

- Adjustable Humidity Level with preset humidity option levels between the ideal range of 40% to 70%
- Carbon Filter absorbs dust and filters polluted air contaminants
- Washable Disks
- for easy maintenance
- 4 Speed Setting provides options for Slow, Low, Mid, and High • Timer Options
- can be set between 1 12 hours



FYH102 Rated Power : 100 Watts Rated Voltage · 220V - 240V Average Noise Level : 35dB Water Tank Capacity : 7 Liters

· 30 - 45 sam Coverage Area Humidifying Capacity : 400ml/H

Dimension (L x W x H) : 267 x 286 x 327 mm

- Ultrasonic Cool and Warm Mist increases moisture in the air for easier breathing and a good night's sleep
- Touch Control Panel & LED Display for ease of use and display current operation settings
- Large Water Tank with Aroma Box for ease of use and display can fill up to 7 liters of water with separate container of essential oil
- Automatic Adjustable Humidity sets constant preferred humidity level between 40%-70% for quality control and excessive moisture avoidance
- 6,000.00
- 360° Adjustable Mist Outlet for specific angle direction preference
- Alarm and Auto Shut-off Function notifies once water level is low
- Top-Filling Portable Water Tank & Visible Water Level for easy refill and water level checking
- Timer Options can be set between 1 - 12 hours
- Sleep Mode Function minimizes product noise






2,500.00


17,000.00

11,500.00



5-in-1 Purification System:

- Pre-Filter + HEPA H13 True Filter + Carbon Filter + UVC + Ionizer
- 1. Pre-Filter captures initial dust and allergen particles
- HEPA H13 True Filter eliminates particles down to 0.10 microns (up to 99.91% filtration rate). Made in Korea.
- Carbon Filter captures dust and allergen particles, helps reduce the VOC, toxic fumes and neutralizes foul odor
- UVC Light destroys microorganisms such as germs, viruses, bacteria and fungi (such as mold toxins).
- **lonizer** releases negative ions using electricity to help capture finest dust particles that may have escaped from the filtering process.



AIR PURIFIERS

FYP401

FYP303

Car Air Purifier - Rechargeable

the unit using smartphone

the unit using smartphone

FYP103		6 2
Rated Power	: 3 Watts	3-in-1 Purification System:
Rated Voltage	: 100 - 240V 50/60Hz	Pre-Filter + Carbon Coated HEPA Filter + UVC
		• HEPA H13 True Filter eliminates particles down to 0.10 microns

(up to 95% filtration rate) Coverage Area : Approx. 1 - 3 m²

Portable and RechargeableOvercharge and Overdischarge Protection Dimension (L x W x H) : $74.5 \times 70 \times 179 \text{ mm}$

Smart Wifi Air Purifier with UVC Light and Ionizer - Large



- particles down to 0.1 microns (up to 99.91% filtration rate) Dimension (L x W x H) : $356 \times 365 \times 665 \ mm$ • LED indicators auto dimming in Sleep Mode WiFi Function
 - With AUTO mode, to adjust speed according to air quality automatically
- 342 CFM, 580m3/h
- Filter Replacement ranges between
- 6 to 12 months cycle interval.

 WIFI Device Name: FYP401
- Air Quality Digital Display Monitor PM 2.5 Data
- DC Motor (Made In Japan)

Smart Wifi Air Purifier with UVC Light and Ionizer - Medium



• UVC Light breaks down and destroys virus, germs, bacteria, and fungi. WiFi Function via Tuya

noise

• Clean Air Delivery Rate (CADR): 130 CFM (220m3/h)

Sleep Mode minimizes product

- the current air quality Filter Replacement ranges
- between 6 to 12 months cycle
- WIFI Device Name: FYP303
 Air Quality Digital Display Monitor PM 2.5 Data
- DC Motor (Made In Japan)

Smart Air Purifier with UVC Light - Medium


FYP302*		2 10,600.00
Rated Power	: 55 Watts	4-in-1 Purification System:
Rated Voltage	: 220V 60Hz	Pre-Filter + Carbon Filter + HEPA H13 True Filter + UVC
Coverage Area	: Approx. 30 m	HEPA H13 True Filter eliminates particles down to 0.1 microns (up to 99.91% filtration rate) Clean Air Palinary Pate (CARR): 430CFM (204=3/b).
Dimension (L x W	x H): 327 x 176 x 449 mm	Clean Air Delivery Rate (CADR): 130CFM (221m³/h) Auto Mode Function Automatically adjusts speed according to air quality Child Lock Feature Equipped with childproofing features to prevent unsupervised kids from changing operation settings Air Quality Digital Display Monitor PM 2.5 Data DC Motor (Made In Japan)

Smart Air Purifier with UVC Light - Medium

FYP304*			2	8,950.00
Rated Power	: 60 Watts	4-in-1 Purification System:		
Rated Voltage	: 220V 60Hz	Pre-Filter + Carbon Filter + HEPA H		
Coverage Area	: Approx. 30 sqm	HEPA H13 True Filter eliminates particles down to 0.1 microns (up to 99.91% filtration rate) Clean Air Delivery Rate (CADR): 120CFM (204m³/h) Air Quality Ring Light Indicator Auto Mode Function Automatically adjusts speed according to air quality		115
Dimension (L x W x	H): 327 x 176 x 448.6 mm			







AIR PURIFIERS

Air Purifier with UVC Light - Medium

FYP301			2	7,650.00	
Rated Power	: 55 Watts	4-in-1 Purification System:			
Rated Voltage	: 220V 60Hz	Pre-Filter + Carbon Filter + HEPA H13 True Filter + UVC			
Coverage Area	: Approx. 30 sqm	 HEPA H13 True Filter eliminates particles do (up to 99.91% filtration rate) 	wn to 0.1 micro	ns	
Dimension (L x W x	H): 327 x 176 x 449 mm	Clean Air Delivery Rate (CADR): 125CFM (213m³/h)			

Smart Air Purifier with UVC Light - Small

		•				
FYP203*			2	6,350.00		
Rated Power	: 45 Watts	4-in-1 Purification System:				
Rated Voltage	: 220 - 240V 50/60Hz	Pre-Filter + Carbon Filter + HEPA H13 True Filter + UVC				
Coverage Area	: Approx. 15 sqm	HEPA H13 True Filter eliminates particles down to 0.1 microns (up to 99.91% filtration rate)				
Dimension (L x W x H): 200.5 x 200.5 x 327 mm • Clean Air Delivery Rate (CADR): 60CFM (102m³/h) • Air Quality Ring Light Indicator						

Air Purifier with UVC Light - Small

FYP202			2	5,950.00			
Rated Power	: 60 Watts	4 in 4 Dunification Contains					
Rated Voltage	: 220V 60Hz	4-in-1 Purification System: Pre-Filter + Carbon Filter + HEPA H13 True Filter + UVC HEPA H13 True Filter eliminates particles down to 0.1 microns (up to 99.91% filtration rate)					er + UVC
Coverage Area	: Approx. 15 sqm						
Dimension (L x W x H) : 242 x 181 x 324 mm		• Clean Air Delivery Rate (CADR): 60CFM (102m³/h)					

Air Purifier with UVC Light - Small

FYP201*			2	5,500.00
Rated Power	: 45 Watts	4 in 4 Durification Systems		
Rated Voltage	: 220V 60Hz	4-in-1 Purification System: Pre-Filter + Carbon Filter + HEPA H	13 True Filte	er + UVC
Coverage Area	: Approx. 15 sqm	HEPA H13 True Filter eliminates particles dow (up to 99.91% filtration rate)	vn to 0.1 micron	s
Dimension (L x W x F	H): 194 x 194 x 321 mm	Clean Air Delivery Rate (CADR): 60CFM (10))2m³/h)	

Air Purifier with UVC Compact- Mini

FYP101			4	4,250.00	
Rated Power	: 8 Watts	4-in-1 Purification System:			
Rated Voltage	: 100 - 240V 60Hz	Pre-Filter + Carbon Filter + HEPA H11 Filter + UVC		JVC	
Coverage Area	: Approx. 10 sqm	HEPA H11 Filter eliminates particles down to 0.3 microns (up to 95% filtration rate)			
Dimension (L x W x F	H): 250 x 138 x 191 mm	(up to 95% filtration rate) • Clean Air Delivery Rate (CADR): 42m³/h			

Mini Air Purifier with Night Light- Mini

FYP102*			4	3,850.00	
Rated Power	: 8 Watts	3-in-1 Purification System:			
Rated Voltage	: 100 - 240V 60Hz	Pre-Filter + Carbon Filter + HEPA H11 Filter			
Coverage Area : Approx. 10 sqm Dimension (L x W x H) : 250 x 138 x 191 mm		HEPA H11 Filter eliminates particles down to 0.3 microns (up to 95% filtration rate)			
		Clean Air Delivery Rate (CADR): 30CFM (5)	0m³/h)		





Pkg. Pcs./Ctn.

Suggested Retail Price SRP













Item Code & Description

UV STERILIZERS

UV Sterilizer Bag with Auto Shut-Off Safety Feature

FYL401BK / F	YL401P*					4	3,	300.00	
Rated Power	: 10 Watts				Timer Option Push Start Button				
Operating Voltage	: 5V DC	• IP20	IP20 ingress protection				Works on Powerbank		
Lamp Type	Lamp Type : UV-C LED. 265 mm			Safely san	itizes these material	s:			
	. 0 0 0 1111	Metals	Plastics	Glass and Ceramics	Paper/Documents	Textiles	Make-up & Accessories	Gadgets	
Dimension (L x W x H	: 260 x 210 x 155 mm	9 № ®o	B II /	0100			1 2 M 14	200A	

Antivirus & Germicidal UV Lamp

		-			
FYL101*				6	1,900.00
Rated Power	: 20 Watts				
Input Voltage	: 220 - 240V AC 50/60Hz	germs, bacteria & viruses • OVC light that can kill 99.99% • Remote Control			
Lamp Type	: 18 Watts (UVC Tube)		Remote Control 10 Seconds Delay Function to keep people safe from UV radiat		unction
Coverage Area	: 20 sqm				om UV radiation
Dimension (L x W x	H): 140 x 140 x 310 mm				
FYL101S**	Spare UVC lamp tube - 18	3 W			380.00

Antivirus & Germicidal UV Tube Set with PIR Sensor

FYL201R*				28	3,200.00
Wattage	: 18 Watts (0.6 m tube)	UVC light that can kill 99.99% germs, bacteria & viruses UVC Wavelength: 254nm to specs			
Input Voltage	: 220 - 240V AC 50/60Hz		PIR	IIIMOTION SENS R	
Coverage Area	: 15 - 20 sqm				
Dimension (L x W x H	i): 752 x 70 x 48 mm	Long Life 9,000 Hours	Automatically turns off when body heat is detected.		
FYL201S**	Spare UVC lamp tube - 18	W		950.00	
FYL202R*				28	3,900.00
Wattage	: 36 Watts (1.2 m tube)	tube) 50/60Hz • UVC light that can kill 99.99% germs, bacteria & viruses • UVC Wavelength: 254nm to specs Autor			
Input Voltage	: 220 - 240V AC 50/60Hz			- -	
Coverage Area	: 30 - 40 sqm		PIR	Automatically turns off	
Dimension (L x W x H	i): 1365 x 70 x 48mm	Long Life 9,000 Hours		when body heat is	
FYL202S**	Spare UVC lamp tube - 36	:W			1,200.00

Antivirus & Germicidal UV Tube Set

FYL201*			28	1,700.00
Wattage	: 18 Watts (0.6 m tube)	UVC light that can kill 99.99% germs, bacteria & viruses UVC Wavelength: 254nm to specs		
Input Voltage	: 220 - 240V AC 50/60Hz			
Coverage Area	: 15 - 20 sqm			
Dimension (L x W x	H): 752 x 70 x 48 mm	Long Life 9,000 Hours		
FYL201S**	Spare UVC lamp tube - 18	3W		950.00
FYL202*			28	2,200.00
Wattage	: 36 Watts (1.2 m tube)	UVC Wavelength: 254nm to specs Long Life 9,000 Hours be - 18W be) 60Hz - UVC light that can kill 99.99% germs, bacteria & viruses UVC Wavelength: 254nm to specs Long Life 9,000 Hours		
Input Voltage	: 220 - 240V AC 50/60Hz			
Coverage Area	: 30 - 40 sqm			
Dimension (L x W x	H): 1365 x 70 x 48mm	Long Life 9,000 Hours		
FYL202S**	Spare UVC lamp tube - 36W			1,200.00

ALCOHOL DISPENSER

Contactless Alcohol Dispenser with Infrared Sensor

Contactiess	Alconol Dispens	er with infrared Sensor		
FYA102D*			15	2,500.00
Rated Power	: 0.02 Watts	Infrared sensor I arge tank capacity (1000ml) Safety key lock Power: DC and X4 Battery C**		
Operating Voltage	: 6V DC			
Battery Type	: 4 x 1.5V Type C			
Dimension (L x W x H) : 120 x 110 x 260 mm				