

# ROYU<sup>®</sup>

## ELECTRICAL



## THE ELECTRICAL SPECIALIST



WIRING DEVICES



WIRES & CABLES



BREAKERS



PANEL BOXES



EXTENSION CORDS



GENERATOR SETS

**MARCH 2024**

### ROYU ELECTRICAL PRICE LIST

(Prices and specifications are subject to change without prior notice)

## FELCO<sup>™</sup>

**FIREFLY ELECTRIC & LIGHTING CORPORATION**

7/F Zen Offices Bldg. 1111 Natividad Lopez St., Ermita, Manila, Philippines

☎ (02) 8789-1000 (Trunkline)

🌐 [www.fireflyelectric.com](http://www.fireflyelectric.com)

✉ [info@fireflyelectric.com](mailto:info@fireflyelectric.com)

📘 @ROYUWiresDevicesPH

📧 @ROYUElectrical

📺 @ROYUElectrical

Contact Person:

## BUILDING WIRES

| Item Code & Description | Gauge | Size | THHN/THWN-2 Ampacity (Amps) |                       | Color | M/Pkg. | Base Price |
|-------------------------|-------|------|-----------------------------|-----------------------|-------|--------|------------|
|                         |       |      | *90° Single Wire            | **90° up to "3 wires" |       |        |            |

### THHN/THWN-2 Conventional Stranded

Thermoplastic High Heat-resistant with Nylon / Thermoplastic Heat and Water-resistant with Nylon

**100%** Conductivity Virgin Copper  
Lead-Free Insulation  
Quality Product

**FLAME RETARDANT**  
**SCRATCH & FRICTION RESISTANT**  
**SMOOTH NYLON**  
For easy installation



|         |         |                    |     |     |       |            |                   |
|---------|---------|--------------------|-----|-----|-------|------------|-------------------|
| RTN14A  | 14 AWG  | 2.0mm <sup>2</sup> | 35  | 25  | ●○●   | 75M/Box    | <b>675.00</b>     |
|         |         |                    |     |     | ●●●○● | 150M/Box   | <b>1,350.00</b>   |
| RTN12A  | 12 AWG  | 3.5mm <sup>2</sup> | 40  | 30  | ●○●   | 75M/Spool  | <b>6,750.00</b>   |
|         |         |                    |     |     | ●●●○● | 75M/Box    | <b>990.00</b>     |
| RTN10A  | 10 AWG  | 5.5mm <sup>2</sup> | 55  | 40  | ●○●   | 150M/Box   | <b>1,980.00</b>   |
|         |         |                    |     |     | ●●●○● | 500M/Spool | <b>6,600.00</b>   |
| RTN8A   | 8 AWG   | 8.0mm <sup>2</sup> | 75  | 55  | ●○●   | 75M/Box    | <b>1,515.00</b>   |
|         |         |                    |     |     | ●●●○● | 150M/Box   | <b>3,030.00</b>   |
| RTN6A   | 6 AWG   | 14mm <sup>2</sup>  | 110 | 75  | ●○●   | 350M/Spool | <b>7,070.00</b>   |
|         |         |                    |     |     | ●●●○● | 100M/Box   | <b>3,160.00</b>   |
| RTN4A   | 4 AWG   | 22mm <sup>2</sup>  | 145 | 95  | ●○●   | 200M/Spool | <b>6,320.00</b>   |
|         |         |                    |     |     | ●●●○● | 150M/Coil  | <b>7,545.00</b>   |
| RTN2A   | 2 AWG   | 30mm <sup>2</sup>  | 165 | 115 | ●○●   | 300M/Reel  | <b>17,265.00</b>  |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>50,160.00</b>  |
| RTN1A   | 1 AWG   | 38mm <sup>2</sup>  | 195 | 130 | ●○●   | 300M/Reel  | <b>56,340.00</b>  |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>69,330.00</b>  |
| RTN1/0A | 1/0 AWG | 50mm <sup>2</sup>  | 235 | 150 | ●○●   | 300M/Reel  | <b>85,920.00</b>  |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>105,540.00</b> |
| RTN2/0A | 2/0 AWG | 60mm <sup>2</sup>  | 265 | 170 | ●○●   | 300M/Reel  | <b>135,000.00</b> |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>161,100.00</b> |
| RTN3/0A | 3/0 AWG | 80mm <sup>2</sup>  | 325 | 205 | ●○●   | 300M/Reel  | <b>185,100.00</b> |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>202,800.00</b> |
| RTN4/0A | 4/0 AWG | 100mm <sup>2</sup> | 380 | 240 | ●○●   | 300M/Reel  | <b>261,000.00</b> |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>261,000.00</b> |
| RTN250M | 250 MCM | 125mm <sup>2</sup> | 445 | 285 | ●○●   | 300M/Reel  | <b>261,000.00</b> |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>261,000.00</b> |
| RTN300M | 300 MCM | 150mm <sup>2</sup> | 505 | 320 | ●○●   | 300M/Reel  | <b>261,000.00</b> |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>261,000.00</b> |
| RTN350M | 350 MCM | 175mm <sup>2</sup> | 560 | 345 | ●○●   | 300M/Reel  | <b>261,000.00</b> |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>261,000.00</b> |
| RTN400M | 400 MCM | 200mm <sup>2</sup> | 590 | 360 | ●○●   | 300M/Reel  | <b>261,000.00</b> |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>261,000.00</b> |
| RTN500M | 500 MCM | 250mm <sup>2</sup> | 685 | 425 | ●○●   | 300M/Reel  | <b>261,000.00</b> |
|         |         |                    |     |     | ●●●○● | 300M/Reel  | <b>261,000.00</b> |


\*Allowable Ampacities of Single-Insulated Conductors rated Up to and including 2000Volts in Free Air, Based on Ambient Temperature of 30°C  
 \*\*Allowable Ampacities of Insulated Conductors rated Up to and including 2000Volts in Free Air, Not more than Three Current-Carrying Conductors in Raceway, Cable, or Earth(directly buried), Based on Ambient Temperature of 30°C

| Item Code & Description | Gauge | Size | Color | M/Pkg. | Base Price |
|-------------------------|-------|------|-------|--------|------------|
|-------------------------|-------|------|-------|--------|------------|

### ROYUX NM

Non Metallic Sheathed Cable

**600 VOLTS**  
**WITHSTANDS 60°C**  
in dry & wet locations  
**MOISTURE RESISTANT**



|           |    |          |   |           |                 |
|-----------|----|----------|---|-----------|-----------------|
| RNM14AXWT | 14 | 1.6mm/2C | ○ | 75M/Box   | <b>1,650.00</b> |
|           |    |          |   | 300M/Coil | <b>6,600.00</b> |
| RNM12AXWT | 12 | 2.0mm/2C | ○ | 75M/Box   | <b>2,265.00</b> |
|           |    |          |   | 300M/Coil | <b>9,060.00</b> |
| RNM10AXWT | 10 | 2.6mm/2C | ○ | 75M/Box   | <b>3,135.00</b> |

| Item Code & Description | Gauge | Size | *60°C TW Ampacity | Color | M/Pkg. | Base Price |
|-------------------------|-------|------|-------------------|-------|--------|------------|
|-------------------------|-------|------|-------------------|-------|--------|------------|

### TW Wires

Thermoplastic Water-resistant

**100%** Conductivity Virgin Copper  
Lead-Free Dual Insulation  
Quality Product

**FLAME RETARDANT**  
**600 VOLTS**  
**WITHSTANDS 60°C**  
in dry & wet locations  
**MOISTURE RESISTANT**



|             |        |                    |    |   |          |                 |
|-------------|--------|--------------------|----|---|----------|-----------------|
| RTW14ABK150 | 14 AWG | 2.0mm <sup>2</sup> | 25 | ● | 150M/Box | <b>1,350.00</b> |
| RTW12ABK150 | 12 AWG | 3.5mm <sup>2</sup> | 30 | ● | 150M/Box | <b>1,980.00</b> |
| RTW10ABK150 | 10 AWG | 5.5mm <sup>2</sup> | 40 | ● | 150M/Box | <b>3,030.00</b> |
| RTW8ABK100  | 8 AWG  | 8.0mm <sup>2</sup> | 55 | ● | 100M/Box | <b>3,160.00</b> |

### TW Solid

|              |        |           |    |   |          |                 |
|--------------|--------|-----------|----|---|----------|-----------------|
| RTW14AXBK150 | 14 AWG | 1.6mm Dia | 25 | ● | 150M/Box | <b>1,110.00</b> |
| RTW12AXBK150 | 12 AWG | 2.0mm Dia | 30 | ● | 150M/Box | <b>1,665.00</b> |
| RTW10AXBK150 | 10 AWG | 2.6mm Dia | 40 | ● | 150M/Box | <b>2,820.00</b> |

\*Allowable Ampacities of Single-Insulated Conductors rated up to and including 2000 Volts in Free Air, based on Ambient Temperature of 30°C as per the latest edition of the Philippine Electrical Code (PEC 2017).

| Item Code & Description | Gauge | Size | Color | M/Pkg. | Base Price |
|-------------------------|-------|------|-------|--------|------------|
|-------------------------|-------|------|-------|--------|------------|

### Bare Copper Wires

**100%** Conductivity Virgin Copper  
Quality Product



### Bare Copper Solid

|          |        |           |  |           |              |
|----------|--------|-----------|--|-----------|--------------|
| RBC14AX1 | 14 AWG | 1.6mm Dia |  |           | <b>7.17</b>  |
| RBC12AX1 | 12 AWG | 2.0mm Dia |  | per meter | <b>11.06</b> |
| RBC10AX1 | 10 AWG | 2.6mm Dia |  |           | <b>18.56</b> |

### Bare Copper Stranded

|          |         |                    |  |           |               |
|----------|---------|--------------------|--|-----------|---------------|
| RBC8A1   | 8 AWG   | 8.0mm <sup>2</sup> |  |           | <b>27.66</b>  |
| RBC6A1   | 6 AWG   | 14mm <sup>2</sup>  |  |           | <b>49.20</b>  |
| RBC4A1   | 4 AWG   | 22mm <sup>2</sup>  |  |           | <b>76.45</b>  |
| RBC2A1   | 2 AWG   | 30mm <sup>2</sup>  |  |           | <b>101.21</b> |
| RBC1A1   | 1 AWG   | 38mm <sup>2</sup>  |  |           | <b>133.23</b> |
| RBC1/0A1 | 1/0 AWG | 50mm <sup>2</sup>  |  |           | <b>169.46</b> |
| RBC2/0A1 | 2/0 AWG | 60mm <sup>2</sup>  |  | per meter | <b>208.50</b> |
| RBC3/0A1 | 3/0 AWG | 80mm <sup>2</sup>  |  |           | <b>275.97</b> |
| RBC4/0A1 | 4/0 AWG | 100mm <sup>2</sup> |  |           | <b>351.47</b> |
| RBC250M1 | 250 MCM | 125mm <sup>2</sup> |  |           | <b>446.59</b> |
| RBC300M1 | 300 MCM | 150mm <sup>2</sup> |  |           | <b>534.60</b> |
| RBC350M1 | 350 MCM | 175mm <sup>2</sup> |  |           | <b>627.00</b> |
| RBC400M1 | 400 MCM | 200mm <sup>2</sup> |  |           | <b>684.58</b> |
| RBC500M1 | 500 MCM | 250mm <sup>2</sup> |  |           | <b>878.87</b> |

### Flat Cord

Stranded, Parallel, Thermoplastic

**100%** Conductivity Virgin Copper  
Lead-Free Insulation  
Quality Product

**300 VOLTS**

**WITHSTANDS 60°C**  
in dry & damp locations




|             |      |        |                     |     |            |                 |
|-------------|------|--------|---------------------|-----|------------|-----------------|
| RFC22A      | SPT1 | 22 AWG | 0.3mm <sup>2</sup>  | ●○● | 150M/Spool | <b>810.00</b>   |
| RFC20A      | SPT1 | 20 AWG | 0.5mm <sup>2</sup>  | ●○● | 150M/Spool | <b>1,140.00</b> |
| RFC18A      | SPT1 | 18 AWG | 0.75mm <sup>2</sup> | ●○● | 150M/Spool | <b>1,455.00</b> |
| RFC16A      | SPT2 | 16 AWG | 1.25mm <sup>2</sup> | ●○● | 150M/Spool | <b>2,325.00</b> |
| RFC14ABK150 | SPT3 | 14 AWG | 2.0mm <sup>2</sup>  | ●   | 150M/Coil  | <b>4,260.00</b> |

### Royal Cord

**100%** Conductivity Virgin Copper  
Lead-Free Insulation  
Quality Product

**300 VOLTS**

**WITHSTANDS 60°C**  
in dry & damp locations



|              |        |        |                     |         |          |                 |
|--------------|--------|--------|---------------------|---------|----------|-----------------|
| RRC2C18ABK75 | 2-Core | 18 AWG | 0.75mm <sup>2</sup> | ●(●○)   | 75M/Coil | <b>1,860.00</b> |
| RRC2C16ABK75 | 2-Core | 16 AWG | 1.25mm <sup>2</sup> | ●(●○)   | 75M/Coil | <b>2,130.00</b> |
| RRC3C18ABK75 | 3-Core | 18 AWG | 0.75mm <sup>2</sup> | ●(●○●)  | 75M/Coil | <b>2,107.50</b> |
| RRC3C16ABK75 | 3-Core | 16 AWG | 1.25mm <sup>2</sup> | ●(●○●)  | 75M/Coil | <b>2,557.50</b> |
| RRC4C16ABK75 | 4-Core | 16 AWG | 1.25mm <sup>2</sup> | ●(●○●●) | 75M/Coil | <b>3,727.50</b> |

### TF Wires

Thermoplastic Fixture

**100%** Conductivity Virgin Copper  
Lead-Free Insulation  
Quality Product

**600 VOLTS**






**WITHSTANDS 60°C**  
in dry locations



|               |        |                     |     |                           |                 |
|---------------|--------|---------------------|-----|---------------------------|-----------------|
| RTF1C16ARD150 | 16 AWG | 1.25mm <sup>2</sup> | ●   | 150M/Coil                 | <b>998.00</b>   |
| RTF1C16ABK150 | 16 AWG | 1.25mm <sup>2</sup> | ●   | 150M/Coil                 | <b>998.00</b>   |
| RTF2C16ABR150 | 16 AWG | 1.25mm <sup>2</sup> | ●○● | Twisted Pair<br>150M/Coil | <b>1,995.00</b> |

# WIRES & CABLES



















## COMMUNICATION CABLES

| Item Code & Description  | M/Pkg.            | Base Price      | Item Code & Description   | M/Pkg.             | Base Price      |
|--|-------------------|-----------------|---|--------------------|-----------------|
|  RG6  |                   |                 |  LAN Cable        |                    |                 |
| <b>Coaxial Cable</b><br>RG6, Copper Clad Steel Conductor, Triple Shield                |                   |                 |  Network Cable   |                    |                 |
| RRG6CCSTS305   | 305M/Plywood Reel | <b>1,700.00</b> |  Telephone Cable |                    |                 |
|  RG59 |                   |                 | <b>LAN Cable</b><br>Category 5e, Unshielded Twisted Pair, Grey Jacket                               |                    |                 |
| <b>RG59, Copper Clad Steel Conductor, High Performance Braided Dual Shield</b>         |                   |                 | RCAT5EUTPGY305  | 305M/Pulley Box    | <b>3,100.00</b> |
| RRG59CCSDS305  | 305M/Plywood Reel | <b>1,200.00</b> | <b>Network Cable</b><br>2 Twisted Pairs, Category 3, Unshielded Twisted Pair, Grey Jacket           |                    |                 |
|  |                   |                 | RCAT3UTPGY305   | 305M/Pulley Box    | <b>1,350.00</b> |
|  |                   |                 | <b>Telephone Cable</b><br>1 Twisted Pair, Category 3, Unshielded Twisted Pair, Grey Jacket          |                    |                 |
|  |                   |                 | R1PCAT3UTPGY1000  | 1000M/Plywood Reel | <b>2,400.00</b> |

## WIRING DEVICES









|                     |  |  |   |   |   |                      |                         |
|---------------------|--|--|---|---|---|----------------------|-------------------------|
| <b>PLANO Series</b> |  with Steel Plate Support | <b>POLYCARBONATE MATERIAL</b><br>Protection from UV & fading |  <b>COLOR VARIETY</b><br>White, Dark Gray, Dark Wood |  <b>FLAME RETARDANT</b> |  <b>SLEEK DESIGN</b> | <b>VOLTAGE 250V~</b> | <b>PCS./CTN. 100/10</b> |
|---------------------|--|--|---|---|---|----------------------|-------------------------|

### WHITE

|   |  |  |  |   |  |   |  |
|---|--|--|--|---|--|---|--|
|  |  <b>1 Gang Switch Set MD511</b><br>16A<br>SRP: <b>111.00</b>              |  <b>1 Gang Switch 3-Way Set MD502</b><br>16A<br>SRP: <b>120.00</b>        |  <b>2 Gang Switch Set MD513</b><br>16A<br>SRP: <b>169.00</b>          |  <b>2 Gang Switch 3-Way Set MD504</b><br>16A<br>SRP: <b>170.00</b>                                   |  <b>3 Gang Switch Set MD515</b><br>16A<br>SRP: <b>227.00</b>          |  <b>3 Gang Switch 3-Way Set MD506</b><br>16A<br>SRP: <b>210.00</b> |  |
|   |  <b>2 Gang Universal Outlet Set MDS113</b><br>15A<br>SRP: <b>153.00</b> |  <b>3 Gang Universal Outlet Set MDS115</b><br>15A<br>SRP: <b>203.00</b> |  <b>1 Gang Aircon Outlet Set MD901</b><br>20A<br>SRP: <b>160.00</b> |  <b>Duplex Universal Outlet with Ground &amp; Shutter Set MD913</b><br>15A<br>SRP: <b>188.00</b> |  <b>Duplex GFCI Outlet RMO10</b><br>20A 6mA<br>SRP: <b>1,171.00</b> |   |  |
|   |  <b>1 Gang Plate RMP1</b><br>SRP: <b>53.00</b>                          |  <b>2 Gang Plate RMP2</b><br>SRP: <b>53.00</b>                          |  <b>3 Gang Plate RMP3</b><br>SRP: <b>53.00</b>                      |  <b>1 Gang Plate for RW08 RMP8</b><br>SRP: <b>53.00</b>  |  <b>1 Way Switch RMS6-A</b><br>16A<br>SRP: <b>58.00</b>             |  <b>3 Way Switch RMS3</b><br>16A<br>SRP: <b>68.00</b>            |  |

### DARK GRAY

|  |   |   |   |  |  |  |  |
|--|---|---|---|--|--|--|--|
|  |  <b>1 Gang Switch Set MD511/DG</b><br>16A<br>SRP: <b>142.00</b>            |  <b>1 Gang Switch 3-Way Set MD502/DG</b><br>16A<br>SRP: <b>150.00</b>      |  <b>2 Gang Switch Set MD513/DG</b><br>16A<br>SRP: <b>210.00</b>        |  <b>2 Gang Switch 3-Way Set MD504/DG</b><br>16A<br>SRP: <b>200.00</b>                                 |  <b>3 Gang Switch Set MD515/DG</b><br>16A<br>SRP: <b>278.00</b>               |  <b>3 Gang Switch 3-Way Set MD506/DG</b><br>16A<br>SRP: <b>240.00</b> |  |
|  |  <b>2 Gang Universal Outlet Set MDS113/DG</b><br>15A<br>SRP: <b>196.00</b> |  <b>3 Gang Universal Outlet Set MDS115/DG</b><br>15A<br>SRP: <b>257.00</b> |  <b>1 Gang Aircon Outlet Set MD901/DG</b><br>20A<br>SRP: <b>190.00</b> |  <b>Duplex Universal Outlet with Ground &amp; Shutter Set MD913/DG</b><br>15A<br>SRP: <b>209.00</b> |  <b>Duplex GFCI Outlet RMO10/DG</b><br>20A 6mA<br>SRP: <b>1,197.00</b>        |  |  |
|  |  <b>1 Gang Plate RMP1/DG</b><br>SRP: <b>74.00</b>                          |  <b>2 Gang Plate RMP2/DG</b><br>SRP: <b>74.00</b>                          |  <b>3 Gang Plate RMP3/DG</b><br>SRP: <b>74.00</b>                      |  <b>1 Gang Plate for RW08 RMP8/DG</b><br>SRP: <b>74.00</b>  |  <b>International Outlet with Ground RWO8/DG</b><br>15A<br>SRP: <b>100.00</b> |  |  |

|  |   |   |  |   |  |   |   |
|--|---|---|--|---|--|---|---|
|  <b>1 Way Switch RMS6-A/DG</b><br>16A<br>SRP: <b>68.00</b> |  <b>3 Way Switch RMS3/DG</b><br>16A<br>SRP: <b>79.00</b> |  <b>Universal Outlet RMO6/DG</b><br>15A<br>SRP: <b>61.00</b> |  <b>Doorbell Switch RMS4/DG</b><br>16A<br>SRP: <b>68.00</b> |  <b>Dimmer Switch RMS5-B/DG</b><br>16A<br>SRP: <b>263.00</b> |  <b>Telephone Jack RMX1/DG</b><br>SRP: <b>84.00</b> |  <b>Cable TV Socket RMX2/DG</b><br>SRP: <b>84.00</b> |  <b>Lan Outlet RMX3/DG</b><br>SRP: <b>189.00</b> |
|--|---|---|--|---|--|---|---|

PLATES - S Size (Fits All Wide Series Components)



# WIRING DEVICES

|                     |                          |  |   |                        |                     |                         |                            |
|---------------------|--------------------------|--|---|------------------------|---------------------|-------------------------|----------------------------|
| <b>PLANO Series</b> | with Steel Plate Support | <b>POLYCARBONATE MATERIAL</b><br>Protection from UV & fading | <b>COLOR VARIETY</b><br>White, Dark Gray, Dark Wood | <b>FLAME RETARDANT</b> | <b>SLEEK DESIGN</b> | <b>VOLTAGE</b><br>250V~ | <b>PCS./CTN.</b><br>100/10 |
|---------------------|--------------------------|--|---|------------------------|---------------------|-------------------------|----------------------------|

### DARK WOOD

|  |   |  |   |  |   |  |  |  |   |  |  |
|--|---|--|---|--|---|--|--|--|---|--|--|
|  | <b>1 Gang Switch Set MD511/DW</b><br>16A<br>SRP: <b>142.00</b>            |  | <b>1 Gang Switch 3-Way Set MD502/DW</b><br>16A<br>SRP: <b>150.00</b>      |  | <b>2 Gang Switch Set MD513/DW</b><br>16A<br>SRP: <b>210.00</b>        |  | <b>2 Gang Switch 3-Way Set MD504/DW</b><br>16A<br>SRP: <b>200.00</b>                               |  | <b>3 Gang Switch Set MD515/DW</b><br>16A<br>SRP: <b>278.00</b>                              |  | <b>3 Gang Switch 3-Way Set MD506/DW</b><br>16A<br>SRP: <b>240.00</b> |
|  | <b>2 Gang Universal Outlet Set MDS113/DW</b><br>15A<br>SRP: <b>196.00</b> |  | <b>3 Gang Universal Outlet Set MDS115/DW</b><br>15A<br>SRP: <b>257.00</b> |  | <b>1 Gang Aircon Outlet Set MD901/DW</b><br>20A<br>SRP: <b>190.00</b> |  | <b>Duplex Universal Outlet with Ground &amp; Shutter Set MD913/DW</b><br>15A<br>SRP: <b>209.00</b> |  | <b>New!</b><br><b>Duplex GFCI Outlet RMO10/DW</b><br>20A 6mA<br>SRP: <b>1,197.00</b>        |  |  |
|  | <b>1 Gang Plate RMP1/DW</b><br>SRP: <b>74.00</b>                          |  | <b>2 Gang Plate RMP2/DW</b><br>SRP: <b>74.00</b>                          |  | <b>3 Gang Plate RMP3/DW</b><br>SRP: <b>74.00</b>                      |  | <b>New!</b><br><b>1 Gang Plate for RW08 RMP8/DW</b><br>SRP: <b>74.00</b>                           |  | <b>New!</b><br><b>International Outlet with Ground RW08/DW</b><br>15A<br>SRP: <b>100.00</b> |  |  |

PLATES - S Size (Fits All Wide Series Components)

|                          |                                  |  |                        |                            |                         |
|--------------------------|----------------------------------|--|------------------------|----------------------------|-------------------------|
| <b>SUPER WIDE Series</b> | <b>60% SWITCH-TO-PLATE RATIO</b> | <b>POLYCARBONATE MATERIAL</b><br>Protection from UV & fading | <b>FLAME RETARDANT</b> | <b>MODERN CURVE DESIGN</b> | <b>EASY TO NAVIGATE</b> |
|--------------------------|----------------------------------|--|------------------------|----------------------------|-------------------------|

|  |   |  |  |  |  |  |  |  |  |
|--|---|--|--|--|--|--|--|--|--|
|  | <b>1 Gang Switch Set WS511</b><br>250V~ 10A<br>PCS/CTN: 100/10<br>SRP: <b>78.00</b> |  | <b>2 Gang Switch Set WS513</b><br>250V~ 10A<br>PCS/CTN: 100/10<br>SRP: <b>127.00</b> |  | <b>3 Gang Switch Set WS515</b><br>250V~ 10A<br>PCS/CTN: 100/10<br>SRP: <b>176.00</b> |  | <b>2 Gang Universal Outlet Set WS113</b><br>250V~ 15A<br>PCS/CTN: 100/10<br>SRP: <b>123.00</b> |  | <b>3 Gang Universal Outlet Set WS115</b><br>250V~ 15A<br>PCS/CTN: 100/10<br>SRP: <b>170.00</b>                           |
|  | <b>1 Gang Plate RSP1</b><br>PCS/CTN: 200/10<br>SRP: <b>27.00</b>                    |  | <b>2 Gang Plate RSP2</b><br>PCS/CTN: 200/10<br>SRP: <b>27.00</b>                     |  | <b>2 Gang Plate RSP3</b><br>PCS/CTN: 200/10<br>SRP: <b>27.00</b>                     |  | <b>1 Gang Aircon Outlet Set WS901</b><br>250V~ 20A<br>PCS/CTN: 100/10<br>SRP: <b>147.00</b>    |  | <b>Duplex Universal Outlet with Ground &amp; Shutter Set WS913</b><br>250V~ 15A<br>PCS/CTN: 100/10<br>SRP: <b>164.00</b> |

PLATES - S Size (Fits All Wide Series Components)

|                    |  |                        |
|--------------------|--|------------------------|
| <b>WIDE Series</b> | <b>POLYCARBONATE MATERIAL</b><br>Protection from UV & fading | <b>FLAME RETARDANT</b> |
|--------------------|--|------------------------|

### SETS

|  |  |  |   |  |   |  |  |  |  |  |  |
|--|--|--|---|--|---|--|--|--|--|--|--|
|  | <b>1 Gang Switch with Reflector WD511</b><br>250V~ 10A<br>PCS/CTN: 100/10<br>SRP: <b>78.00</b> |  | <b>2 Gang Switch with Reflector WD513</b><br>250V~ 10A<br>PCS/CTN: 100/10<br>SRP: <b>127.00</b> |  | <b>3 Gang Switch with Reflector WD515</b><br>250V~ 10A<br>PCS/CTN: 100/10<br>SRP: <b>176.00</b> |  | <b>1 Gang 3-Way Switch Set WD701</b><br>250V~ 10A<br>PCS/CTN: 100/10<br>SRP: <b>92.00</b>                                |  |  |  |  |
|  | <b>1 Gang Switch with LED Set WD601</b><br>250V~ 10A<br>PCS/CTN: 100/10<br>SRP: <b>96.00</b>   |  | <b>2 Gang Switch with LED Set WD603</b><br>250V~ 10A<br>PCS/CTN: 100/10<br>SRP: <b>163.00</b>   |  | <b>3 Gang Switch with LED Set WD605</b><br>250V~ 10A<br>PCS/CTN: 100/10<br>SRP: <b>230.00</b>   |  | <b>Duplex Universal Outlet with Ground &amp; Shutter Set WD913</b><br>250V~ 15A<br>PCS/CTN: 100/10<br>SRP: <b>164.00</b> |  |  |  |  |
|  | <b>1 Gang Aircon Outlet Set WD901</b><br>250V~ 20A<br>PCS/CTN: 100/10<br>SRP: <b>147.00</b>    |  | <b>Duplex GFCI Outlet Set WD933</b><br>250V~ 20A<br>PCS/CTN: 50<br>SRP: <b>1,200.00</b>         |  | <b>1 Gang Universal Outlet Set WD111</b><br>250V~ 15A<br>PCS/CTN: 100/10<br>SRP: <b>76.00</b>   |  | <b>2 Gang Universal Outlet Set WD113</b><br>250V~ 15A<br>PCS/CTN: 100/10<br>SRP: <b>123.00</b>                           |  | <b>3 Gang Universal Outlet Set WD115</b><br>250V~ 15A<br>PCS/CTN: 100/10<br>SRP: <b>170.00</b> |  | <b>1 Gang Telephone Modular Jack WD211</b><br>PCS/CTN: 100/10<br>SRP: <b>76.00</b> |

### PLATES

|  |  |  |  |  |  |  |   |  |   |  |   |
|--|--|--|--|--|--|--|---|--|---|--|---|
|  | <b>1 Gang Plate RWP1</b><br>PCS/CTN: 200/10<br>SRP: <b>29.00</b> |  | <b>2 Gang Plate RWP2</b><br>PCS/CTN: 200/10<br>SRP: <b>29.00</b> |  | <b>3 Gang Plate RWP3</b><br>PCS/CTN: 200/10<br>SRP: <b>29.00</b> |  | <b>1 Gang Plate for Universal Outlet with Ground RWP8</b><br>PCS/CTN: 200/10<br>SRP: <b>29.00</b> |  | <b>Blank Plate RWP4</b><br>PCS/CTN: 200/10<br>SRP: <b>29.00</b> |  | <b>Weather-Proof Plate Cover Slim Type RWP6</b><br>PCS/CTN: 200/10<br>SRP: <b>73.00</b> |
|--|--|--|--|--|--|--|---|--|---|--|---|

### COMPONENTS

|  |   |  |  |  |   |  |   |  |  |  |   |  |   |
|--|---|--|--|--|---|--|---|--|--|--|---|--|---|
|  | <b>1 Way Switch-A RWS1-A</b><br>250V~<br>PCS/CTN: 200/10<br>SRP: <b>49.00</b> |  | <b>1 Way Switch-A with LED RWS6-A</b><br>250V~ 16A<br>PCS/CTN: 200/10<br>SRP: <b>53.00</b> |  | <b>1 Way Switch-B RWS1-B</b><br>250V~ 10A<br>PCS/CTN: 200/10<br>SRP: <b>36.00</b> |  | <b>3 Way Switch RWS3</b><br>250V~ 10A<br>PCS/CTN: 200/10<br>SRP: <b>63.00</b> |  | <b>Doorbell Switch RWS4</b><br>250V~ 10A<br>PCS/CTN: 200/10<br>SRP: <b>59.00</b> |  | <b>Dimmer Switch RWS5-A</b><br>250V~ 10A<br>PCS/CTN: 200/10<br>SRP: <b>180.00</b> |  | <b>Dimmer Switch RWS5-C</b><br>250V~ 10A<br>PCS/CTN: 200/10<br>SRP: <b>295.00</b> |
|--|---|--|--|--|---|--|---|--|--|--|---|--|---|

# WIRING DEVICES

**WIDE**  
Series

**POLYCARBONATE MATERIAL**  
Protection from UV & fading

**FLAME RETARDANT**

## COMPONENTS

|   |   |   |  |   |   |
|---|---|---|--|---|---|
| <p><b>Universal Outlet</b><br/>250V~<br/>PCS/CTN: 200/10<br/><b>RWO1</b> (15A) <b>RWO6</b> (16A)<br/>SRP: <b>47.00</b> <b>50.00</b></p> | <p><b>Flat Pin Outlet</b><br/><b>RWO3</b><br/>250V~ 15A<br/>PCS/CTN: 200/10<br/>SRP: <b>55.00</b></p>                                     | <p><b>USB Outlet</b><br/><b>RWO9</b><br/>5V 2100mA<br/>PCS/CTN: 200/10<br/>SRP: <b>370.00</b></p>   | <p><b>Telephone Modular Jack</b><br/><b>RWX1</b><br/>PCS/CTN: 200/10<br/>SRP: <b>70.00</b></p> | <p><b>Cable TV Socket</b><br/><b>RWX2</b><br/>PCS/CTN: 200/10<br/>SRP: <b>65.00</b></p> | <p><b>LAN Outlet</b><br/><b>RWX3</b><br/>PCS/CTN: 200/10<br/>SRP: <b>175.00</b></p> |
| <p><b>International Outlet with Ground</b><br/><b>RWO8</b><br/>250V~ 15A<br/>PCS/CTN: 200/10<br/>SRP: <b>84.00</b></p>                  | <p><b>Duplex Universal Outlet with Ground &amp; Shutter</b><br/><b>RWO11</b><br/>250V~ 15A<br/>PCS/CTN: 200/10<br/>SRP: <b>135.00</b></p> | <p><b>Duplex Universal Outlet with 2 USB Ports</b><br/><b>RWO12</b><br/>250V~ 16A, 5V 2400mA<br/>PCS/CTN: 60/6<br/>SRP: <b>700.00</b></p> | <p><b>Doorbell Big</b><br/><b>RDOR2</b><br/>PCS/CTN: 100/10<br/>SRP: <b>420.00</b></p>         |   |   |

## FLOOR RECEPTACLES

|   |   |   |
|---|---|---|
| <p><b>Square Floor Receptacle Window Opening, Fixture only</b><br/><b>RWF50</b> (Titanium) <b>RWF60</b> (Bronze)<br/>Fits All Wide Series Components<br/>PCS/CTN: 20<br/>SRP: <b>1,000.00</b></p> | <p><b>Square Floor Receptacle with 3 Gang Universal Outlet</b><br/><b>RWF51</b> (Titanium) <b>RWF61</b> (Bronze)<br/>250V~ 15A<br/>PCS/CTN: 20<br/>SRP: <b>1,200.00</b></p> | <p><b>Square Floor Receptacle with Duplex Universal Outlet with Ground &amp; Shutter</b><br/><b>RWF52</b> (Titanium) <b>RWF62</b> (Bronze)<br/>250V~ 15A<br/>PCS/CTN: 20<br/>SRP: <b>1,200.00</b></p> |
|---|---|---|

**CLASSIC**  
Series

**THERMOPLASTIC MATERIAL**  
Protection from UV & fading

**FLAME RETARDANT**

## SETS

|  |   |   |  |   |   |
|--|---|---|--|---|---|
| <p><b>1 Gang Switch Set</b><br/><b>WH501</b><br/>250V~ 10A<br/>PCS/CTN: 100/10<br/>SRP: <b>62.00</b></p> | <p><b>2 Gang Switch Set</b><br/><b>WH503</b><br/>250V~ 10A<br/>PCS/CTN: 100/10<br/>SRP: <b>100.00</b></p> | <p><b>3 Gang Switch Set</b><br/><b>WH505</b><br/>250V~ 10A<br/>PCS/CTN: 100/10<br/>SRP: <b>138.00</b></p> | <p><b>1 Gang 3-Way Switch Set</b><br/><b>WH701</b><br/>250V~ 10A<br/>PCS/CTN: 100/10<br/>SRP: <b>77.00</b></p> | <p><b>Duplex Universal Outlet with Ground &amp; Shutter Set</b><br/><b>WH913</b><br/>250V~ 15A<br/>PCS/CTN: 100/10<br/>SRP: <b>130.00</b></p> |   |
|  |   |   |  |   | <p><b>1 Gang Switch with LED Set</b><br/><b>WH601</b><br/>250V~ 10A<br/>PCS/CTN: 100/10<br/>SRP: <b>71.00</b></p> |
| <p><b>1 Gang Outlet Set</b><br/><b>WH111</b><br/>250V~ 10A<br/>PCS/CTN: 100/10<br/>SRP: <b>63.00</b></p> | <p><b>2 Gang Outlet Set</b><br/><b>WH113</b><br/>250V~ 10A<br/>PCS/CTN: 100/10<br/>SRP: <b>102.00</b></p> | <p><b>3 Gang Outlet Set</b><br/><b>WH115</b><br/>250V~ 10A<br/>PCS/CTN: 100/10<br/>SRP: <b>141.00</b></p> | <p><b>Duplex GFCI Outlet Set</b><br/><b>WH933</b><br/>250V~ 20A<br/>PCS/CTN: 50<br/>SRP: <b>1,200.00</b></p>   | <p><b>1 Gang Telephone Modular Jack</b><br/><b>WH211</b><br/>PCS/CTN: 100/10<br/>SRP: <b>73.00</b></p>  | <p><b>2 Gang Telephone Modular Jack</b><br/><b>WH213</b><br/>PCS/CTN: 100/10<br/>SRP: <b>123.00</b></p>           |

## PLATES

|  |  |  |   |   |   |
|--|--|--|---|---|---|
| <p><b>1 Gang Plate</b><br/><b>RCP1</b><br/>PCS/CTN: 200/10<br/>SRP: <b>24.00</b></p> | <p><b>2 Gang Plate</b><br/><b>RCP2</b><br/>PCS/CTN: 200/10<br/>SRP: <b>24.00</b></p> | <p><b>3 Gang Plate</b><br/><b>RCP3</b><br/>PCS/CTN: 200/10<br/>SRP: <b>24.00</b></p> | <p><b>Blank Plate</b><br/><b>RCP4</b><br/>PCS/CTN: 200/10<br/>SRP: <b>25.00</b></p> | <p><b>Weather-Proof Plate Cover</b><br/><b>RCP5</b><br/>PCS/CTN: 200/10<br/>SRP: <b>65.00</b></p> | <p><b>Weather-Proof Plate Cover Slim Type</b><br/><b>RCP6</b><br/>PCS/CTN: 200/10<br/>SRP: <b>60.00</b></p> |
|--|--|--|---|---|---|

## COMPONENTS

|   |  |  |   |  |   |
|---|--|--|---|--|---|
| <p><b>1 Way Switch without LED</b><br/>250V~<br/>PCS/CTN: 200/10<br/><b>RCS1</b> (10A) <b>RCS6</b> (16A)<br/>SRP: <b>38.00</b> <b>44.00</b></p> | <p><b>1 Way Switch with LED</b><br/>250V~<br/>PCS/CTN: 200/10<br/><b>RCS2</b> (10A) <b>RCS7</b> (16A)<br/>SRP: <b>47.00</b> <b>46.00</b></p> | <p><b>3 Way Switch</b><br/><b>RCS3</b><br/>250V~ 10A<br/>PCS/CTN: 200/10<br/>SRP: <b>49.00</b></p> | <p><b>Doorbell Switch</b><br/><b>RCS4</b><br/>PCS/CTN: 200/10<br/>SRP: <b>52.00</b></p> | <p><b>Dimmer Switch</b><br/><b>RCS5-A</b><br/>250V~ 10A<br/>PCS/CTN: 200/10<br/>SRP: <b>190.00</b></p> | <p><b>Universal Outlet</b><br/>250V~<br/>PCS/CTN: 200/10<br/><b>RCO1</b> (15A) <b>RCO6</b> (16A)<br/>SRP: <b>39.00</b> <b>45.00</b></p> |
| <p><b>Outlet with Ground</b><br/><b>RCO7</b><br/>250V~ 16A<br/>PCS/CTN: 200/10<br/>SRP: <b>65.00</b></p>  | <p><b>Flat Pin Outlet</b><br/><b>RCO3</b><br/>250V~ 15A<br/>PCS/CTN: 200/10<br/>SRP: <b>42.00</b></p>  | <p><b>Telephone Modular Jack</b><br/><b>RCX1</b><br/>PCS/CTN: 200/10<br/>SRP: <b>54.00</b></p>     | <p><b>Cable TV Socket</b><br/><b>RCX2</b><br/>PCS/CTN: 200/10<br/>SRP: <b>54.00</b></p> | <p><b>LAN Outlet</b><br/><b>RCX3</b><br/>PCS/CTN: 200/10<br/>SRP: <b>140.00</b></p>                    | <p><b>Duplex Flat Pin with Ground</b><br/><b>RCO5</b><br/>250V~ 16A<br/>PCS/CTN: 200/10<br/>SRP: <b>100.00</b></p>                      |

## FLOOR RECEPTACLES

|  |   |
|--|---|
| <p><b>Round Floor Receptacle with 3 Gang Universal Outlet</b><br/>250V~ 10A<br/>PCS/CTN: 20<br/><b>RCF1</b> (Bronze) <b>RCF3</b> (Zinc)<br/>SRP: <b>1,500.00</b> <b>1,600.00</b></p> | <p><b>Square Floor Receptacle with 3 Gang Universal Outlet</b><br/>250V~ 10A<br/>PCS/CTN: 20<br/><b>RCF2</b> (Bronze) <b>RCF4</b> (Zinc)<br/>SRP: <b>1,500.00</b> <b>1,600.00</b></p> |
|--|---|

# BREAKERS

| Item Code & Description   |                        |                                    |                         | Pkg. Pcs./Ctn. | Suggested Retail Price SRP | Item Code & Description  |  |  |  | Pkg. Pcs./Ctn. | Suggested Retail Price SRP |
|---|------------------------|------------------------------------|-------------------------|----------------|----------------------------|--|--|--|--|----------------|----------------------------|
| <b>New! MINIATURE CIRCUIT BREAKERS - DIN RAIL TYPE</b>  |                        |                                    |                         |                |                            | <b>MECHANICAL LUG TERMINAL</b>   |  |  |  |                |                            |
| <b>DUAL SAFETY PROTECTION</b>   | <b>FLAME RETARDANT</b> | <b>HIGH QUALITY ARC SUPPRESSOR</b> | <b>STATUS INDICATOR</b> |                |                            |  |  |  |  |                |                            |
|    |                        |                                    |                         |                |                            |   |  |  |  |                |                            |
| <b>4.5kA</b><br>1P, 400V AC<br>RMB1P10C4 10A 12/180 <b>105.00</b><br>RMB1P16C4 16A 12/180 <b>105.00</b><br>RMB1P20C4 20A 12/180 <b>105.00</b><br>RMB1P25C4 25A 12/180 <b>105.00</b><br>RMB1P32C4 32A 12/180 <b>115.00</b><br>RMB1P40C4 40A 12/180 <b>115.00</b><br>RMB1P50C4 50A 12/180 <b>125.00</b><br>RMB1P63C4 63A 12/180 <b>125.00</b> |                        |                                    |                         |                |                            | <b>Circuit Breaker</b><br>Plug-in Type, Mechanical Lug Terminal<br>2P, 230V~<br>RCB15-60 15A 60 <b>380.00</b> ↑<br>RCB20-60 20A 60 <b>380.00</b> ↑<br>RCB30-60 30A 60 <b>380.00</b> ↑<br>RCB40-60 40A 60 <b>380.00</b> ↑<br>RCB60-60 60A 60 <b>380.00</b> ↑<br>RCB100-60 100A 60 <b>650.00</b>       |  |  |  |                |                            |
|    |                        |                                    |                         |                |                            |   |  |  |  |                |                            |
| 2P, 400V AC<br>RMB2P10C4 10A 6/90 <b>205.00</b><br>RMB2P16C4 16A 6/90 <b>205.00</b><br>RMB2P20C4 20A 6/90 <b>210.00</b><br>RMB2P25C4 25A 6/90 <b>210.00</b><br>RMB2P32C4 32A 6/90 <b>225.00</b><br>RMB2P40C4 40A 6/90 <b>225.00</b><br>RMB2P50C4 50A 6/90 <b>250.00</b><br>RMB2P63C4 63A 6/90 <b>250.00</b>                                 |                        |                                    |                         |                |                            | <b>Circuit Breaker</b><br>Bolt-On Type, Mechanical Lug Terminal<br>2P, 230V~<br>RCBB15-60 15A 60 <b>380.00</b> ↑<br>RCBB20-60 20A 60 <b>380.00</b> ↑<br>RCBB30-60 30A 60 <b>380.00</b> ↑<br>RCBB40-60 40A 60 <b>380.00</b> ↑<br>RCBB60-60 60A 60 <b>380.00</b> ↑<br>RCBB100-60 100A 60 <b>650.00</b> |  |  |  |                |                            |
|    |                        |                                    |                         |                |                            | <b>SCREW TYPE TERMINAL</b>   |  |  |  |                |                            |
| 3P, 400V AC<br>RMB3P10C4 10A 4/60 <b>310.00</b><br>RMB3P16C4 16A 4/60 <b>310.00</b><br>RMB3P20C4 20A 4/60 <b>315.00</b><br>RMB3P25C4 25A 4/60 <b>315.00</b><br>RMB3P32C4 32A 4/60 <b>335.00</b><br>RMB3P40C4 40A 4/60 <b>335.00</b><br>RMB3P50C4 50A 4/60 <b>375.00</b><br>RMB3P63C4 63A 4/60 <b>375.00</b>                                 |                        |                                    |                         |                |                            |   |  |  |  |                |                            |
| <b>6kA</b><br>1P, 400V AC<br>RMB1P10C6 10A 12/180 <b>120.00</b><br>RMB1P16C6 16A 12/180 <b>120.00</b><br>RMB1P20C6 20A 12/180 <b>120.00</b><br>RMB1P25C6 25A 12/180 <b>125.00</b><br>RMB1P32C6 32A 12/180 <b>125.00</b><br>RMB1P40C6 40A 12/180 <b>130.00</b><br>RMB1P50C6 50A 12/180 <b>145.00</b><br>RMB1P63C6 63A 12/180 <b>145.00</b>   |                        |                                    |                         |                |                            |    |  |  |  |                |                            |
|    |                        |                                    |                         |                |                            | <b>SAFETY BREAKER</b>  |  |  |  |                |                            |
| 2P, 400V AC<br>RMB2P10C6 10A 6/90 <b>240.00</b><br>RMB2P16C6 16A 6/90 <b>240.00</b><br>RMB2P20C6 20A 6/90 <b>240.00</b><br>RMB2P25C6 25A 6/90 <b>245.00</b><br>RMB2P32C6 32A 6/90 <b>245.00</b><br>RMB2P40C6 40A 6/90 <b>255.00</b><br>RMB2P50C6 50A 6/90 <b>290.00</b><br>RMB2P63C6 63A 6/90 <b>290.00</b>                                 |                        |                                    |                         |                |                            |   |  |  |  |                |                            |
|    |                        |                                    |                         |                |                            | <b>Safety Breaker</b><br>Bolt-On Type<br>2P, 220V~<br>RSB15 15A 100/10 <b>420.00</b><br>RSB20 20A 100/10 <b>420.00</b><br>RSB30 30A 100/10 <b>420.00</b><br>RSB40 40A 100/10 <b>420.00</b><br>RSB60 60A 100/10 <b>450.00</b>   |  |  |  |                |                            |
| 3P, 400V AC<br>RMB3P10C6 10A 4/60 <b>355.00</b><br>RMB3P16C6 16A 4/60 <b>355.00</b><br>RMB3P20C6 20A 4/60 <b>355.00</b><br>RMB3P25C6 25A 4/60 <b>365.00</b><br>RMB3P32C6 32A 4/60 <b>365.00</b><br>RMB3P40C6 40A 4/60 <b>385.00</b><br>RMB3P50C6 50A 4/60 <b>430.00</b><br>RMB3P63C6 63A 4/60 <b>430.00</b>                                 |                        |                                    |                         |                |                            |   |  |  |  |                |                            |
|    |                        |                                    |                         |                |                            | <b>Safety Breaker with Cover</b><br>Bolt-On Type, Flame Retardant Body<br>2P, 230V~<br>RSB15C 15A 40 <b>500.00</b><br>RSB20C 20A 40 <b>500.00</b><br>RSB30C 30A 40 <b>500.00</b><br>RSB40C 40A 40 <b>530.00</b><br>RSB60C 60A 40 <b>550.00</b><br>RSB100C 100A 40 <b>700.00</b>                      |  |  |  |                |                            |
| <b>10kA</b><br>1P, 400V AC<br>RMB1P125C10 125A 12/120 <b>390.00</b>   |                        |                                    |                         |                |                            |   |  |  |  |                |                            |
|    |                        |                                    |                         |                |                            | <b>Safety Breaker with Cover &amp; Outlet</b><br>Bolt-On Type, Flame Retardant Body<br>2P, 230V~<br>RSB15C/O 15A 40 <b>600.00</b><br>RSB20C/O 20A 40 <b>600.00</b><br>RSB30C/O 30A 40 <b>600.00</b>  |  |  |  |                |                            |
| 2P, 400V AC<br>RMB2P125C10 125A 6/60 <b>775.00</b>  |                        |                                    |                         |                |                            |   |  |  |  |                |                            |
|    |                        |                                    |                         |                |                            | <b>PUSH BUTTON</b>   |  |  |  |                |                            |
| 3P, 400V AC<br>RMB3P125C10 125A 4/40 <b>1,165.00</b>  |                        |                                    |                         |                |                            |   |  |  |  |                |                            |
|   |                        |                                    |                         |                |                            | <b>Push Button Switch</b><br>3P, 380V~<br>RPB10 10A 100 <b>210.00</b><br>RPB15 15A 100 <b>260.00</b><br>RPB30 30A 100 <b>310.00</b>  |  |  |  |                |                            |

ALL-METAL PANEL BOX




Flush-Mounted Type

| Item Code                              | RPF01P2N04                        | RPF01P2N06                        | RPF01P2N08                        | RPF01P2N10                         | RPF01P2N12                          |
|--|-----------------------------------|-----------------------------------|-----------------------------------|------------------------------------|-------------------------------------|
| Poles per Breaker                      | 2P Plug-In Circuit Breaker        |                                   |                                   |                                    |                                     |
| Can fit up to                          | 4 Breakers<br>1 Main + 3 Branches | 6 Breakers<br>1 Main + 5 Branches | 8 Breakers<br>1 Main + 7 Branches | 10 Breakers<br>1 Main + 9 Branches | 12 Breakers<br>1 Main + 11 Branches |
| Dimensions (mm)<br>(a x b x c x d x e) | 212 x 230 x 88 x 226 x 260        | 263 x 230 x 88 x 277 x 260        | 313 x 230 x 88 x 338 x 263        | 363 x 230 x 88 x 388 x 263         | 413 x 230 x 88 x 438 x 263          |
| Pcs./Ctn.                              | 1                                 | 1                                 | 1                                 | 1                                  | 1                                   |
| SRP                                    | 780.00                            | 1,000.00                          | 1,250.00                          | 1,520.00                           | 1,750.00 ↑                          |

Body and cover are made of powder-coated thick metal sheets to prevent corrosion and maintain good condition for long-lasting use.

METAL BASE DISTRIBUTION BOX WITH BUSBAR

Flush-Mounted Type



Flush-Mounted Type

| Item Code                                      | RUMF01D2N08                               | RUMF01D2N12                                 | RUMF01D2N18                           | RUMF01D2N24                           |
|--|---|---|---------------------------------------|---------------------------------------|
| Modules  | 8 Modules                                 | 12 Modules                                  | 18 Modules                            | 24 Modules                            |
| 1P DIN Rail MCB                                | 8   | 12  | 18                                    | 24                                    |
| 2P DIN Rail MCB                                | 4   | 6   | 9                                     | 12                                    |
| Dimensions (mm)<br>(a x b x c x d x e x f x g) | 80 x 76 x 177 x 208 x 222 x 198.4 x 208.4 | 80 x 76 x 250.5 x 280 x 221 x 271.9 x 215.4 | 85 x 81 x 356 x 398 x 251 x 380 x 240 | 90 x 86 x 248 x 300 x 345 x 270 x 326 |
| Pcs./Ctn.                                      | 1   | 1   | 1                                     | 1                                     |
| SRP  | 825.00                                    | 980.00                                      | 1,400.00                              | 1,900.00                              |

ALL-METAL CENTER MAIN PANEL BOX



| EASY-OPEN SIDE LATCH | STAINLESS STEEL HINGES | THICK AND WELDED BODY | LONG-LASTING METAL FINISH | HIGH GRADE PLASTIC INSULATION |
|----------------------|------------------------|-----------------------|---------------------------|-------------------------------|
|----------------------|------------------------|-----------------------|---------------------------|-------------------------------|

Flush-Mounted Type

|  |                                     |
|--|-------------------------------------|
| Item Code                              | RPF01D2N08                          |
| Can fit up to                          | 1 Bolt-on Main & 8 Plug-in Branches |
| Dimensions (mm)<br>(a x b x c x d x e) | 515 x 263 x 85.80 x 480 x 230       |
| Pcs./Ctn.                              | 1                                   |
| SRP                                    | 1,800.00 ↑                          |

Maximum Rating of Main Circuit Breaker: 100A

New! CENTER MAIN PANEL BOARD (BOLT-ON)



| Item Code & Description | Dimensions (mm)  |               | Suggested Retail Price SRP |
|-------------------------|------------------|---------------|----------------------------|
|                         | Body (H x W x D) | Cover (H x W) |                            |

Surface Mounted

Sheet Thickness: 1.2mm (Ga#18)

|           |                     |                 |   |          |
|-----------|---------------------|-----------------|---|----------|
| RPSCM0104 | CM + 4 Branches PB  | 410 x 380 x 120 | - | 5,385.00 |
| RPSCM0106 | CM + 6 Branches PB  | 460 x 380 x 120 | - | 6,045.00 |
| RPSCM0108 | CM + 8 Branches PB  | 510 x 380 x 120 | - | 6,730.00 |
| RPSCM0110 | CM + 10 Branches PB | 560 x 380 x 120 | - | 7,385.00 |
| RPSCM0112 | CM + 12 Branches PB | 610 x 380 x 120 | - | 8,070.00 |

Flush Mounted

Sheet Thickness: 1.2mm (Ga#18)

|           |                     |                 |           |          |
|-----------|---------------------|-----------------|-----------|----------|
| RPFCM0104 | CM + 4 Branches PB  | 410 x 380 x 120 | 440 x 410 | 5,465.00 |
| RPFCM0106 | CM + 6 Branches PB  | 460 x 380 x 120 | 490 x 410 | 6,120.00 |
| RPFCM0108 | CM + 8 Branches PB  | 510 x 380 x 120 | 540 x 410 | 6,805.00 |
| RPFCM0110 | CM + 10 Branches PB | 560 x 380 x 120 | 590 x 410 | 7,460.00 |
| RPFCM0112 | CM + 12 Branches PB | 610 x 380 x 120 | 640 x 410 | 8,140.00 |

\*The Centermain PB is designed to accommodate black breaker for main and branches.



CIRCUIT BREAKER ENCLOSURE

| ENHANCED SAFETY FEATURES | WEATHERPROOF                   | DUST RESISTANT | SUPERIOR CORROSION RESISTANCE | EASY TO INSTALL | Item Code & Description  | Pkg. Pcs./Ctn. | Suggested Retail Price SRP |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
|--------------------------|--------------------------------|----------------|-------------------------------|-----------------|--|----------------|----------------------------|------------|----------------|---|--------|------------|--------------------------------|---|--------|------------|--------------------------------|---|--------|------------|--------------------------------|---|--------|------------|--------------------------------|---|--------|------------|--------------------------------|---|--------|----------|----------------|---|--------|------------|--------------------------------|---|--------|------------|--------------------------------|---|--------|------------|--------------------------------|---|--------|------------|--------------------------------|---|--------|------------|--------------------------------|---|--------|
|                          |                                |                |                               |                 | <p><b>NEMA 3R Enclosure</b><br/>Surface Type</p> <p><b>Bolt-On</b></p> <table border="1"> <tr><td>RES03B2N00</td><td>Enclosure Only</td><td>1</td><td>400.00</td></tr> <tr><td>RNEMA3R15B</td><td>Enclosure with 15A Breaker Set</td><td>1</td><td>730.00</td></tr> <tr><td>RNEMA3R20B</td><td>Enclosure with 20A Breaker Set</td><td>1</td><td>730.00</td></tr> <tr><td>RNEMA3R30B</td><td>Enclosure with 30A Breaker Set</td><td>1</td><td>730.00</td></tr> <tr><td>RNEMA3R40B</td><td>Enclosure with 40A Breaker Set</td><td>1</td><td>730.00</td></tr> <tr><td>RNEMA3R60B</td><td>Enclosure with 60A Breaker Set</td><td>1</td><td>730.00</td></tr> </table> <p><b>Plug-In</b></p> <table border="1"> <tr><td>RNEMA3RP</td><td>Enclosure Only</td><td>1</td><td>450.00</td></tr> <tr><td>RNEMA3R15P</td><td>Enclosure with 15A Breaker Set</td><td>1</td><td>780.00</td></tr> <tr><td>RNEMA3R20P</td><td>Enclosure with 20A Breaker Set</td><td>1</td><td>780.00</td></tr> <tr><td>RNEMA3R30P</td><td>Enclosure with 30A Breaker Set</td><td>1</td><td>780.00</td></tr> <tr><td>RNEMA3R40P</td><td>Enclosure with 40A Breaker Set</td><td>1</td><td>780.00</td></tr> <tr><td>RNEMA3R60P</td><td>Enclosure with 60A Breaker Set</td><td>1</td><td>780.00</td></tr> </table> |                |                            | RES03B2N00 | Enclosure Only | 1 | 400.00 | RNEMA3R15B | Enclosure with 15A Breaker Set | 1 | 730.00 | RNEMA3R20B | Enclosure with 20A Breaker Set | 1 | 730.00 | RNEMA3R30B | Enclosure with 30A Breaker Set | 1 | 730.00 | RNEMA3R40B | Enclosure with 40A Breaker Set | 1 | 730.00 | RNEMA3R60B | Enclosure with 60A Breaker Set | 1 | 730.00 | RNEMA3RP | Enclosure Only | 1 | 450.00 | RNEMA3R15P | Enclosure with 15A Breaker Set | 1 | 780.00 | RNEMA3R20P | Enclosure with 20A Breaker Set | 1 | 780.00 | RNEMA3R30P | Enclosure with 30A Breaker Set | 1 | 780.00 | RNEMA3R40P | Enclosure with 40A Breaker Set | 1 | 780.00 | RNEMA3R60P | Enclosure with 60A Breaker Set | 1 | 780.00 |
| RES03B2N00               | Enclosure Only                 | 1              | 400.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3R15B               | Enclosure with 15A Breaker Set | 1              | 730.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3R20B               | Enclosure with 20A Breaker Set | 1              | 730.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3R30B               | Enclosure with 30A Breaker Set | 1              | 730.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3R40B               | Enclosure with 40A Breaker Set | 1              | 730.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3R60B               | Enclosure with 60A Breaker Set | 1              | 730.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3RP                 | Enclosure Only                 | 1              | 450.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3R15P               | Enclosure with 15A Breaker Set | 1              | 780.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3R20P               | Enclosure with 20A Breaker Set | 1              | 780.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3R30P               | Enclosure with 30A Breaker Set | 1              | 780.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3R40P               | Enclosure with 40A Breaker Set | 1              | 780.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
| RNEMA3R60P               | Enclosure with 60A Breaker Set | 1              | 780.00                        |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |
|                          |                                |                |                               |                 |  |                |                            |            |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |          |                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |            |                                |   |        |

**New!** CABLE TRAYS & LADDERS
















| SOLID BOTTOM CABLE TRAY & FITTINGS  |                  |                  |                            | CABLE LADDER & FITTINGS |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
|---|------------------|------------------|----------------------------|-------------------------|------------------|----------|----------------------------|------------------|----------|--|--|--|---|----------|------------------|----------|----------|------------------|----------|----------|------------------|----------|--|--|--|
| Item Code & Description   | Dimensions (mm)  |                  | Suggested Retail Price SRP | Item Code & Description | Dimensions (mm)  |          | Suggested Retail Price SRP |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
|   | L x W x D        |                  |                            |                         | L x W x D        |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| <p><b>Straight Run Cable Tray</b><br/>Sheet Thickness: 1.2mm (Ga#18)</p> <table border="1"> <tr><td>RCTSR100</td><td>2400 x 100 x 100</td><td>2,890.00</td></tr> <tr><td>RCTSR150</td><td>2400 x 150 x 100</td><td>3,275.00</td></tr> <tr><td>RCTSR200</td><td>2400 x 200 x 100</td><td>3,665.00</td></tr> </table> | RCTSR100         | 2400 x 100 x 100 | 2,890.00                   | RCTSR150                | 2400 x 150 x 100 | 3,275.00 | RCTSR200                   | 2400 x 200 x 100 | 3,665.00 |  |  |  | <p><b>Straight Run Cable Ladder</b><br/>Sheet Thickness: 1.2mm (Ga#18)</p> <table border="1"> <tr><td>RCLSR300</td><td>2400 x 300 x 100</td><td>5,520.00</td></tr> <tr><td>RCLSR400</td><td>2400 x 400 x 100</td><td>6,025.00</td></tr> <tr><td>RCLSR500</td><td>2400 x 500 x 100</td><td>6,520.00</td></tr> </table> | RCLSR300 | 2400 x 300 x 100 | 5,520.00 | RCLSR400 | 2400 x 400 x 100 | 6,025.00 | RCLSR500 | 2400 x 500 x 100 | 6,520.00 |  |  |  |
|   | RCTSR100         | 2400 x 100 x 100 | 2,890.00                   |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
|   | RCTSR150         | 2400 x 150 x 100 | 3,275.00                   |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
|   | RCTSR200         | 2400 x 200 x 100 | 3,665.00                   |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLSR300  | 2400 x 300 x 100 | 5,520.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLSR400  | 2400 x 400 x 100 | 6,025.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLSR500  | 2400 x 500 x 100 | 6,520.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| <p><b>Horizontal Elbow</b><br/>Sheet Thickness: 1.2mm (Ga#18)</p> <table border="1"> <tr><td>RCTHE100</td><td>- 100 x 100</td><td>1,295.00</td></tr> <tr><td>RCTHE150</td><td>- 150 x 100</td><td>1,535.00</td></tr> <tr><td>RCTHE200</td><td>- 200 x 100</td><td>1,790.00</td></tr> </table>                       | RCTHE100         | - 100 x 100      | 1,295.00                   | RCTHE150                | - 150 x 100      | 1,535.00 | RCTHE200                   | - 200 x 100      | 1,790.00 |  |  |  | <p><b>Horizontal Elbow</b><br/>Sheet Thickness: 1.2mm (Ga#18)</p> <table border="1"> <tr><td>RCLHE300</td><td>- 300 x 100</td><td>2,170.00</td></tr> <tr><td>RCLHE400</td><td>- 400 x 100</td><td>2,545.00</td></tr> <tr><td>RCLHE500</td><td>- 500 x 100</td><td>2,925.00</td></tr> </table>                         | RCLHE300 | - 300 x 100      | 2,170.00 | RCLHE400 | - 400 x 100      | 2,545.00 | RCLHE500 | - 500 x 100      | 2,925.00 |  |  |  |
|   | RCTHE100         | - 100 x 100      | 1,295.00                   |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
|   | RCTHE150         | - 150 x 100      | 1,535.00                   |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCTHE200  | - 200 x 100      | 1,790.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLHE300  | - 300 x 100      | 2,170.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLHE400  | - 400 x 100      | 2,545.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLHE500  | - 500 x 100      | 2,925.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| <p><b>Vertical Elbow</b><br/>Sheet Thickness: 1.2mm (Ga#18)</p> <table border="1"> <tr><td>RCTVE100</td><td>- 100 x 100</td><td>860.00</td></tr> <tr><td>RCTVE150</td><td>- 150 x 100</td><td>950.00</td></tr> <tr><td>RCTVE200</td><td>- 200 x 100</td><td>1,040.00</td></tr> </table>                             | RCTVE100         | - 100 x 100      | 860.00                     | RCTVE150                | - 150 x 100      | 950.00   | RCTVE200                   | - 200 x 100      | 1,040.00 |  |  |  | <p><b>Vertical Elbow</b><br/>Sheet Thickness: 1.2mm (Ga#18)</p> <table border="1"> <tr><td>RCLVE300</td><td>- 300 x 100</td><td>2,690.00</td></tr> <tr><td>RCLVE400</td><td>- 400 x 100</td><td>2,940.00</td></tr> <tr><td>RCLVE500</td><td>- 500 x 100</td><td>3,190.00</td></tr> </table>                           | RCLVE300 | - 300 x 100      | 2,690.00 | RCLVE400 | - 400 x 100      | 2,940.00 | RCLVE500 | - 500 x 100      | 3,190.00 |  |  |  |
|   | RCTVE100         | - 100 x 100      | 860.00                     |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
|   | RCTVE150         | - 150 x 100      | 950.00                     |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCTVE200  | - 200 x 100      | 1,040.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLVE300  | - 300 x 100      | 2,690.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLVE400  | - 400 x 100      | 2,940.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLVE500  | - 500 x 100      | 3,190.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| <p><b>Horizontal Tee</b><br/>Sheet Thickness: 1.2mm (Ga#18)</p> <table border="1"> <tr><td>RCTHT100</td><td>- 100 x 100</td><td>1,545.00</td></tr> <tr><td>RCTHT150</td><td>- 150 x 100</td><td>1,790.00</td></tr> <tr><td>RCTHT200</td><td>- 200 x 100</td><td>2,060.00</td></tr> </table>                         | RCTHT100         | - 100 x 100      | 1,545.00                   | RCTHT150                | - 150 x 100      | 1,790.00 | RCTHT200                   | - 200 x 100      | 2,060.00 |  |  |  | <p><b>Horizontal Tee</b><br/>Sheet Thickness: 1.2mm (Ga#18)</p> <table border="1"> <tr><td>RCLHT300</td><td>- 300 x 100</td><td>3,445.00</td></tr> <tr><td>RCLHT400</td><td>- 400 x 100</td><td>4,020.00</td></tr> <tr><td>RCLHT500</td><td>- 500 x 100</td><td>4,595.00</td></tr> </table>                           | RCLHT300 | - 300 x 100      | 3,445.00 | RCLHT400 | - 400 x 100      | 4,020.00 | RCLHT500 | - 500 x 100      | 4,595.00 |  |  |  |
|   | RCTHT100         | - 100 x 100      | 1,545.00                   |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
|   | RCTHT150         | - 150 x 100      | 1,790.00                   |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCTHT200  | - 200 x 100      | 2,060.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLHT300  | - 300 x 100      | 3,445.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLHT400  | - 400 x 100      | 4,020.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLHT500  | - 500 x 100      | 4,595.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| <p><b>Horizontal Cross</b><br/>Sheet Thickness: 1.2mm (Ga#18)</p> <table border="1"> <tr><td>RCTHC100</td><td>- 100 x 100</td><td>1,990.00</td></tr> <tr><td>RCTHC150</td><td>- 150 x 100</td><td>2,275.00</td></tr> <tr><td>RCTHC200</td><td>- 200 x 100</td><td>2,575.00</td></tr> </table>                       | RCTHC100         | - 100 x 100      | 1,990.00                   | RCTHC150                | - 150 x 100      | 2,275.00 | RCTHC200                   | - 200 x 100      | 2,575.00 |  |  |  | <p><b>Horizontal Cross</b><br/>Sheet Thickness: 1.2mm (Ga#18)</p> <table border="1"> <tr><td>RCLHC300</td><td>- 300 x 100</td><td>4,235.00</td></tr> <tr><td>RCLHC400</td><td>- 400 x 100</td><td>4,885.00</td></tr> <tr><td>RCLHC500</td><td>- 500 x 100</td><td>5,530.00</td></tr> </table>                         | RCLHC300 | - 300 x 100      | 4,235.00 | RCLHC400 | - 400 x 100      | 4,885.00 | RCLHC500 | - 500 x 100      | 5,530.00 |  |  |  |
|   | RCTHC100         | - 100 x 100      | 1,990.00                   |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
|   | RCTHC150         | - 150 x 100      | 2,275.00                   |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCTHC200  | - 200 x 100      | 2,575.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLHC300  | - 300 x 100      | 4,235.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLHC400  | - 400 x 100      | 4,885.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |
| RCLHC500  | - 500 x 100      | 5,530.00         |                            |                         |                  |          |                            |                  |          |  |  |  |   |          |                  |          |          |                  |          |          |                  |          |  |  |  |

Inclusions (free): 2 Pcs. Connector Per Item





Either one of the two:  
4pcs M6 x 15mm Hex Bolt (for width 300mm and below) or 6pcs M6 x 15mm Hex Bolt (for width 400mm and up)















## POWER EXTENSION CORDS REGULAR EXTENSION CORDS











| 250V~  |                |                |                            | 2500W MAX POWER   |                |                |                            | #18AWG CORD   |              |                |                |                            |
|--|----------------|----------------|----------------------------|---|----------------|----------------|----------------------------|---|--------------|----------------|----------------|----------------------------|
| Item Code & Description  | No. of Outlets | Pkg. Pcs./Ctn. | Suggested Retail Price SRP | Item Code & Description   | No. of Outlets | Pkg. Pcs./Ctn. | Suggested Retail Price SRP | Item Code & Description   | Cable Length | No. of Outlets | Pkg. Pcs./Ctn. | Suggested Retail Price SRP |
|  <p><b>ROYU Extension Wheel</b><br/>with 2 Universal &amp; 2 International Outlets<br/>10A, 10 Meters Cord</p> <p>REDEC404/Y <span style="color: yellow;">●</span> 4 Gang 20 <b>1,100.00</b></p>  |                |                |                            |  <p><b>One Master Switch &amp; 2 USB Ports</b><br/>10A, 2 Meters Cord</p> <p>REDEC624 <span style="color: grey;">○</span> 4 Gang 24/6 <b>725.00</b><br/>                 REDEC624/G <span style="color: black;">●</span> 4 Gang 24/6 <b>725.00</b><br/>                 REDEC625 <span style="color: grey;">○</span> 5 Gang 24/6 <b>780.00</b><br/>                 REDEC626 <span style="color: grey;">○</span> 6 Gang 24/6 <b>840.00</b><br/>                 REDEC626/G <span style="color: black;">●</span> 6 Gang 24/6 <b>840.00</b></p>     |                |                |                            |  <p><b>New!</b><br/><b>Push Button Switch with Light Indicator</b><br/>Universal Outlet + 1 Flat Pin with Main Switch</p> <p>REDEC133-3 <span style="color: grey;">○</span> 3M 2+1 Gang 80 <b>205.00</b><br/>                 REDEC133-3/B <span style="color: black;">●</span> 3M 2+1 Gang 80 <b>205.00</b><br/>                 REDEC133-6 <span style="color: grey;">○</span> 6M 2+1 Gang 60 <b>295.00</b><br/>                 REDEC133-6/B <span style="color: black;">●</span> 6M 2+1 Gang 60 <b>295.00</b><br/>                 REDEC133-9 <span style="color: grey;">○</span> 9M 2+1 Gang 40 <b>380.00</b><br/>                 REDEC133-9/B <span style="color: black;">●</span> 9M 2+1 Gang 40 <b>380.00</b><br/>                 REDEC134-3 <span style="color: grey;">○</span> 3M 3+1 Gang 80 <b>220.00</b><br/>                 REDEC134-3/B <span style="color: black;">●</span> 3M 3+1 Gang 80 <b>220.00</b><br/>                 REDEC134-6 <span style="color: grey;">○</span> 6M 3+1 Gang 60 <b>310.00</b><br/>                 REDEC134-6/B <span style="color: black;">●</span> 6M 3+1 Gang 60 <b>310.00</b><br/>                 REDEC134-9 <span style="color: grey;">○</span> 9M 3+1 Gang 40 <b>400.00</b><br/>                 REDEC134-9/B <span style="color: black;">●</span> 9M 3+1 Gang 40 <b>400.00</b><br/>                 REDEC135-3 <span style="color: grey;">○</span> 3M 4+1 Gang 80 <b>235.00</b><br/>                 REDEC135-3/B <span style="color: black;">●</span> 3M 4+1 Gang 80 <b>235.00</b><br/>                 REDEC135-6 <span style="color: grey;">○</span> 6M 4+1 Gang 60 <b>325.00</b><br/>                 REDEC135-6/B <span style="color: black;">●</span> 6M 4+1 Gang 60 <b>325.00</b><br/>                 REDEC135-9 <span style="color: grey;">○</span> 9M 4+1 Gang 40 <b>415.00</b><br/>                 REDEC135-9/B <span style="color: black;">●</span> 9M 4+1 Gang 40 <b>415.00</b></p> |              |                |                |                            |
|  <p><b>Desk Extension Cord</b><br/>with 2 Gang International Outlets &amp; 3 USB Ports<br/>10A, 2 Meters Cord</p> <p>REDEC432/W <span style="color: grey;">○</span> 2 Gang 24 <b>770.00</b></p>   |                |                |                            |  <p><b>One Master Switch</b><br/>10A, 2 Meters Cord</p> <p>REDEC604 <span style="color: grey;">○</span> 4 Gang 24/6 <b>500.00</b><br/>                 REDEC604/G <span style="color: black;">●</span> 4 Gang 24/6 <b>500.00</b><br/>                 REDEC605 <span style="color: grey;">○</span> 5 Gang 24/6 <b>550.00</b><br/>                 REDEC605/G <span style="color: black;">●</span> 5 Gang 24/6 <b>550.00</b><br/>                 REDEC606 <span style="color: grey;">○</span> 6 Gang 24/6 <b>600.00</b></p>                       |                |                |                            |   <p><b>3 Gang Flat Pin Outlet</b><br/>250V~ 10A</p> <p>REDEC203 <span style="color: grey;">○</span> 3M 2+1 Gang 100/20 <b>180.00</b></p> <p>250V~ 6A</p> <p>REDEC213-3 <span style="color: grey;">○</span> 3M 2+1 Gang 100/20 <b>140.00</b><br/>                 REDEC213-6 <span style="color: grey;">○</span> 6M 2+1 Gang 80/20 <b>200.00</b></p>  |              |                |                |                            |
|  <p><b>3 Gang Universal Extension Cord</b><br/>with 2 USB Ports<br/>10A, 3 Meters Cord</p> <p>REDEC123/W <span style="color: grey;">○</span> 3 Gang 80/20 <b>380.00</b></p>   |                |                |                            |  <p><b>Individual Switches &amp; 2 USB Ports</b><br/>10A, 2 Meters Cord</p> <p>REDEC724 <span style="color: grey;">○</span> 4 Gang 24/6 <b>840.00</b><br/>                 REDEC724/G <span style="color: black;">●</span> 4 Gang 24/6 <b>840.00</b><br/>                 REDEC725 <span style="color: grey;">○</span> 5 Gang 24/6 <b>880.00</b><br/>                 REDEC725/G <span style="color: black;">●</span> 5 Gang 24/6 <b>880.00</b><br/>                 REDEC726 <span style="color: grey;">○</span> 6 Gang 24/6 <b>950.00</b></p> |                |                |                            |   <p><b>Flat Pin Outlet</b><br/>250V~ 10A</p> <p>REDEC302 <span style="color: grey;">○</span> 3M 2+1 Gang 100/20 <b>200.00</b><br/>                 REDEC303 <span style="color: grey;">○</span> 4M 3+1 Gang 100/20 <b>250.00</b><br/>                 REDEC304 <span style="color: grey;">○</span> 4M 4+1 Gang 100/20 <b>280.00</b></p>  |              |                |                |                            |
|  <p><b>Universal Extension Cord</b><br/>with 1 Main Switch<br/>10A, 2 Meters Cord</p> <p>REDEC613 <span style="color: grey;">○</span> 4 Gang 80/20 <b>260.00</b></p>  |                |                |                            |  <p><b>Individual Switches</b><br/>10A, 2 Meters Cord</p> <p>REDEC704 <span style="color: grey;">○</span> 4 Gang 24/6 <b>600.00</b><br/>                 REDEC704/G <span style="color: black;">●</span> 4 Gang 24/6 <b>600.00</b><br/>                 REDEC705 <span style="color: grey;">○</span> 5 Gang 24/6 <b>650.00</b><br/>                 REDEC705/G <span style="color: black;">●</span> 5 Gang 24/6 <b>650.00</b><br/>                 REDEC706 <span style="color: grey;">○</span> 6 Gang 24/6 <b>690.00</b></p>                   |                |                |                            |  <p><b>Universal Outlet</b><br/>250V~ 10A</p> <p>REDEC102 <span style="color: grey;">○</span> 3M 2 Gang 100/20 <b>195.00</b><br/>                 REDEC103 <span style="color: grey;">○</span> 4M 3 Gang 100/20 <b>245.00</b><br/>                 REDEC103-5/B <span style="color: black;">●</span> 5M 3 Gang 60/20 <b>280.00</b><br/>                 REDEC103-10/B <span style="color: black;">●</span> 10M 3 Gang 40/20 <b>450.00</b><br/>                 REDEC104 <span style="color: grey;">○</span> 4M 4 Gang 100/20 <b>265.00</b><br/>                 REDEC104-5/B <span style="color: black;">●</span> 5M 4 Gang 60/20 <b>300.00</b><br/>                 REDEC104-10/B <span style="color: black;">●</span> 10M 4 Gang 40/20 <b>465.00</b></p>   |              |                |                |                            |
|  <p><b>1 Main Switch with 3 USB Ports</b><br/>10A, 2 Meters Cord</p> <p>REDEC632/W <span style="color: grey;">○</span> 2 Gang 24/6 <b>680.00</b><br/>                 REDEC632/G <span style="color: black;">●</span> 2 Gang 24/6 <b>680.00</b><br/>                 REDEC634/W <span style="color: grey;">○</span> 4 Gang 24/6 <b>780.00</b><br/>                 REDEC634/G <span style="color: black;">●</span> 4 Gang 24/6 <b>780.00</b></p> |                |                |                            |   |                |                |                            |   |              |                |                |                            |

# ELECTRICAL

| SURFACE TYPE OUTLETS  |                |                            |                         |                |                            | 250V~                   | 10A            |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
|---|----------------|----------------------------|-------------------------|----------------|----------------------------|-------------------------|----------------|----------------------------|---|----------|--------|---------------|----------|---|--------|--------|--------------|------------|---|--------|--------|--------------|----------|---|--------|--------|--------------|------------|---|--------|--------|--------------|---|--|--|----------|---|----------|--------|--------------|----------|---|----------|--------|--------------|----------|---|----------|--------|--------------|--|--|--|----------|---|--------|--------|--------------|----------|---|--------|--------|--------------|
| Item Code & Description   | Pkg. Pcs./Ctn. | Suggested Retail Price SRP | Item Code & Description | Pkg. Pcs./Ctn. | Suggested Retail Price SRP | Item Code & Description | Pkg. Pcs./Ctn. | Suggested Retail Price SRP |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
|  <p><b>Universal Outlet</b></p> <table border="1"> <tr><td>REDOU102</td><td>○</td><td>2 Gang</td><td>200/20</td><td><b>55.00</b></td></tr> <tr><td>REDOU102/B</td><td>●</td><td>2 Gang</td><td>200/20</td><td><b>55.00</b></td></tr> <tr><td>REDOU103</td><td>○</td><td>3 Gang</td><td>200/20</td><td><b>70.00</b></td></tr> <tr><td>REDOU103/B</td><td>●</td><td>3 Gang</td><td>200/20</td><td><b>70.00</b></td></tr> <tr><td>REDOU104</td><td>○</td><td>4 Gang</td><td>200/20</td><td><b>90.00</b></td></tr> <tr><td>REDOU104/B</td><td>●</td><td>4 Gang</td><td>200/20</td><td><b>90.00</b></td></tr> </table> |                |                            | REDOU102                | ○              | 2 Gang                     | 200/20                  | <b>55.00</b>   | REDOU102/B                 | ● | 2 Gang   | 200/20 | <b>55.00</b>  | REDOU103 | ○ | 3 Gang | 200/20 | <b>70.00</b> | REDOU103/B | ● | 3 Gang | 200/20 | <b>70.00</b> | REDOU104 | ○ | 4 Gang | 200/20 | <b>90.00</b> | REDOU104/B | ● | 4 Gang | 200/20 | <b>90.00</b> |  <p><b>Flat Pin Outlet</b></p> <table border="1"> <tr><td>REDOU302</td><td>○</td><td>2+1 Gang</td><td>200/20</td><td><b>53.00</b></td></tr> <tr><td>REDOU303</td><td>○</td><td>3+1 Gang</td><td>200/20</td><td><b>67.00</b></td></tr> <tr><td>REDOU304</td><td>○</td><td>4+1 Gang</td><td>200/20</td><td><b>84.00</b></td></tr> </table> |  |  | REDOU302 | ○ | 2+1 Gang | 200/20 | <b>53.00</b> | REDOU303 | ○ | 3+1 Gang | 200/20 | <b>67.00</b> | REDOU304 | ○ | 4+1 Gang | 200/20 | <b>84.00</b> |  <p><b>Spring Loaded Outlet</b></p> <table border="1"> <tr><td>REDOU403</td><td>○</td><td>3 Gang</td><td>200/20</td><td><b>70.00</b></td></tr> <tr><td>REDOU404</td><td>○</td><td>4 Gang</td><td>200/20</td><td><b>85.00</b></td></tr> </table> |  |  | REDOU403 | ○ | 3 Gang | 200/20 | <b>70.00</b> | REDOU404 | ○ | 4 Gang | 200/20 | <b>85.00</b> |
| REDOU102  | ○              | 2 Gang                     | 200/20                  | <b>55.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU102/B  | ●              | 2 Gang                     | 200/20                  | <b>55.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU103  | ○              | 3 Gang                     | 200/20                  | <b>70.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU103/B  | ●              | 3 Gang                     | 200/20                  | <b>70.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU104  | ○              | 4 Gang                     | 200/20                  | <b>90.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU104/B  | ●              | 4 Gang                     | 200/20                  | <b>90.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU302  | ○              | 2+1 Gang                   | 200/20                  | <b>53.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU303  | ○              | 3+1 Gang                   | 200/20                  | <b>67.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU304  | ○              | 4+1 Gang                   | 200/20                  | <b>84.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU403  | ○              | 3 Gang                     | 200/20                  | <b>70.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU404  | ○              | 4 Gang                     | 200/20                  | <b>85.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
|  <p><b>Convenience Outlet with Ground</b></p> <table border="1"> <tr><td>REDOU502</td><td>○</td><td>2+1 Gang</td><td>200/20</td><td><b>85.00</b></td></tr> <tr><td>REDOU503</td><td>○</td><td>3+1 Gang</td><td>200/20</td><td><b>110.00</b></td></tr> </table>   |                |                            | REDOU502                | ○              | 2+1 Gang                   | 200/20                  | <b>85.00</b>   | REDOU503                   | ○ | 3+1 Gang | 200/20 | <b>110.00</b> |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU502  | ○              | 2+1 Gang                   | 200/20                  | <b>85.00</b>   |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |
| REDOU503  | ○              | 3+1 Gang                   | 200/20                  | <b>110.00</b>  |                            |                         |                |                            |   |          |        |               |          |   |        |        |              |            |   |        |        |              |          |   |        |        |              |            |   |        |        |              |   |  |  |          |   |          |        |              |          |   |          |        |              |          |   |          |        |              |  |  |  |          |   |        |        |              |          |   |        |        |              |

| ELECTRICAL ACCESSORIES   |   |            |               |        |              | 250V~  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
|--|---|------------|---------------|--------|--------------|--|---|----------|--------------|------------|--------------|---|--------------|--|---|----------|---------------|------------|--------------|--|--------------|------------|---|--------|--------------|------------|---|--------|--------------|
|  <p><b>PVC Plug with Clamp</b><br/>5A</p> <table border="1"> <tr><td>REDPL203/B</td><td>●</td><td>200/20</td><td><b>30.00</b></td></tr> <tr><td>REDPL203/W</td><td>○</td><td>200/20</td><td><b>30.00</b></td></tr> <tr><td>REDPL203/C</td><td>○</td><td>200/20</td><td><b>30.00</b></td></tr> </table>   |   | REDPL203/B | ●             | 200/20 | <b>30.00</b> | REDPL203/W   | ○ | 200/20   | <b>30.00</b> | REDPL203/C | ○            | 200/20  | <b>30.00</b> |  <p><b>Heavy Duty Plug with Ground</b><br/>20A</p> <table border="1"> <tr><td>REDPL108</td><td>○</td><td>200/20</td><td><b>70.00</b></td></tr> </table> |   | REDPL108 | ○             | 200/20     | <b>70.00</b> |  <p><b>Round to Flat Adapter</b><br/>10A</p> <table border="1"> <tr><td>REDPL103</td><td>○</td><td>200/20</td><td><b>26.00</b></td></tr> <tr><td>REDPL103/B</td><td>●</td><td>200/20</td><td><b>26.00</b></td></tr> </table>  |              | REDPL103   | ○ | 200/20 | <b>26.00</b> | REDPL103/B | ● | 200/20 | <b>26.00</b> |
| REDPL203/B   | ● | 200/20     | <b>30.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL203/W   | ○ | 200/20     | <b>30.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL203/C   | ○ | 200/20     | <b>30.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL108   | ○ | 200/20     | <b>70.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL103   | ○ | 200/20     | <b>26.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL103/B   | ● | 200/20     | <b>26.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
|  <p><b>PVC Plug with Clamp</b><br/>10A</p> <table border="1"> <tr><td>REDPL204/B</td><td>●</td><td>200/20</td><td><b>37.00</b></td></tr> <tr><td>REDPL204/W</td><td>○</td><td>200/20</td><td><b>37.00</b></td></tr> <tr><td>REDPL204/C</td><td>○</td><td>200/20</td><td><b>37.00</b></td></tr> </table> |   | REDPL204/B | ●             | 200/20 | <b>37.00</b> | REDPL204/W   | ○ | 200/20   | <b>37.00</b> | REDPL204/C | ○            | 200/20  | <b>37.00</b> |  <p><b>Tandem Ground Plug</b><br/>20A</p> <table border="1"> <tr><td>REDPL112</td><td>○</td><td>200/20</td><td><b>65.00</b></td></tr> </table>         |   | REDPL112 | ○             | 200/20     | <b>65.00</b> |  <p><b>Type B Plug Adapter</b><br/>10A</p> <table border="1"> <tr><td>REDPL111/W</td><td>○</td><td>200/20</td><td><b>40.00</b></td></tr> <tr><td>REDPL111/B</td><td>●</td><td>200/20</td><td><b>40.00</b></td></tr> </table> |              | REDPL111/W | ○ | 200/20 | <b>40.00</b> | REDPL111/B | ● | 200/20 | <b>40.00</b> |
| REDPL204/B   | ● | 200/20     | <b>37.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL204/W   | ○ | 200/20     | <b>37.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL204/C   | ○ | 200/20     | <b>37.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL112   | ○ | 200/20     | <b>65.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL111/W   | ○ | 200/20     | <b>40.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL111/B   | ● | 200/20     | <b>40.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
|  <p><b>Regular Rubber Plug</b><br/>10A</p> <table border="1"> <tr><td>REDPL201</td><td>●</td><td>200/20</td><td><b>36.00</b></td></tr> </table>  |   | REDPL201   | ●             | 200/20 | <b>36.00</b> |  <p><b>Female Cord Connector</b><br/>10A</p> <table border="1"> <tr><td>REDOU601</td><td>○</td><td>200/20</td><td><b>30.00</b></td></tr> </table> |   | REDOU601 | ○            | 200/20     | <b>30.00</b> |  <p><b>Octopus Adapter</b><br/>10A</p> <table border="1"> <tr><td>REDPL104</td><td>○</td><td>200/20</td><td><b>48.00</b></td></tr> </table>  |              | REDPL104   | ○ | 200/20   | <b>48.00</b>  |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL201   | ● | 200/20     | <b>36.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDOU601   | ○ | 200/20     | <b>30.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL104   | ○ | 200/20     | <b>48.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
|  <p><b>Heavy Duty PVC Plug</b><br/>15A</p> <table border="1"> <tr><td>REDPL202</td><td>●</td><td>200/20</td><td><b>42.00</b></td></tr> </table>  |   | REDPL202   | ●             | 200/20 | <b>42.00</b> |  <p><b>Swing Type Adapter</b><br/>10A</p> <table border="1"> <tr><td>REDPL107</td><td>○</td><td>200/20</td><td><b>60.00</b></td></tr> </table>    |   | REDPL107 | ○            | 200/20     | <b>60.00</b> |  <p><b>International Adapter</b><br/>10A</p> <table border="1"> <tr><td>REDPL105</td><td>○</td><td>200/20</td><td><b>52.00</b></td></tr> <tr><td>REDPL105/B</td><td>●</td><td>200/20</td><td><b>52.00</b></td></tr> </table> |              | REDPL105   | ○ | 200/20   | <b>52.00</b>  | REDPL105/B | ●            | 200/20   | <b>52.00</b> |            |   |        |              |            |   |        |              |
| REDPL202   | ● | 200/20     | <b>42.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL107   | ○ | 200/20     | <b>60.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL105   | ○ | 200/20     | <b>52.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL105/B   | ● | 200/20     | <b>52.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
|  <p><b>PVC Plug with Ground and Clamp</b><br/>15A</p> <table border="1"> <tr><td>REDPL205/B</td><td>●</td><td>200/20</td><td><b>49.00</b></td></tr> </table>   |   | REDPL205/B | ●             | 200/20 | <b>49.00</b> |  <p><b>Triple Cube Adapter</b><br/>10A</p> <table border="1"> <tr><td>REDPL114</td><td>○</td><td>200/20</td><td><b>39.00</b></td></tr> </table>   |   | REDPL114 | ○            | 200/20     | <b>39.00</b> |  <p><b>International Adapter with Switch</b><br/>10A</p> <table border="1"> <tr><td>REDPL109</td><td>○</td><td>200/20</td><td><b>105.00</b></td></tr> </table>   |              | REDPL109   | ○ | 200/20   | <b>105.00</b> |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL205/B   | ● | 200/20     | <b>49.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL114   | ○ | 200/20     | <b>39.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL109   | ○ | 200/20     | <b>105.00</b> |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
|  <p><b>Regular Plug</b><br/>3A</p> <table border="1"> <tr><td>REDPL106</td><td>○</td><td>200/20</td><td><b>14.00</b></td></tr> </table>  |   | REDPL106   | ○             | 200/20 | <b>14.00</b> |  <p><b>Heavy Duty Plug</b><br/>15A</p> <table border="1"> <tr><td>REDPL113</td><td>○</td><td>200/20</td><td><b>34.00</b></td></tr> </table>       |   | REDPL113 | ○            | 200/20     | <b>34.00</b> |  <p><b>International Adapter with 2 USB Ports</b><br/>10A</p> <table border="1"> <tr><td>REDPL125</td><td>○</td><td>200/20</td><td><b>220.00</b></td></tr> </table>  |              | REDPL125   | ○ | 200/20   | <b>220.00</b> |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL106   | ○ | 200/20     | <b>14.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL113   | ○ | 200/20     | <b>34.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL125   | ○ | 200/20     | <b>220.00</b> |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
|  <p><b>10A</b></p> <table border="1"> <tr><td>REDPL101</td><td>○</td><td>200/20</td><td><b>20.00</b></td></tr> </table>  |   | REDPL101   | ○             | 200/20 | <b>20.00</b> |  <p><b>Socket Plug</b><br/>3A</p> <table border="1"> <tr><td>REDPL110</td><td>○</td><td>200/20</td><td><b>32.00</b></td></tr> </table>            |   | REDPL110 | ○            | 200/20     | <b>32.00</b> |  <p><b>Octopus Adapter with 2 USB Ports</b><br/>10A</p> <table border="1"> <tr><td>REDPL124</td><td>○</td><td>200/20</td><td><b>275.00</b></td></tr> </table>  |              | REDPL124   | ○ | 200/20   | <b>275.00</b> |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL101   | ○ | 200/20     | <b>20.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL110   | ○ | 200/20     | <b>32.00</b>  |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |
| REDPL124   | ○ | 200/20     | <b>275.00</b> |        |              |  |   |          |              |            |              |   |              |  |   |          |               |            |              |  |              |            |   |        |              |            |   |        |              |

| SURFACE TYPE SWITCHES AND OUTLETS   |  |          |              |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
|---|--|----------|--------------|--------|--------------|---|--|----------|--|--------|--------------|--|--|----------|--|--------|--------------|
|  <p><b>Surface Mounted Snap Switch</b><br/>250V~ 10A</p> <table border="1"> <tr><td>REDSW101</td><td></td><td>200/20</td><td><b>35.00</b></td></tr> </table>                                    |  | REDSW101 |              | 200/20 | <b>35.00</b> |  <p><b>Doorbell Switch</b><br/>250V~ 10A</p> <table border="1"> <tr><td>REDSW211</td><td></td><td>200/10</td><td><b>60.00</b></td></tr> </table>           |  | REDSW211 |  | 200/10 | <b>60.00</b> |  <p><b>2 Gang Outlet</b><br/>250V~ 10A</p> <table border="1"> <tr><td>REDOU202</td><td></td><td>200/10</td><td><b>52.00</b></td></tr> </table>        |  | REDOU202 |  | 200/10 | <b>52.00</b> |
| REDSW101  |  | 200/20   | <b>35.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
| REDSW211  |  | 200/10   | <b>60.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
| REDOU202  |  | 200/10   | <b>52.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
|  <p><b>Surface Mounted Doorbell Push Button Switch</b><br/>AC: 250V~ 10A<br/>DC: 30V 3A</p> <table border="1"> <tr><td>REDSW103</td><td></td><td>200/20</td><td><b>45.00</b></td></tr> </table> |  | REDSW103 |              | 200/20 | <b>45.00</b> |  <p><b>Surface Tandem Outlet</b><br/>250V~ 20A</p> <table border="1"> <tr><td>REDOU112</td><td></td><td>200/10</td><td><b>55.00</b></td></tr> </table>     |  | REDOU112 |  | 200/10 | <b>55.00</b> |  <p><b>3 Gang Outlet</b><br/>250V~ 10A</p> <table border="1"> <tr><td>REDOU203</td><td></td><td>200/10</td><td><b>75.00</b></td></tr> </table>        |  | REDOU203 |  | 200/10 | <b>75.00</b> |
| REDSW103  |  | 200/20   | <b>45.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
| REDOU112  |  | 200/10   | <b>55.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
| REDOU203  |  | 200/10   | <b>75.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
|  <p><b>1 Gang Switch</b><br/>250V~ 10A</p> <table border="1"> <tr><td>REDSW201</td><td></td><td>200/20</td><td><b>48.00</b></td></tr> </table>  |  | REDSW201 |              | 200/20 | <b>48.00</b> |  <p><b>Single Convenience Outlet</b><br/>250V~ 10A</p> <table border="1"> <tr><td>REDOU501</td><td></td><td>200/20</td><td><b>40.00</b></td></tr> </table> |  | REDOU501 |  | 200/20 | <b>40.00</b> |  <p><b>Cable TV Outlet (Belling-Lee Type)</b></p> <table border="1"> <tr><td>REDOU211</td><td></td><td>200/10</td><td><b>60.00</b></td></tr> </table> |  | REDOU211 |  | 200/10 | <b>60.00</b> |
| REDSW201  |  | 200/20   | <b>48.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
| REDOU501  |  | 200/20   | <b>40.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
| REDOU211  |  | 200/10   | <b>60.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
|  <p><b>2 Gang Switch</b><br/>250V~ 10A</p> <table border="1"> <tr><td>REDSW202</td><td></td><td>200/10</td><td><b>52.00</b></td></tr> </table>  |  | REDSW202 |              | 200/10 | <b>52.00</b> |  <p><b>1 Gang Outlet</b><br/>250V~ 10A</p> <table border="1"> <tr><td>REDOU201</td><td></td><td>200/10</td><td><b>48.00</b></td></tr> </table>             |  | REDOU201 |  | 200/10 | <b>48.00</b> |  <p><b>Telephone Outlet</b></p> <table border="1"> <tr><td>REDOU221</td><td></td><td>200/10</td><td><b>60.00</b></td></tr> </table>                   |  | REDOU221 |  | 200/10 | <b>60.00</b> |
| REDSW202  |  | 200/10   | <b>52.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
| REDOU201  |  | 200/10   | <b>48.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |
| REDOU221  |  | 200/10   | <b>60.00</b> |        |              |   |  |          |  |        |              |  |  |          |  |        |              |

| PBX BOX  |                |   |              | PVC MOULDINGS                                    |                |                            |               | PVC ELECTRICAL TAPE   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|--|----------------|---|--------------|--|----------------|----------------------------|---------------|---|----------------|----------------------------|--|-------------------------|------------|---|--|--------------|--|--|--|-----------|----|--------|-------------|-----------|----|--------|--------------|-----------|-----|--------|--------------|------------|--|--|--|----------|----|--------|-------------|----------|----|--------|--------------|----------|-----|--------|--------------|---------------|--|--|--|----------|----|--------|-------------|----------|----|--------|--------------|----------|-----|--------|--------------|--------------|--|--|--|----------|----|--------|-------------|----------|----|--------|--------------|----------|-----|--------|--------------|--------------|--|--|--|----------|----|--------|-------------|----------|----|--------|--------------|----------|-----|--------|--------------|
| Item Code & Description  | Pkg. Pcs./Ctn. | Suggested Retail Price SRP                                      |              | Item Code & Description                          | Pkg. Pcs./Ctn. | Suggested Retail Price SRP |               | Item Code & Description   | Pkg. Pcs./Ctn. | Suggested Retail Price SRP |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| <b>FLAME RETARDANT</b>   |                |   |              |  |                |                            |               | <table border="1"> <thead> <tr> <th>0.15 - 0.18mm Thickness</th> <th>19mm Width</th> <th colspan="2">EVAT<br/>For use at not more than 600V and at not more than 80°C</th> </tr> </thead> <tbody> <tr> <td colspan="4"><b>Black</b></td> </tr> <tr> <td>RET104/BK</td> <td>4M</td> <td>250/10</td> <td><b>9.00</b></td> </tr> <tr> <td>RET108/BK</td> <td>8M</td> <td>200/10</td> <td><b>15.00</b></td> </tr> <tr> <td>RET116/BK</td> <td>16M</td> <td>120/10</td> <td><b>28.00</b></td> </tr> <tr> <td colspan="4"><b>Red</b></td> </tr> <tr> <td>RET104/R</td> <td>4M</td> <td>250/10</td> <td><b>9.00</b></td> </tr> <tr> <td>RET108/R</td> <td>8M</td> <td>200/10</td> <td><b>15.00</b></td> </tr> <tr> <td>RET116/R</td> <td>16M</td> <td>120/10</td> <td><b>28.00</b></td> </tr> <tr> <td colspan="4"><b>Yellow</b></td> </tr> <tr> <td>RET104/Y</td> <td>4M</td> <td>250/10</td> <td><b>9.00</b></td> </tr> <tr> <td>RET108/Y</td> <td>8M</td> <td>200/10</td> <td><b>15.00</b></td> </tr> <tr> <td>RET116/Y</td> <td>16M</td> <td>120/10</td> <td><b>28.00</b></td> </tr> <tr> <td colspan="4"><b>Green</b></td> </tr> <tr> <td>RET104/G</td> <td>4M</td> <td>250/10</td> <td><b>9.00</b></td> </tr> <tr> <td>RET108/G</td> <td>8M</td> <td>200/10</td> <td><b>15.00</b></td> </tr> <tr> <td>RET116/G</td> <td>16M</td> <td>120/10</td> <td><b>28.00</b></td> </tr> <tr> <td colspan="4"><b>White</b></td> </tr> <tr> <td>RET104/W</td> <td>4M</td> <td>250/10</td> <td><b>9.00</b></td> </tr> <tr> <td>RET108/W</td> <td>8M</td> <td>200/10</td> <td><b>15.00</b></td> </tr> <tr> <td>RET116/W</td> <td>16M</td> <td>120/10</td> <td><b>28.00</b></td> </tr> </tbody> </table> |                |                            |  | 0.15 - 0.18mm Thickness | 19mm Width | EVAT<br>For use at not more than 600V and at not more than 80°C |  | <b>Black</b> |  |  |  | RET104/BK | 4M | 250/10 | <b>9.00</b> | RET108/BK | 8M | 200/10 | <b>15.00</b> | RET116/BK | 16M | 120/10 | <b>28.00</b> | <b>Red</b> |  |  |  | RET104/R | 4M | 250/10 | <b>9.00</b> | RET108/R | 8M | 200/10 | <b>15.00</b> | RET116/R | 16M | 120/10 | <b>28.00</b> | <b>Yellow</b> |  |  |  | RET104/Y | 4M | 250/10 | <b>9.00</b> | RET108/Y | 8M | 200/10 | <b>15.00</b> | RET116/Y | 16M | 120/10 | <b>28.00</b> | <b>Green</b> |  |  |  | RET104/G | 4M | 250/10 | <b>9.00</b> | RET108/G | 8M | 200/10 | <b>15.00</b> | RET116/G | 16M | 120/10 | <b>28.00</b> | <b>White</b> |  |  |  | RET104/W | 4M | 250/10 | <b>9.00</b> | RET108/W | 8M | 200/10 | <b>15.00</b> | RET116/W | 16M | 120/10 | <b>28.00</b> |
| 0.15 - 0.18mm Thickness  | 19mm Width     | EVAT<br>For use at not more than 600V and at not more than 80°C |              |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| <b>Black</b>   |                |   |              |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET104/BK  | 4M             | 250/10  | <b>9.00</b>  |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET108/BK  | 8M             | 200/10  | <b>15.00</b> |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET116/BK  | 16M            | 120/10  | <b>28.00</b> |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| <b>Red</b>   |                |   |              |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET104/R   | 4M             | 250/10  | <b>9.00</b>  |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET108/R   | 8M             | 200/10  | <b>15.00</b> |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET116/R   | 16M            | 120/10  | <b>28.00</b> |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| <b>Yellow</b>  |                |   |              |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET104/Y   | 4M             | 250/10  | <b>9.00</b>  |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET108/Y   | 8M             | 200/10  | <b>15.00</b> |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET116/Y   | 16M            | 120/10  | <b>28.00</b> |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| <b>Green</b>   |                |   |              |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET104/G   | 4M             | 250/10  | <b>9.00</b>  |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET108/G   | 8M             | 200/10  | <b>15.00</b> |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET116/G   | 16M            | 120/10  | <b>28.00</b> |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| <b>White</b>   |                |   |              |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET104/W   | 4M             | 250/10  | <b>9.00</b>  |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET108/W   | 8M             | 200/10  | <b>15.00</b> |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
| RET116/W   | 16M            | 120/10  | <b>28.00</b> |  |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  Junction Box<br>RJB1  | 100/10         | <b>24.00</b>  |              | <b>Rectangular PVC Moulding</b><br>Length 2440mm |                |                            |               |    |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  Junction Box Cover with Screw<br>RJB2                       | 100/10         | <b>9.00</b>   |              | RPEM12X12  | 12 x 12mm      | <b>36.00</b>               |               |    |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  Utility Box<br>RUB1   | 100/10         | <b>24.00</b>  |              | RPEM15X10  | 15 x 10mm      | <b>40.00</b>               |               |    |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  Surface Utility Box<br>RUB2                                 | 100/10         | <b>38.00</b>  |              | RPEM16X16  | 16 x 16mm      | <b>45.00</b>               |               |    |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  Square Box with Cover and Screw<br>121 x 121 x 57mm<br>RUB3 | 50             | <b>68.00</b>  |              | RPEM25X16  | 25 x 16mm      | <b>65.00</b>               |               |    |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  |                |   |              | RPEM30X25  | 30 x 25mm      | <b>85.00</b>               |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  |                |   |              | RPEM40X25  | 40 x 25mm      | <b>120.00</b>              |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  |                |   |              | RPEM40X40  | 40 x 40mm      | <b>150.00</b>              |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  |                |   |              | <b>Arc PVC Moulding</b>                          |                |                            |               |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  |                |   |              | RPAR35X10  | 35 x 10mm      | 50                         | <b>80.00</b>  |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |
|  |                |   |              | RPAR50X15  | 50 x 15mm      | 40                         | <b>170.00</b> |   |                |                            |  |                         |            |   |  |              |  |  |  |           |    |        |             |           |    |        |              |           |     |        |              |            |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |               |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |              |  |  |  |          |    |        |             |          |    |        |              |          |     |        |              |

ELECTRICAL METALLIC TUBING (EMT)

EMT CONDUIT & ACCESSORIES





| ANSI C80.3 STANDARD COMPLIANT               |                |                            |          | CORROSION RESISTANT     |                |                            |          | SMOOTH INTERIOR & EXTERIOR COATING                |                |                            |  |
|---|----------------|----------------------------|----------|-------------------------|----------------|----------------------------|----------|---|----------------|----------------------------|--|
| Item Code & Description                     | Pkg. Pcs./Ctn. | Suggested Retail Price SRP |          | Item Code & Description | Pkg. Pcs./Ctn. | Suggested Retail Price SRP |          | Item Code & Description                           | Pkg. Pcs./Ctn. | Suggested Retail Price SRP |  |
| <b>EMT Conduit</b><br>10ft. length          |                |                            |          |                         |                |                            |          | <b>Locknut</b>                                    |                |                            |  |
|   | Diameter       | Thickness                  |          |                         | Diameter       | Thickness                  |          |   |                |                            |  |
| REMCT012A                                   | 1/2"           | 1.02mm                     | 200/10   | <b>180.00</b>           | REMLN012A      | 1/2"                       | 5000/500 | <b>4.00</b>                                       |                |                            |  |
| REMCT034A                                   | 3/4"           | 1.18mm                     | 150/10   | <b>280.00</b>           | REMLN034A      | 3/4"                       | 3000/300 | <b>5.00</b>                                       |                |                            |  |
| REMCT100A                                   | 1"             | 1.37mm                     | 80/10    | <b>418.00</b>           | REMLN100A      | 1"                         | 1500/150 | <b>8.00</b>                                       |                |                            |  |
| <b>EMT Connector</b><br>Screw Type          |                |                            |          |                         |                |                            |          | <b>EMT Elbow 90°</b>                              |                |                            |  |
| REMCN012A                                   | 1/2"           |                            | 550/55   | <b>15.00</b>            | REMEL012-90A   | 1/2"                       | 150      | <b>22.00</b>                                      |                |                            |  |
| REMCN034A                                   | 3/4"           |                            | 500/50   | <b>23.00</b>            | REMEL034-90A   | 3/4"                       | 100      | <b>36.00</b>                                      |                |                            |  |
| REMCN100A                                   | 1"             |                            | 300/30   | <b>33.00</b>            | REMEL100-90A   | 1"                         | 50       | <b>53.00</b>                                      |                |                            |  |
| <b>EMT Coupling</b><br>Screw Type           |                |                            |          |                         |                |                            |          | <b>Square Box</b><br>deep GA18<br>with 2 screws   |                |                            |  |
| REMCP012A                                   | 1/2"           |                            | 500/50   | <b>15.00</b>            |                | L x W x H (in)             |          |   |                |                            |  |
| REMCP034A                                   | 3/4"           |                            | 500/50   | <b>23.00</b>            | REMUB03A       | 4 x 4 x 2 - 1/8"           | 1.0mm    | 50  | <b>69.00</b>   |                            |  |
| REMCP100A                                   | 1"             |                            | 200/20   | <b>33.00</b>            |                |                            |          |   |                |                            |  |
| <b>Conduit Hanger</b><br>with Screw and Nut |                |                            |          |                         |                |                            |          | <b>Square Box Cover</b><br>GA81                   |                |                            |  |
| REMCH012A                                   | 1/2"           | 1.4mm                      | 600/60   | <b>13.00</b>            |                |                            |          |   |                |                            |  |
| REMCH034A                                   | 3/4"           | 1.4mm                      | 500/50   | <b>15.00</b>            | REMUB04A       |                            | 1.0mm    | 200   | <b>20.00</b>   |                            |  |
| REMCH100A                                   | 1"             | 1.4mm                      | 400/40   | <b>17.00</b>            |                |                            |          |   |                |                            |  |
| <b>Steel Clamp</b><br>Single Hole           |                |                            |          |                         |                |                            |          | <b>Junction Box</b><br>deep GA18<br>with 2 screws |                |                            |  |
| REMCS012A                                   | 1/2"           | 1.5mm                      | 2500/250 | <b>3.00</b>             |                | L x W x H (in)             |          |   |                |                            |  |
| REMCS034A                                   | 3/4"           | 1.5mm                      | 1500/150 | <b>4.00</b>             | REMJB01A       | 4 x 4 x 2 - 1/8"           | 1.0mm    | 50  | <b>52.00</b>   |                            |  |
| REMCS100A                                   | 1"             | 1.5mm                      | 1000/100 | <b>5.00</b>             |                |                            |          |   |                |                            |  |
| <b>Steel Clamp</b><br>Double Hole           |                |                            |          |                         |                |                            |          | <b>Junction Box Cover</b><br>GA81                 |                |                            |  |
| REMCD012A                                   | 1/2"           | 1.0mm                      | 1600/160 | <b>4.00</b>             |                |                            |          |   |                |                            |  |
| REMCD034A                                   | 3/4"           | 1.0mm                      | 1000/100 | <b>5.00</b>             | REMJB02A       |                            | 1.0mm    | 200   | <b>16.00</b>   |                            |  |
| REMCD100A                                   | 1"             | 1.2mm                      | 700/70   | <b>6.00</b>             |                |                            |          |   |                |                            |  |
| <b>Entrance Cap</b>                         |                |                            |          |                         |                |                            |          | <b>Utility Box</b><br>deep GA18<br>with 2 screws  |                |                            |  |
| REMEC012A                                   | 1/2"           |                            | 200      | <b>75.00</b>            |                | L x W x H (in)             |          |   |                |                            |  |
| REMEC034A                                   | 3/4"           |                            | 150      | <b>95.00</b>            | REMUB01A       | 4 x 2-1/8 x 2-1/8"         | 1.0mm    | 50  | <b>50.00</b>   |                            |  |
| REMEC100A                                   | 1"             |                            | 100      | <b>115.00</b>           |                |                            |          |   |                |                            |  |
| <b>Bushing</b>                              |                |                            |          |                         |                |                            |          | <b>Utility Box Cover</b><br>GA81                  |                |                            |  |
| REMBU012A                                   | 1/2"           |                            | 1500/150 | <b>8.00</b>             | REMUB02A       |                            | 1.0mm    | 200   | <b>17.00</b>   |                            |  |
| REMBU034A                                   | 3/4"           |                            | 1000/100 | <b>10.00</b>            |                |                            |          |   |                |                            |  |
| REMBU100A                                   | 1"             |                            | 500/50   | <b>14.00</b>            |                |                            |          |   |                |                            |  |








# PP-R HOT & COLD PIPING SYSTEM





|  |   |   |  |
|--|---|---|--|
| <b>GERMAN<br/>INDUSTRIAL STANDARDS</b> | <small>DIN8077 for PP-R Dimension<br/>DIN8078 for PP-R Pipes General Quality<br/>Requirements &amp; Testing</small> | <b>INTERNATIONAL STANDARDS<br/>ISO/DIS 15874.0-1999</b> | <b>ENTERPRISE STANDARDS<br/>Q/GF003/2001</b> |
|--|---|---|--|

| Item Code & Description | Pkg.<br>Pcs./Ctn. | Suggested<br>Retail Price<br>SRP | Item Code & Description | Pkg.<br>Pcs./Ctn. | Suggested<br>Retail Price<br>SRP |
|-------------------------|-------------------|----------------------------------|-------------------------|-------------------|----------------------------------|
|-------------------------|-------------------|----------------------------------|-------------------------|-------------------|----------------------------------|

| PIPES   |                                  |             |                 |                 |  |
|---|----------------------------------|-------------|-----------------|-----------------|--|
|  | <b>Cold Water Pipe</b>           |             |                 |                 |  |
|   | PN12.5, 4 meters length          |             |                 |                 |  |
|   | RPP12.5X20                       | 20 x 2.0mm  | 20              | <b>155.00</b>   |  |
|   | RP12.5X25                        | 25 x 2.3mm  | 15              | <b>230.00</b>   |  |
|   | RP12.5X32                        | 32 x 3.0mm  | 10              | <b>360.00</b>   |  |
|   | RP12.5X40                        | 40 x 3.7mm  | 6               | <b>590.00</b>   |  |
|   | RP12.5X50                        | 50 x 4.6mm  | 4               | <b>900.00</b>   |  |
|   | RP12.5X63                        | 63 x 5.8mm  | 2               | <b>1,420.00</b> |  |
|   | RPP12.5X75                       | 75 x 6.9mm  | 1               | <b>inquire</b>  |  |
|   | RPP12.5X90                       | 90 x 8.1mm  | 1               | <b>inquire</b>  |  |
| RPP12.5X110   | 110 x 10.1mm                     | 1           | <b>inquire</b>  |                 |  |
|  | <b>Hot &amp; Cold Water Pipe</b> |             |                 |                 |  |
|   | PN25, 4 meters length            |             |                 |                 |  |
|   | RPP25X20                         | 20 x 3.4mm  | 20              | <b>260.00</b>   |  |
|   | RPP25X25                         | 25 x 4.2mm  | 15              | <b>410.00</b>   |  |
|   | RPP25X32                         | 32 x 5.4mm  | 10              | <b>660.00</b>   |  |
|   | RPP25X40                         | 40 x 6.7mm  | 6               | <b>1,025.00</b> |  |
|   | RPP25X50                         | 50 x 8.4mm  | 4               | <b>1,625.00</b> |  |
|   | RPP25X63                         | 63 x 10.5mm | 2               | <b>2,535.00</b> |  |
|   | RPP25X75                         | 75 x 12.5mm | 1               | <b>3,657.00</b> |  |
|   | RPP25X90                         | 90 x 15.0mm | 1               | <b>5,165.00</b> |  |
| RPP25X110   | 110 x 18.3mm                     | 1           | <b>7,655.00</b> |                 |  |
|  | <b>Cold Water Pipe</b>           |             |                 |                 |  |
|   | PN16, 4 meters length            |             |                 |                 |  |
|   | RPP16X20                         | 20 x 2.3mm  | 20              | <b>170.00</b>   |  |
|   | RPP16X25                         | 25 x 2.8mm  | 15              | <b>265.00</b>   |  |
|   | RPP16X32                         | 32 x 3.6mm  | 10              | <b>420.00</b>   |  |
|   | RPP16X40                         | 40 x 4.5mm  | 6               | <b>715.00</b>   |  |
|   | RPP16X50                         | 50 x 5.6mm  | 4               | <b>1,080.00</b> |  |
|   | RPP16X63                         | 63 x 7.1mm  | 2               | <b>1,720.00</b> |  |
|   | RPP16X75                         | 75 x 8.4mm  | 1               | <b>inquire</b>  |  |
|   | RPP16X90                         | 90 x 10.1mm | 1               | <b>inquire</b>  |  |
| RPP16X110   | 110 x 12.3mm                     | 1           | <b>inquire</b>  |                 |  |
|  | <b>Hot &amp; Cold Water Pipe</b> |             |                 |                 |  |
|   | PN20, 4 meters length            |             |                 |                 |  |
|   | RPP20X20                         | 20 x 2.8mm  | 20              | <b>215.00</b>   |  |
|   | RPP20X25                         | 25 x 3.5mm  | 15              | <b>325.00</b>   |  |
|   | RPP20X32                         | 32 x 4.4mm  | 10              | <b>520.00</b>   |  |
|   | RPP20X40                         | 40 x 5.5mm  | 6               | <b>830.00</b>   |  |
|   | RPP20X50                         | 50 x 6.9mm  | 4               | <b>1,295.00</b> |  |
|   | RPP20X63                         | 63 x 8.6mm  | 2               | <b>2,095.00</b> |  |
|   | RPP20X75                         | 75 x 10.3mm | 1               | <b>3,045.00</b> |  |
|   | RPP20X90                         | 90 x 12.3mm | 1               | <b>inquire</b>  |  |
| RPP20X110   | 110 x 15.1mm                     | 1           | <b>6,545.00</b> |                 |  |

| ACCESSORIES   |                      |       |               |               |  |
|---|----------------------|-------|---------------|---------------|--|
|    | <b>Gate Valve</b>    |       |               |               |  |
|   | RPPGV20              | 20mm  | 90            | <b>250.00</b> |  |
|   | RPPGV25              | 25mm  | 50            | <b>345.00</b> |  |
|   | RPPGV32              | 32mm  | 35            | <b>500.00</b> |  |
|  | <b>Pipe Clip</b>     |       |               |               |  |
|   | RPPPC20              | 20mm  | 160           | <b>5.00</b>   |  |
|   | RPPPC25              | 25mm  | 100           | <b>5.00</b>   |  |
|   | RPPPC32              | 32mm  | 240           | <b>6.00</b>   |  |
| RPPPC40   | 40mm                 | 60    | <b>12.00</b>  |               |  |
|   | <b>Flange Wrap</b>   |       |               |               |  |
|   | RPPFW40              | 40mm  | 110           | <b>25.00</b>  |  |
|   | RPPFW50              | 50mm  | 90            | <b>27.00</b>  |  |
|   | RPPFW63              | 63mm  | 60            | <b>60.00</b>  |  |
|   | RPPFW75              | 75mm  | 30            | <b>81.00</b>  |  |
|   | RPPFW90              | 90mm  | 20            | <b>113.00</b> |  |
|   | RPPFW110             | 110mm | 14            | <b>172.00</b> |  |
|   | <b>Flange Plate</b>  |       |               |               |  |
|   | RPPFP40              | 40mm  | 40            | <b>302.00</b> |  |
|   | RPPFP50              | 50mm  | 30            | <b>355.00</b> |  |
|   | RPPFP63              | 63mm  | 20            | <b>417.00</b> |  |
|   | RPPFP75              | 75mm  | 16            | <b>545.00</b> |  |
|   | RPPFP90              | 90mm  | 12            | <b>606.00</b> |  |
| RPPFP110  | 110mm                | 6     | <b>805.00</b> |               |  |
|  | <b>Rubber Gasket</b> |       |               |               |  |
|   | RPPRG40              | 40mm  | 300           | <b>34.00</b>  |  |
|   | RPPRG50              | 50mm  | 300           | <b>40.00</b>  |  |
|   | RPPRG63              | 63mm  | 300           | <b>45.00</b>  |  |
|   | RPPRG75              | 75mm  | 300           | <b>68.00</b>  |  |
|   | RPPRG90              | 90mm  | 300           | <b>88.00</b>  |  |
| RPPRG110  | 110mm                | 300   | <b>105.00</b> |               |  |

| TOOLS   |                       |          |   |                 |  |
|---|-----------------------|----------|---|-----------------|--|
|   | <b>Fusion Machine</b> |          |   |                 |  |
|   | RPPFM-001/A63         | 20-63mm  | 1 | <b>4,500.00</b> |  |
|   | RPPFM-001/B110        | 75-100mm | 1 | <b>7,000.00</b> |  |
|  | <b>Pipe Cutter</b>    |          |   |                 |  |
|   | RPPC-002/A            | 20-63mm  | 1 | <b>1,020.00</b> |  |

| FITTINGS  |                 |       |     |               |  |
|---|-----------------|-------|-----|---------------|--|
|   | <b>Coupling</b> |       |     |               |  |
|   | RPPCO20         | 20mm  | 280 | <b>6.00</b>   |  |
|   | RPPCO25         | 25mm  | 210 | <b>7.00</b>   |  |
|   | RPPCO32         | 32mm  | 105 | <b>12.00</b>  |  |
|   | RPPCO40         | 40mm  | 120 | <b>21.00</b>  |  |
|   | RPPCO50         | 50mm  | 70  | <b>36.00</b>  |  |
|   | RPPCO63         | 63mm  | 40  | <b>62.00</b>  |  |
|   | RPPCO75         | 75mm  | 60  | <b>96.00</b>  |  |
|   | RPPCO90         | 90mm  | 35  | <b>170.00</b> |  |
|   | RPPCO110        | 110mm | 18  | <b>290.00</b> |  |
|   | <b>Tee</b>      |       |     |               |  |
|   | RPPTE20         | 20mm  | 140 | <b>9.00</b>   |  |
|   | RPPTE25         | 25mm  | 190 | <b>15.00</b>  |  |
|   | RPPTE32         | 32mm  | 100 | <b>28.00</b>  |  |
|   | RPPTE40         | 40mm  | 100 | <b>50.00</b>  |  |
|   | RPPTE50         | 50mm  | 60  | <b>90.00</b>  |  |
|   | RPPTE63         | 63mm  | 30  | <b>160.00</b> |  |
|   | RPPTE75         | 75mm  | 20  | <b>235.00</b> |  |
|   | RPPTE90         | 90mm  | 12  | <b>420.00</b> |  |
|   | RPPTE110        | 110mm | 8   | <b>720.00</b> |  |
|  | <b>Elbow 90</b> |       |     |               |  |
|   | RPPEL920        | 20mm  | 150 | <b>7.00</b>   |  |
|   | RPPEL925        | 25mm  | 100 | <b>12.00</b>  |  |
|   | RPPEL932        | 32mm  | 140 | <b>21.00</b>  |  |
|   | RPPEL940        | 40mm  | 60  | <b>39.00</b>  |  |
|   | RPPEL950        | 50mm  | 40  | <b>72.00</b>  |  |
|   | RPPEL963        | 63mm  | 21  | <b>120.00</b> |  |
|   | RPPEL975        | 75mm  | 10  | <b>200.00</b> |  |
|   | RPPEL990        | 90mm  | 15  | <b>364.00</b> |  |
|   | RPPEL9110       | 110mm | 8   | <b>622.00</b> |  |
|  | <b>Elbow 45</b> |       |     |               |  |
|   | RPPEL420        | 20mm  | 250 | <b>7.00</b>   |  |
|   | RPPEL425        | 25mm  | 140 | <b>11.00</b>  |  |
|   | RPPEL432        | 32mm  | 130 | <b>19.00</b>  |  |
|   | RPPEL440        | 40mm  | 90  | <b>30.00</b>  |  |
|   | RPPEL450        | 50mm  | 40  | <b>57.00</b>  |  |
|   | RPPEL463        | 63mm  | 48  | <b>94.00</b>  |  |
|   | RPPEL475        | 75mm  | 35  | <b>165.00</b> |  |
|   | RPPEL490        | 90mm  | 18  | <b>263.00</b> |  |
|   | RPPEL4110       | 110mm | 10  | <b>423.00</b> |  |



# PP-R HOT & COLD PIPING SYSTEM

|                                |  |   |                                      |
|--------------------------------|--|---|--------------------------------------|
| GERMAN<br>INDUSTRIAL STANDARDS | DIN8077 for PP-R Dimension<br>DIN8078 for PP-R Pipes General Quality<br>Requirements & Testing | INTERNATIONAL STANDARDS<br>ISO/DIS 15874.0-1999 | ENTERPRISE STANDARDS<br>Q/GF003/2001 |
|--------------------------------|--|---|--------------------------------------|

| Item Code & Description | Pkg.<br>Pcs./Ctn. | Suggested<br>Retail Price<br>SRP | Item Code & Description | Pkg.<br>Pcs./Ctn. | Suggested<br>Retail Price<br>SRP |
|-------------------------|-------------------|----------------------------------|-------------------------|-------------------|----------------------------------|
|-------------------------|-------------------|----------------------------------|-------------------------|-------------------|----------------------------------|

## FITTINGS

### Male Adapter

|         |             |     |        |
|---------|-------------|-----|--------|
| RPPMA20 | 20 x 1/2"   | 120 | 70.00  |
| RPPMA25 | 25 x 3/4"   | 75  | 125.00 |
| RPPMA32 | 32 x 1"     | 60  | 255.00 |
| RPPMA40 | 40 x 1 1/4" | 40  | 580.00 |
| RPPMA50 | 50 x 1 1/2" | 40  | 670.00 |
| RPPMA63 | 63 x 2"     | 24  | 860.00 |

### Female Adapter

|         |             |     |        |
|---------|-------------|-----|--------|
| RPPFA20 | 20 x 1/2"   | 150 | 56.00  |
| RPPFA25 | 25 x 3/4"   | 100 | 80.00  |
| RPPFA32 | 32 x 1"     | 90  | 215.00 |
| RPPFA40 | 40 x 1 1/4" | 50  | 395.00 |
| RPPFA50 | 50 x 1 1/2" | 32  | 555.00 |
| RPPFA63 | 63 x 2"     | 24  | 715.00 |

### End Cap

|          |       |     |         |
|----------|-------|-----|---------|
| RPPEC20  | 20mm  | 550 | 5.00    |
| RPPEC25  | 25mm  | 300 | 6.00    |
| RPPEC32  | 32mm  | 180 | 11.00   |
| RPPEC40  | 40mm  | 190 | 19.00   |
| RPPEC50  | 50mm  | 240 | 32.00   |
| RPPEC63  | 63mm  | 120 | 60.00   |
| RPPEC75  | 75mm  | 90  | inquire |
| RPPEC90  | 90mm  | 50  | inquire |
| RPPEC110 | 110mm | 30  | inquire |

### Curved Pipe

|         |            |     |       |
|---------|------------|-----|-------|
| RPPCP20 | 20 x 395mm | 150 | 32.00 |
| RPPCP25 | 25 x 395mm | 100 | 50.00 |
| RPPCP32 | 32 x 395mm | 70  | 75.00 |

### Coupling Reducer

|             |            |     |        |
|-------------|------------|-----|--------|
| RPPCR25X20  | 25 x 20mm  | 210 | 8.00   |
| RPPCR32X20  | 32 x 20mm  | 190 | 10.00  |
| RPPCR32X25  | 32 x 25mm  | 120 | 11.00  |
| RPPCR40X20  | 40 x 20mm  | 210 | 19.00  |
| RPPCR40X25  | 40 x 25mm  | 180 | 19.00  |
| RPPCR40X32  | 40 x 32mm  | 140 | 20.00  |
| RPPCR50X20  | 50 x 20mm  | 100 | 30.00  |
| RPPCR50X25  | 50 x 25mm  | 100 | 32.00  |
| RPPCR50X32  | 50 x 32mm  | 90  | 34.00  |
| RPPCR50X40  | 50 x 40mm  | 80  | 34.00  |
| RPPCR63X25  | 63 x 25mm  | 120 | 53.00  |
| RPPCR63X32  | 63 x 32mm  | 130 | 54.00  |
| RPPCR63X40  | 63 x 40mm  | 60  | 55.00  |
| RPPCR63X50  | 63 x 50mm  | 45  | 58.00  |
| RPPCR75X40  | 75 x 40mm  | 85  | 80.00  |
| RPPCR75X50  | 75 x 50mm  | 85  | 85.00  |
| RPPCR75X63  | 75 x 63mm  | 60  | 90.00  |
| RPPCR90X50  | 90 x 50mm  | 60  | 133.00 |
| RPPCR90X63  | 90 x 63mm  | 58  | 142.00 |
| RPPCR90X75  | 90 x 75mm  | 39  | 150.00 |
| RPPCR110X63 | 110 x 63mm | 28  | 245.00 |
| RPPCR110X75 | 110 x 75mm | 28  | 265.00 |
| RPPCR110X90 | 110 x 90mm | 20  | 280.00 |

### Male Threaded Elbow

|         |           |     |        |
|---------|-----------|-----|--------|
| RPPME20 | 20 x 1/2" | 120 | 75.00  |
| RPPME25 | 25 x 3/4" | 75  | 120.00 |
| RPPME32 | 32 x 1"   | 60  | 260.00 |

### Female Threaded Elbow

|         |           |     |        |
|---------|-----------|-----|--------|
| RPPFE20 | 20 x 1/2" | 120 | 60.00  |
| RPPFE25 | 25 x 3/4" | 140 | 90.00  |
| RPPFE32 | 32 x 1"   | 60  | 220.00 |

### Female Elbow Reducer

|            |           |     |       |
|------------|-----------|-----|-------|
| RPPER25X20 | 25 x 1/2" | 240 | 13.00 |
| RPPER32X20 | 32 x 1/2" | 192 | 19.00 |
| RPPER32X25 | 32 x 3/4" | 128 | 22.00 |

### Tee Reducer

|              |            |     |        |
|--------------|------------|-----|--------|
| RPPTTR25X20  | 25 x 20mm  | 100 | 13.00  |
| RPPTTR32X20  | 32 x 20mm  | 140 | 21.00  |
| RPPTTR32X25  | 32 x 25mm  | 110 | 23.00  |
| RPPTTR40X20  | 40 x 20mm  | 80  | 33.00  |
| RPPTTR40X25  | 40 x 25mm  | 70  | 40.00  |
| RPPTTR40X32  | 40 x 32mm  | 60  | 43.00  |
| RPPTTR50X20  | 50 x 20mm  | 100 | 50.00  |
| RPPTTR50X25  | 50 x 25mm  | 90  | 56.00  |
| RPPTTR50X32  | 50 x 32mm  | 80  | 61.00  |
| RPPTTR50X40  | 50 x 40mm  | 70  | 76.00  |
| RPPTTR63X25  | 63 x 25mm  | 45  | 97.00  |
| RPPTTR63X32  | 63 x 32mm  | 40  | 99.00  |
| RPPTTR63X40  | 63 x 40mm  | 48  | 104.00 |
| RPPTTR63X50  | 63 x 50mm  | 40  | 130.00 |
| RPPTTR75X25  | 75 x 25mm  | 35  | 137.00 |
| RPPTTR75X32  | 75 x 32mm  | 36  | 154.00 |
| RPPTTR75X40  | 75 x 40mm  | 35  | 166.00 |
| RPPTTR75X50  | 75 x 50mm  | 30  | 181.00 |
| RPPTTR75X63  | 75 x 63mm  | 27  | 217.00 |
| RPPTTR90X32  | 90 x 32mm  | 24  | 243.00 |
| RPPTTR90X40  | 90 x 40mm  | 18  | 261.00 |
| RPPTTR90X50  | 90 x 50mm  | 18  | 274.00 |
| RPPTTR90X63  | 90 x 63mm  | 16  | 305.00 |
| RPPTTR90X75  | 90 x 75mm  | 16  | 363.00 |
| RPPTTR110X50 | 110 x 50mm | 12  | 460.00 |
| RPPTTR110X63 | 110 x 63mm | 10  | 510.00 |
| RPPTTR110X75 | 110 x 75mm | 8   | 545.00 |
| RPPTTR110X90 | 110 x 90mm | 8   | 625.00 |

### Male Threaded Tee

|         |           |     |        |
|---------|-----------|-----|--------|
| RPPMT20 | 20 x 1/2" | 80  | 80.00  |
| RPPMT25 | 25 x 3/4" | 100 | 115.00 |
| RPPMT32 | 32 x 1"   | 40  | 290.00 |

### Female Threaded Tee

|            |           |     |        |
|------------|-----------|-----|--------|
| RPPFT20    | 20 x 1/2" | 100 | 92.00  |
| RPPFT20X25 | 20 x 3/4" | 150 | 140.00 |
| RPPFT25X20 | 25 x 1/2" | 180 | 92.00  |
| RPPFT25X25 | 25 x 3/4" | 120 | 140.00 |
| RPPFT32X20 | 32 x 1/2" | 90  | 87.00  |
| RPPFT32X25 | 32 x 3/4" | 80  | 145.00 |
| RPPFT32X32 | 32 x 1"   | 50  | 355.00 |

### Threaded Plug

|         |      |     |       |
|---------|------|-----|-------|
| RPPTP20 | 20mm | 600 | 5.00  |
| RPPTP25 | 25mm | 320 | 8.00  |
| RPPTP32 | 32mm | 180 | 12.00 |

### Male Union Patente















|         |             |     |          |
|---------|-------------|-----|----------|
| RPPMU20 | 20 x 1/2"   | 130 | 195.00   |
| RPPMU25 | 25 x 3/4"   | 90  | 285.00   |
| RPPMU32 | 32 x 1"     | 50  | 385.00   |
| RPPMU40 | 40 x 1 1/4" | 30  | 625.00   |
| RPPMU50 | 50 x 1 1/2" | 18  | 1,100.00 |
| RPPMU63 | 63 x 2"     | 12  | 1,750.00 |

### Female Union Patente









|         |             |     |          |
|---------|-------------|-----|----------|
| RPPFU20 | 20 x 1/2"   | 210 | 215.00   |
| RPPFU25 | 25 x 3/4"   | 135 | 290.00   |
| RPPFU32 | 32 x 1"     | 80  | 420.00   |
| RPPFU40 | 40 x 1 1/4" | 45  | 665.00   |
| RPPFU50 | 50 x 1 1/2" | 27  | 1,100.00 |
| RPPFU63 | 63 x 2"     | 20  | 1,570.00 |

# EXHAUST FANS

## CEILING MOUNTED

| ENHANCED SAFETY & RELIABILITY  |   | LOW POWER CONSUMPTION                                 |              |       | RUST PROOF |     |     | QUIET OPERATION |                            | PURE COPPER MOTOR   | SMOOTH ROTATION  | HIGH AIR FLOW RATE                                    |              |       | THERMAL FUSE |     |     |                 |                            |
|--|---|---|--------------|-------|------------|-----|-----|-----------------|----------------------------|---|--|---|--------------|-------|--------------|-----|-----|-----------------|----------------------------|
| Item Code & Description  | Fan Blade Size  | Wattage   | Airflow Rate | Noise | CFM        | CMH | CMM | Pkg. Pcs./Ctn.  | Suggested Retail Price SRP | Item Code & Description   | Fan Blade Size   | Wattage   | Airflow Rate | Noise | CFM          | CMH | CMM | Pkg. Pcs./Ctn.  | Suggested Retail Price SRP |
|     |      | Dimensions (cm) (a b x c x d x e)                     |              |       |            |     |     |                 |                            |   |  |   |              |       |              |     |     |                 |                            |
| REFC18/08W   | 8"  | 23W   | 71ft³/min    | <46dB | 71         | 222 | 3.7 | 6               | <b>1,000.00</b>            |   |   | Dimensions (cm) (a b x c x d x e x f x g x h x i x j) |              |       |              |     |     |                 |                            |
| REFC18/10W   | 10"   | 30W   | 76ft³/min    | <43dB | 75.6       | 128 | 2.1 | 6               | <b>1,100.00</b>            | REFC03/10   | 9"   | 22W   | <42dB        | 88    | 150          | 2.5 | 6   | <b>1,250.00</b> |                            |
|     |      | Dimensions (cm) (a b x c x d x e)                     |              |       |            |     |     |                 |                            |   |  |   |              |       |              |     |     |                 |                            |
| REFC19/08W   | 8"  | 22W   | 71ft³/min    | <45dB | 70.6       | 120 | 2.0 | 6               | <b>1,250.00</b>            |   |   | Dimensions (cm) (a b x c x d x e x f x g x h x i x j) |              |       |              |     |     |                 |                            |
| REFC19/10W   | 10"   | 25W   | 78ft³/min    | <46dB | 77.7       | 132 | 2.2 | 4               | <b>1,400.00</b>            | REFC05/10   | 9"   | 22W   | <42dB        | 88    | 150          | 2.5 | 6   | <b>1,350.00</b> |                            |
|   |    | Dimensions (cm) (a b x c x d x e)                     |              |       |            |     |     |                 |                            |   |  |   |              |       |              |     |     |                 |                            |
| REFC20/08W   | 8"  | 22W   | 71ft³/min    | <45dB | 70.6       | 120 | 2.0 | 6               | <b>1,250.00</b>            |  |  | Dimensions (cm) (a b x c x d x e x f x g x h x i x j) |              |       |              |     |     |                 |                            |
| REFC20/10W   | 10"   | 25W   | 78ft³/min    | <46dB | 77.7       | 132 | 2.2 | 4               | <b>1,400.00</b>            | REFC07/10   | 8"   | 20W   | ≤30dB        | 70    | 120          | 2.0 | 6   | <b>1,300.00</b> |                            |
|  |   |   |              |       |            |     |     |                 |                            | REFC07/14   | 12"  | 38W   | ≤50dB        | 247   | 420          | 7.0 | 6   | <b>1,850.00</b> |                            |
|  |  | Dimensions (cm) (a b x c x d x e x f x g x h x i x j) |              |       |            |     |     |                 |                            |   |  |   |              |       |              |     |     |                 |                            |
| REFC09/10  | 8"  | 20W   | <30dB        | 70    | 120        | 2.0 | 6   | <b>1,350.00</b> |                            |   |  |   |              |       |              |     |     |                 |                            |

## WALL MOUNTED

|   |   |                               |           |       |      |     |     |                 |               |  |   |   |       |     |     |     |   |                 |  |
|---|---|-------------------------------|-----------|-------|------|-----|-----|-----------------|---------------|--|---|---|-------|-----|-----|-----|---|-----------------|--|
|  |  | Dimensions (cm) (a b x c x d) |           |       |      |     |     |                 |               |  |   |   |       |     |     |     |   |                 |  |
| REFW17/04W  | 4"  | 12W                           | 38ft³/min | <44dB | 38.1 | 65  | 1.1 | 20              | <b>520.00</b> |  |  | Dimensions (cm) (a b x c x d x e x f x g x h) |       |     |     |     |   |                 |  |
| REFW17/06W  | 6"  | 13W                           | 88ft³/min | <44dB | 88.3 | 150 | 2.5 | 18              | <b>620.00</b> | REFW01/12  | 8"  | 33W   | ≤56dB | 175 | 300 | 5.0 | 6 | <b>1,500.00</b> |  |
|   |   |                               |           |       |      |     |     |                 |               | REFW01/14  | 9.5"  | 38W   | ≤56dB | 230 | 390 | 6.5 | 6 | <b>1,700.00</b> |  |
|  |  | Dimensions (cm) (a b x c x d) |           |       |      |     |     |                 |               |  |   |   |       |     |     |     |   |                 |  |
| REFW18/04W  | 4"  | 12W                           | 39ft³/min | <45dB | 38.8 | 66  | 1.1 | 20              | <b>600.00</b> |  |  | Dimensions (cm) (a b x c x d x e x f x g x h) |       |     |     |     |   |                 |  |
| REFW03/12   | 8"  | 20W                           | ≤30dB     | 70    | 120  | 2.0 | 6   | <b>1,600.00</b> |               |  |   |   |       |     |     |     |   |                 |  |
| REFW03/14   | 9.5"  | 38W                           | ≤50dB     | 247   | 420  | 7.0 | 6   | <b>1,700.00</b> |               |  |   |   |       |     |     |     |   |                 |  |



| Item Code & Description | Surge Power | Rated Power | Rated Voltage | Rated Current | Engine Size | Phase | Grade of Insulation | Weight | Pkg. Pcs./Ctn. | Suggested Retail Price SRP |
|-------------------------|-------------|-------------|---------------|---------------|-------------|-------|---------------------|--------|----------------|----------------------------|
|-------------------------|-------------|-------------|---------------|---------------|-------------|-------|---------------------|--------|----------------|----------------------------|

**INVERTER TYPE GENERATOR**



|           |                       |                              |  |                                     |      |              |   |           |   |                  |
|-----------|-----------------------|------------------------------|--|-------------------------------------|------|--------------|---|-----------|---|------------------|
|           | <b>RECOIL STARTER</b> | <b>4L FUEL TANK CAPACITY</b> | <b>UP TO 5.7 HOURS</b><br>RUNNING TIME AT 50% LOAD | <b>79CC ENGINE</b><br>OHV, 4-STROKE |      |              |   |           |   |                  |
| RGP012000 | 2000W                 | 1900W                        | 220V 60Hz  | 8.6A                                | 79cc | Single Phase | F | 18.3 kgs. | 1 | <b>42,700.00</b> |



|           |                       |                                |  |                                      |       |              |   |         |   |                  |
|-----------|-----------------------|--------------------------------|--|--------------------------------------|-------|--------------|---|---------|---|------------------|
|           | <b>RECOIL STARTER</b> | <b>6.5L FUEL TANK CAPACITY</b> | <b>UP TO 6 HOURS</b><br>RUNNING TIME AT 50% LOAD | <b>149CC ENGINE</b><br>OHV, 4-STROKE |       |              |   |         |   |                  |
| RGP012900 | 2900W                 | 2700W                          | 220V 60Hz  | 12.3A                                | 149cc | Single Phase | F | 21 kgs. | 1 | <b>51,800.00</b> |

**OPEN FRAME TYPE GENERATOR**



|           |                       |                               |   |                                      |       |              |   |         |   |                  |
|-----------|-----------------------|-------------------------------|---|--------------------------------------|-------|--------------|---|---------|---|------------------|
|           | <b>RECOIL STARTER</b> | <b>15L FUEL TANK CAPACITY</b> | <b>UP TO 10 HOURS</b><br>RUNNING TIME AT 50% LOAD | <b>208CC ENGINE</b><br>OHV, 4-STROKE |       |              |   |         |   |                  |
| RGS013300 | 3300W                 | 3000W                         | 220V 60Hz   | 13.6A                                | 208cc | Single Phase | F | 48 kgs. | 1 | <b>27,500.00</b> |



|           |                       |                               |  |                                      |       |              |   |         |   |                  |
|-----------|-----------------------|-------------------------------|--|--------------------------------------|-------|--------------|---|---------|---|------------------|
|           | <b>RECOIL STARTER</b> | <b>15L FUEL TANK CAPACITY</b> | <b>UP TO 9.5 HOURS</b><br>RUNNING TIME AT 50% LOAD | <b>224CC ENGINE</b><br>OHV, 4-STROKE |       |              |   |         |   |                  |
| RGS013700 | 3700W                 | 3300W                         | 220V 60Hz  | 15A                                  | 224cc | Single Phase | F | 50 kgs. | 1 | <b>29,000.00</b> |



|           |                                     |                               |  |                                      |  |              |   |         |   |                  |
|-----------|-------------------------------------|-------------------------------|--|--------------------------------------|--|--------------|---|---------|---|------------------|
|           | <b>E-START &amp; RECOIL STARTER</b> | <b>27L FUEL TANK CAPACITY</b> | <b>UP TO 9.5 HOURS</b><br>RUNNING TIME AT 50% LOAD | <b>420CC ENGINE</b><br>OHV, 4-STROKE | <b>EQUIPPED WITH HANDLE BAR &amp; WHEELS</b> |              |   |         |   |                  |
| RGS016000 | 6000W                               | 5500W                         | 220V 60Hz  | 25A                                  | 420cc  | Single Phase | F | 83 kgs. | 1 | <b>60,000.00</b> |



|           |                                     |                               |  |                                      |  |              |   |         |   |                  |
|-----------|-------------------------------------|-------------------------------|--|--------------------------------------|--|--------------|---|---------|---|------------------|
|           | <b>E-START &amp; RECOIL STARTER</b> | <b>27L FUEL TANK CAPACITY</b> | <b>UP TO 7.5 HOURS</b><br>RUNNING TIME AT 50% LOAD | <b>459CC ENGINE</b><br>OHV, 4-STROKE | <b>EQUIPPED WITH HANDLE BAR &amp; WHEELS</b> |              |   |         |   |                  |
| RGS019000 | 9000W                               | 8500W                         | 220V 60Hz  | 38.6A                                | 459cc  | Single Phase | F | 98 kgs. | 1 | <b>74,000.00</b> |

**NEW**

# ROYU<sup>®</sup>

## ELECTRICAL

### GASOLINE POWERED GENERATORS



ENVIRONMENT  
FRIENDLY



EURO V



CALIFORNIA  
AIR RESOURCES BOARD



#### INVERTER TYPE GENERATOR

| SURGE POWER | RATED POWER |
|-------------|-------------|
| 2000W       | 1900W       |
| 2900W       | 2700W       |

#### OPEN FRAME TYPE GENERATOR

| SURGE POWER | RATED POWER |
|-------------|-------------|
| 3300W       | 3000W       |
| 3700W       | 3300W       |
| 6000W       | 5500W       |
| 9000W       | 8500W       |