

Powered by Confident Cannabis 1 of 4

Aina Organics

6331 Olohena Rd Kapaa, HI 96746 grace@ainaorganics.com (808) 212-6036 Lic.#


CBD Lotion Topical. Lotion

Sample: 2302SHH0068.0292

Strain: CBD Lotion Batch#: Sample Received: 02/02/2023; Report Created: 02/06/2023 External Lot ID:



Overall Batch Summary: Pass



1150 South King St Honolulu, HI (808) 735-5227 https://spectraanalyticallab.com/

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Lic# 92630 ISO/IEC 17025:2017 Accreditation no: 92630 Nelson Lazaga Lab Director

ND=Not Detected, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Spectra Analytical Lab, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Spectra Analytical Lab makes no claims as to the efficacy, safety, or rtad h in This Certifica not be all chall not he in full



Tornonoc

Powered by Confident Cannabis 2 of 4

Aina Organics

6331 Olohena Rd Kapaa, HI 96746 grace@ainaorganics.com (808) 212-6036 Lic. #

CBD Lotion

Topical, Lotion



Sample: 2302SHH0068.0292

External Lot ID:





Cannabinoids

Complete

	ND ND Total THC	0.35 9 3.45 m Total C	g/g	0.35 3.45 m Total Canna	ig/g
A	nalyte	LOD	LO	Q Mass	Mass
_		mg/g	mg/		mg/g
С	BG	0.0014	0.004	6 ND	ND
С	BD	0.0012	0.003	7 0.345	3.453
С	BDa	0.0015	0.004	6 ND	ND
С	BN	0.0016	0.004	9 ND	ND
Δ	9-THC	0.0012	0.003	5 ND	ND
Δ	8-THC	0.0013	0.004	0 ND	ND
Δ	10-THC	0.0020	0.0020 0.0068		ND
Т	HCa	0.0025	0.007	4 ND	ND
T	otal			0.35	3.45

iei penes					
Analyte		OD	LOQ	Mass	Mass
Notes:					
Microbials				Not T	ested
Analyte	LOD	LOQ	Limit	Mass	Status



1150 South King St Honolulu, HI " (808) 735-5227 https://spectraanalyticallab.com/ Lic# 92630

Not Tested

Moisture

Nelson Lazaga Lab Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



ISO/IEC 17025:2017 Accreditation no: 92630

Total THC = Δ 9-THC + (THCA * 0.877). Total CBD = CBDa * 0.877 + CBD. Instrument: UHPLC ; Method: HI-SOP-024

Not Tested Foreign Matter

ND=Not Detected, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Spectra Analytical Lab, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Spectra Analytical Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered and shall not be reproduced excent in full



Powered by Confident Cannabis 3 of 4

Aina Organics 6331 Olohena Rd Kapaa, HI 96746 grace@ainaorganics.com (808) 212-6036 Lic. #		S	Sample: 2302SHH0068.0292 Strain: CBD Lotion Batch#: Sample Received: 02/02/2023; Report Created: 02/06/2023 External Lot ID:			
CBD Lotion Topical, Lotion				P. Te		
Mycotoxins					Not Tested	
Analyte	LOD	LOQ	Limit	Mass	Status	
Anory to						
Heavy Metals					Pass	
	LOD	LOQ	Limit	Mass	Pass	
Heavy Metals		LOQ PPM 1.3	Limit PPM 10.0	PPM ND		
Heavy Metals Analyte Arsenic Cadmium	LOD PPM 0.1 0.1	PPM 1.3 1.3	PPM 10.0 4.0	PPM ND ND	Status Pass Pass	
Heavy Metals Analyte Arsenic	LOD PPM 0.1	PPM 1.3	PPM 10.0	PPM ND	Status Pass	
Heavy Metals Analyte Arsenic Cadmium Lead	LOD PPM 0.1 0.1 0.1 0.1 0.1	PPM 1.3 1.3 1.3	PPM 10.0 4.0 6.0	PPM ND ND <loq< td=""><td>Status Pass Pass Pass</td></loq<>	Status Pass Pass Pass	
Heavy Metals Analyte Arsenic Cadmium Lead Mercury	LOD PPM 0.1 0.1 0.1 0.1 0.1	PPM 1.3 1.3 1.3	PPM 10.0 4.0 6.0	PPM ND ND <loq ND</loq 	Status Pass Pass Pass	



1150 South King St Honolulu, HI (808) 735-5227 https://spectraanalyticallab.com/

ISO/IEC 17025:2017 Accreditation no: 92630

Lic# 92630

Nelson Lazaga

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



ND=Not Detected, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Spectra Analytical Lab, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Spectra Analytical Lab makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced excent in full.

Lab Director



Powered by Confident Cannabis 4 of 4

Strain: CBD Lotion

External Lot ID:

Batch#:

Sample: 2302SHH0068.0292

Sample Received: 02/02/2023; Report Created: 02/06/2023

Aina Organics

6331 Olohena Rd Kapaa, HI 96746 grace@ainaorganics.com (808) 212-6036 Lic.#

CBD Lotion

Topical, Lotion

Pesticides

Abamectin B1a

Analyte

	PJLA Testing									
Pass										
Status	Mass	Limit	LOQ	LOD	Analyte	Status	Mass	Limit	LOQ	LOD
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM
Pass	ND	1.000	0.015	0.005	Imazalil	Pass	ND	1.000	0.077	0.025
Pass	ND	1.000	0.022	0.007	Imidacloprid	Pass	ND	1.000	0.022	0.007
Pass	ND	1.000	0.021	0.007	Kresoxim Methyl	Pass	ND	1.000	0.100	0.000
Pass	ND	1.000	0.019	0.006	Malathion	Pass	ND	1.000	0.037	0.012
Pass	ND	1.000	0.018	0.006	Metalaxyl	Pass	ND	1.000	0.012	0.004

Acephate	0.007	0.022	1.000	ND	Pass	Imidacloprid	0.007	0.022	1.000	ND	Pass
Acequinocyl	0.000	0.100	1.000	ND	Pass	Kresoxim Methyl	0.007	0.021	1.000	ND	Pass
Acetamiprid	0.012	0.037	1.000	ND	Pass	Malathion	0.006	0.019	1.000	ND	Pass
Aldicarb	0.004	0.012	1.000	ND	Pass	Metalaxyl	0.006	0.018	1.000	ND	Pass
Azoxystrobin	0.009	0.028	1.000	ND	Pass	Methiocarb	0.010	0.031	1.000	ND	Pass
Bifenazate	0.011	0.032	1.000	ND	Pass	Methomyl	0.004	0.012	1.000	ND	Pass
Bifenthrin	0.021	0.063	1.000	ND	Pass	MGK-264	0.025	0.075	1.000	ND	Pass
Boscalid	0.022	0.066	1.000	ND	Pass	Myclobutanil	0.006	0.019	1.000	ND	Pass
Carbaryl	0.004	0.013	1.000	ND	Pass	Naled	0.006	0.017	1.000	ND	Pass
Carbofuran	0.003	0.009	1.000	ND	Pass	Oxamyl	0.004	0.012	1.000	ND	Pass
Chlorantraniliprole	0.009	0.028	1.000	ND	Pass	Paclobutrazol	0.004	0.012	1.000	ND	Pass
Chlorfenapyr	0.004	0.012	1.000	ND	Pass	Parathion Methyl	0.015	0.046	1.000	ND	Pass
Chlorpyrifos	0.009	0.027	1.000	ND	Pass	Permethrins	0.027	0.082	1.000	ND	Pass
Clofentezine	0.017	0.051	1.000	ND	Pass	Phosmet	0.014	0.043	1.000	ND	Pass
Cyfluthrin	0.042	0.100	1.000	ND	Pass	Piperonyl Butoxide	0.005	0.014	1.000	ND	Pass
Cypermethrin	0.027	0.081	1.000	ND	Pass	Prallethrin	0.008	0.025	1.000	ND	Pass
Diazinon	0.004	0.011	1.000	ND	Pass	Propiconazole	0.009	0.026	1.000	ND	Pass
Dichlorvos	0.018	0.054	1.000	ND	Pass	Propoxur	0.003	0.009	1.000	ND	Pass
Dimethoate	0.005	0.015	1.000	ND	Pass	Pyrethrins	0.005	0.014	1.000	ND	Pass
Ethoprophos	0.009	0.029	1.000	ND	Pass	Pyridaben	0.021	0.064	1.000	ND	Pass
Etofenprox	0.024	0.074	1.000	ND	Pass	Spinosad	0.005	0.014	1.000	ND	Pass
Etoxazole	0.005	0.015	1.000	ND	Pass	Spiromesifen	0.006	0.019	1.000	ND	Pass
Fenpyroximate	0.000	0.001	1.000	ND	Pass	Spirotetramat	0.005	0.016	1.000	ND	Pass
Fipronil	0.011	0.034	1.000	ND	Pass	Tebuconazole	0.008	0.025	1.000	ND	Pass
Flonicamid	0.010	0.029	1.000	ND	Pass	Thiacloprid	0.006	0.019	1.000	ND	Pass
Fludioxonil	0.006	0.019	1.000	ND	Pass	Thiamethoxam	0.004	0.013	1.000	ND	Pass
Hexythiazox	0.022	0.067	1.000	ND	Pass	Trifloxystrobin	0.004	0.012	1.000	ND	Pass

Instrument: LCMS; Method: HI-SOP-025



1150 South King St Honolulu, HI (808) 735-5227 https://spectraanalyticallab.com/

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Lic# 92630 ISO/IEC 17025:2017 Accreditation no: 92630 Nelson Lazaga Lab Director

ND=Not Detected, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by Spectra Analytical Lab, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. Spectra Analytical Lab makes no claims as to the efficacy, safety, or isted with ar rtad ha ein This Certificat st not he alt and shall not be re t in full