INSTALLATION MANUAL

MONA MEDIUM PC980

Floor light



COMPONENTS OF PACKAGING:

metal base with power cable and switch, light source, glass shade, remote control, hex screw, hex key, cotton gloves, installation manual

WARNING:

The manufacturer assumes no liability for damage resulting from incorrect assembly. When unpacking the light, do so with regard for its material composition - the main components are made of glass.


Instalation time: 10 minutes/1 person



BROKIS S.R.O. ŠPANIELOVA 1315/25 163 00 PRAHA 6 - ŘEPY CZECH REPUBLIC ORG. ID 64940799 VAT ID CZ64940799 C 42174 MĚSTSKÝ SOUD V PRAZE TEL +420 567 211 517 TECHNICAL@BROKIS.CZ INFO@BROKIS.CZ WWW.BROKIS.CZ


1. ASSEMBLING THE LIGHT 1/2

When unpacking and assembling the light, wear the supplied cotton gloves. Attach the glass shade with light source to the metal base.



2. **ASSEMBLING THE LIGHT 2/2**

Use the hex screw and hex key to secure the shade with light source to the metal base.




CONNECTING THE LIGHT

Plug the power cable into an electrical outlet and verify that the light works properly.

Remote control: Use the remote control to switch the light on and off and adjust the brightness.

Main switch: Use the main switch on the power cable when the light is to remain off for an extended period of time.



INSTALLATION MANUAL

MONA MEDIUM PC980

Floor light



CLEANING THE GLASS

The light can be cleaned using common cleaning agents. Never use solvents or abrasives (scouring powder).

PRIOR TO SHIPPING, THE FUNCTIONALITY OF EACH LIGHT AND ITS COMPONENTS IS THOROUGHLY TESTED. THE MANUFACTURER ASSUMES NO LIABILITY FOR THE MISHANDLING OF PRODUCTS.

