

# Occasional Tables

---

<b>Table of Contents</b>	<b>2</b>
<b>Eames Molded Plywood Coffee Table</b>	<b>3</b>
<b>Eames Elliptical Table</b>	<b>4</b>
<b>Eames Wire-Base Table</b>	<b>5</b>
<b>Eames Walnut Stool</b>	<b>6</b>
<b>Nelson End Table</b>	<b>7</b>
<b>Noguchi Table</b>	<b>8</b>

---

Specifications are based on the latest information available at the time of publication. The right is reserved to make changes at any time without notice in finishes, materials, specifications, and models and to discontinue models and finishes.

Dimensions shown are approximate and given in inches to the nearest sixteenth of an inch.

For specific information about features and options available on each model, prices, and ordering information, please refer to the Herman Miller *Tables and Furniture Price Book*.

© 2004, Herman Miller, Inc., Zeeland, Michigan Printed in U.S.A.

® ●HermanMiller and Eames are among the registered trademarks of Herman Miller, Inc.

™ Nelson is among the trademarks of Herman Miller, Inc.

Occasional Tables  
**Eames® Molded Plywood  
Coffee Table**

---

**Description**      **CTW.**

This 15 1/2"-high molded plywood table has natural face veneers and hardwood inner plies. It has a 5-ply, 34"-diameter top and an 8-ply 4-leg base. Shipped knocked down.

---

<b>Dimensions</b>	<b>Height</b>	<b>Diameter</b>
CTW.	15 1/2"	34"

---

**Construction**      The top shall be molded plywood with 5 maple hardwood inner plies and a natural veneer top and bottom face. The legs shall be molded plywood with 8 maple hardwood inner plies and a natural veneer top and bottom face. The top and legs on the AV (light ash) and OU (walnut) tables shall have a lacquer finish, and the top and legs on the EN (ebony) and CX (natural cherry) tables shall have a stain and lacquer finish.

The legs shall be affixed to the underside of the tabletop with 8 cross-recess steel machine screws. An oval, stamped aluminum medallion, screen-printed with the Eames signature, shall be attached to the underside of a table leg.

---

**Description**     **ETRT.**

This oval table has a 7-ply Baltic birch core and edge, a 7/8"-thick laminate top, and 2 powder-coated or zinc-plated wire bases.

---

<b>Dimensions</b>	<b>Height</b>	<b>Depth</b>	<b>Width</b>
	10"	29 1/2"	89"

---

**Construction**     The top shall be a 7-ply Baltic birch core with a black or white laminate top and a neutral laminate backer. An oval, stamped aluminum medallion, screen-printed with the Eames signature, shall be attached to the underside of the tabletop.

The two bases shall be a combination of .250 and .185 diameter BB wire, welded together and finished with zinc plate or powder-coat paint. The bases shall be attached to the underside of the tabletop with 8 pan-head steel screws.

---

<b>Description</b>	<b>LTRT.</b>  This table has a 7/8"-thick laminate top, multi-layered veneer edge, and wire base. The multi-layered veneer edge has a 7-ply Baltic birch core; the wire base is powder coated or zinc plated.
--------------------	---

---

<b>Dimensions</b>	<b>Height</b>	<b>Depth</b>	<b>Width</b>
	10"	13 1/4"	15 1/2"

---

<b>Construction</b>	<p>The top shall be a 7-ply Baltic birch core with a neutral laminate backer and a light ash veneer, black laminate, or white laminate top. The ash top shall have a lacquer finish. An oval, stamped aluminum medallion, screen-printed with the Eames signature, shall be attached to the underside of the tabletop.</p> <p>The base shall be a combination of .250 and .185 diameter BB wire, welded together and finished with zinc plate or powder-coat paint. The base shall be attached to the underside of the tabletop with 4 pan-head steel screws.</p>
---------------------	---

---

**Description**    411  
                         412  
                         413

This oiled solid walnut stool is available with 3 base shapes.

---

<b>Dimensions</b>	<b>Height</b>	<b>Diameter</b>
	15"	13 1/4"

---

**Construction**    The stool shall be made of steamed walnut pieces that are bonded into stool sections with cross-linked polyvinyl acetate adhesive, then bonded into a stool with thermoset adhesive. The stool shall have a clear lacquer finish.

---

**Description**    **5451**  
                         **5452**  
                         **5453**

This round table has a 7/8"-thick laminate top, a maple veneer edge, and adjustable glides.

---

<b>Dimensions</b>	<b>Height</b>	<b>Diameter</b>
5451	22"	17"
5452	16 1/2"	28 1/2"
5453	22"	28 1/2"

---

**Construction**    The top shall be a particleboard core with black, white, or inner tone laminate finish, a neutral laminate backer, and a .036" thick edge band of maple veneer.

The base shall be aluminum with a polished or powder-coat painted finish. The base shall be attached to the underside of the tabletop with four pan-head cross-recess steel tapping screws. The 4 height-adjustable glides shall have a steel stem, neoprene cushion, and a bottom cap of stainless steel.

---

<b>Description</b>	<b>IN50</b>
--------------------	-------------

This table has a 3/4"-thick plate-glass top and a 2-piece wood base. Each table has Isamu Noguchi's signature etched on the edge of the glass top. An oval medallion with his signature and the Herman Miller logo is attached to the underside of the base. A certificate of authenticity is included with each table. Shipped knocked down.

---

<b>Dimensions</b>	<b>Height</b>	<b>Depth</b>	<b>Width</b>
	15 3/4"	36"	50"

---

<b>Construction</b>	<p>The top shall be 3/4" thick clear plate glass with a polished edge with Isamu Noguchi's signature etched into it.</p> <p>The two-piece base, which shall have a clear lacquer finish, shall be 1 3/4" thick walnut, poplar with an ebony stain, or stained cherry. The pieces shall be connected by an aluminum and carbon steel dowel assembly.</p> <p>A stamped aluminum oval medallion, screen-printed with Isamu Noguchi's signature, shall be attached to the bottom edge of one leg.</p>
---------------------	---