800001136, 800001137, 800001138, 800001139, 800002136, 800002137, 800002138, 800002139, 800003136, 800003137, 800003138, 800003139, 800004136, 800004137, 800004138, 800004139



RAISED GARDEN BED



- Plugs x 64
- Caps x 16

PARTS IDENTIFICATION



****NOTE** <u>Stacking stakes</u> can be used on all levels and when creating additional levels.

position your border to get your desired location.

ONLY Stacking Stakes can stack!



FOR INDOOR & HARD SURFACE:

If you plan to assemble raised bed on a hard surface, use hacksaw to remove the spike of each stake. Use these cut down stakes for the base level only of your raised garden.

Customer Service: 1800-914-9835 | support@frameitall.com © Frame It All. All Rights Reserved.

ASSEMBLY INSTRUCTIONS

STEP 1a:

Assemble the timbers by sliding one end of timber into channel end of one of the brackets. Use plugs to cover the holes on both sides to lock the bracket in place.



Repeat this process on the opposite end of the timber flipping the bracket in the opposite direction (see image). Repeat for all straight timbers.

STEP 1b:

Connect brackets to the curved boards in the same way as the straight boards while keeping the bracket pattern consistent with relation to the curve of the board.



STEP 2:

Layout the base level of your raised garden in the shape shown below, using $4 \times 4'$ curved, $8 \times 4'$ straight timbers, $\& 4 \times 2'$ straight timbers with each half of the walk through using exactly half of these quantities. Insert stake through the hole of the bracket and into each of the corners to lock all sides in place.



STEP 2a:

For one level, add caps to each of the top corner joints to finish off the raised garden.

HAPPY GARDENING!

ASSEMBLY INSTRUCTIONS – For Product with Two to Four Levels

LEVEL 2, 3 & 4: Repeat Step 2 - 4 x 4' curved, 8 x 4' straight timbers, & 4 x 2' straight timbers for each levels.

Lastly, add the caps to each of the top corner joint.

How the Joints Work





Use plugs (included) to cover the holes on I both side of timbers

