

## SAFETY DATA SHEET

ABS-like Matte Gray

Page 1 of 12

### SECTION 1 : IDENTIFICATION

#### 1.1 Product identifier

**Product name** ABS-like Matte Gray

#### Recommended use and restrictions on use

**Recommended use** For use in Phrozen 3D-printers

**Restrictions on use** Do not use in the situation that easily generate aerosol, steam.

#### 1.2 Name, address and phone of manufacturer , importers or supplier

**Manufacturer** Phrozen Tech Co., Ltd.287 Niupu Rd, Xiangshan Dist,  
Hsinchu City 30091, TAIWAN( R.O.C )

**Phone** +886-3540-0076

**1.3 Emergency phone / Fax** +886-3540-0076 / +886-3539-6591

### SECTION 2 : HAZARD IDENTIFICATION

#### 2.1 Hazard classification

Skin corrosion/irritation Category 2 , Serious eye damage/eye irritation Category 1 ,  
Skin sensitization Category 1, Reproductive toxicity Category 1B,  
Hazardous to the aquatic environment - acute hazard Category 1,  
Hazardous to the aquatic environment - chronic hazard Category 1

#### 2.2 Signal statement

Corrosion, Exclamation mark, Health hazard, Environment



#### 2.3 Pictograms

**2.4 Signal word** Danger

#### 2.5 Hazard statements

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May damage fertility. May damage the unborn child.

Very toxic to aquatic life with long lasting effects.

## SAFETY DATA SHEET

ABS-like Matte Gray

Page 2 of 12

### 2.6 Precautionary statements

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Obtain special instructions before use.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear protective gloves/protective clothing/eye protection/face protection.
- IF IN EYES: Rinse cautiously with water for several minutes.
- Remove contact lenses, If present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER/doctor.
- Store locked up.
- Dispose of contents/container to hazardous or special waste collection point.

### 2.7 Other hazard

None

## SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1. Substances

Not relevant (mixture)

### 3.2. Mixtures

Components	CAS number	Weight %	Classification acc. to GHS
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid	55818-57-0	30 – 40%	Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411
Oxybis(methyl-2,1-ethanediyl) diacrylate	57472-68-1	15 – 25%	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317
Poly[oxy(methyl-1,2-ethanediyl)], $\alpha,\alpha',\alpha''$ -1,2,3-propanetriyltris[ $\omega$ -[[1-oxo-2-propen-1-yl)oxy]-	52408-84-1	15 – 25%	Skin Sens. 1 / H317 Eye Dam. 2 / H319
Additives1	Trade Secret	1 – 4 %	Repr. 1B / H360FD

## SAFETY DATA SHEET

ABS-like Matte Gray

Page 3 of 12

Additives2	Trade Secret	1-5%	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Eye Dam. 2/ H319
Additives3	Trade Secret	< 2%	Carc. 2 / H351
Additives4	Trade Secret	< 0.1%	-

### SECTION 4 : FIRST AID MEASURES

#### 4.1. First-aid advice and recommendations for different routes of exposure

##### 4.1.1 Inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

##### 4.1.2 Skin Contact

Wash with plenty of soap and water.

##### 4.1.3 Eyes Contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, freshwater for at least 10 minutes, holding the eyelids apart.

##### 4.1.4 Ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2. Most important symptoms and hazardous effects

None

#### 4.3. Protection of First-aid personnel

None

#### 4.4. Note for physician

None

### SECTION 5 : FIRE-FIGHTING MEASURES

#### 5.1 Applicable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

#### 5.2 Specific hazards confronted during fire fighting

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

## SAFETY DATA SHEET

ABS-like Matte Gray

Page 4 of 12

### 5.3 Specific fire-fighting procedure

None

### 5.4 Specific protective equipments for fire-fighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2. Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3. Cleaning methods

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur(diatomite), sand, universal binder. Covering of drains.

Place in appropriate containers for disposal. Ventilate affected area.

## SECTION 7 : SAFETY HANDLING AND STORAGE

### 7.1. Handling

Use local and general ventilation. Use only in well-ventilated areas.

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Wash hands after use.

Never keep food or drink in the vicinity of chemicals.

Never place chemicals in containers that are normally used for food or drink.

### 7.2. Storage

Storage at the area of cool,dry.

Keep away from heat ,direct sunlight, rainy and rapid temperature .

Storage temperature between 15°C/ 59°F to 35°C / 95°F.

## SAFETY DATA SHEET

ABS-like Matte Gray

Close the lid tightly when not in use.

### SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Engineering controls

Provide adequate ventilation to the areas where the product is stored and/or handled.

#### 8.2. Control Parameters

Components	TWA	STEL	CEILING	BEI s
carbon black	3.5mg / m <sup>3</sup>	7mg / m <sup>3</sup>	-	-
Titanium dioxide	10mg / m <sup>3</sup>	-	-	-

#### 8.3. Personal protective equipment

##### 8.3.1 Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### 8.3.2 Hand protection

Chemical protection gloves are suitable, which are tested according to EN 374.

For example : NBR: acrylonitrile-butadiene rubber

Material thickness :  $\geq 0.6\text{mm}$

Breakthrough times of the glove material : > 480 minutes (permeation: level 6)

##### 8.3.3 Eye protection

Use safety goggles.

##### 8.3.4 Skin protection

Use clothing that provides complete protection to the skin.

#### 8.4. Hygiene measures

Do not eat, drink and smoke in work areas.

Wash thoroughly after handling.

Keep clean of operation area.

Take off polluted clothing as soon as possible after work. The clothing can be re-wear only after washed in clean or discard.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Apperance and color</b>	Gray viscous liquid	<b>Odor</b>	Typical acrylate
<b>Odor threshold</b>	N/A	<b>Melting point</b>	N/A

## SAFETY DATA SHEET

ABS-like Matte Gray

Page 6 of 12

pH value	N/A	Boiling point	104.5 °C at 2.05 hPa
Flammable	N/A	Flash point	N/A
Decomposition Temp	N/A	Testing method	N/A
Natural Temp	240°C	Explosive limit	N/A
Vapor pressure	0.5 hPa at 86.6 °C	Vapor density	N/A
Density	1.12 g /cm <sup>3</sup> at 20 °C	Solubility	N/A
Octanol/water distribution coefficient (log Kow)	N/A	Evaporaion rate	N/A

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Stability

Stable under normal condition.

#### 10.2. Possible hazardous reation under specific conditions

None

#### 10.3. Must avoid condition

UV-radiation/sunlight.

#### 10.4. Must avoid substances

Oxidisers, Reducing agents.

#### 10.5. Hazardous decomposed product

None

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

Test data are not available for the complete mixture.

#### 11.1. Exposure paths

None

## SAFETY DATA SHEET

ABS-like Matte Gray

Page 7 of 12

### 11.2. Symptoms

None

### 11.3. Acute toxicity

Components	route	Species	End point	Value
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	oral	Rat	LD50	> 5000mg/kg
	Dermal	Rat	LD50	> 2,000 mg/kg

### 11.4. Chronic toxicity

None

### 11.5. Reproductive and/or Developmental Effects

Components	route	Species	End point	Value
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	oral	Rat	NOAEL pre mating into lactation for female	200 mg/kg/day

## SECTION 12: ECOLOGICAL INFORMATION

The product has not been tested. The statement has been derived from the properties of the individual components.

### 12.1. Ecological toxicity

Aquatic toxicity (acute) of components of the mixture				
Components	End point	Value	Species	Exposure time
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid	LC50	>0.82mg/l	fish	96 h
	LL50	>100mg/l	fish	96 h
	EC50	>16mg/l	aquatic invertebrates	48 h
	ErC50	17mg/l	algae	72h
	EL50	105mg/l	algae	72h
2,2-bis(acryloyloxymethyl)butyl acrylate	LC50	0.87mg/l	fish	96 h
	EC50	7.2mg/l	algae	96 h
	ErC50	4.86mg/l	algae	72h
Oxybis(methyl-2,1-ethanediyl) diacrylate	LC50	4.64mg/l	fish	96 h
	EC50	22.3mg/l	aquatic invertebrates	48 h
	ErC50	16.7mg/l	algae	72h
diphenyl(2,4,6-trimethylbenzoyl)	LC50	1.4mg/l	fish	96 h
	EC50	3.53mg/l	aquatic invertebrates	48 h

## SAFETY DATA SHEET

ABS-like Matte Gray

Page 8 of 12

phosphine oxide	ErC50	>2.01mg/l	algae	72h
Aquatic toxicity (chronic) of components of the mixture				
Components	End point	Value	Species	Exposure time
4,4'-Isopropylidenedi phenol, oligomeric re action products with 1-chloro-2,3-epoxypropane, esters with a crylic acid	EC50	>1,000 mg/l	microorganisms	3 h
Oxybis(methyl-2,1-ethanediyl) diacrylate	EC50	>1,000 mg/l	microorganisms	30 min
diphenyl(2,4,6- trimethylbenzoyl) phosphine oxide	EC50	>1,000 mg/l	microorganisms	180 min

### 12.2. Persistence and degradability

Degradability of components of the mixture				
Components	Process	Degradation rate	Time	Source
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro 2,3-epoxypropane, esters with acrylic acid	oxygen depletion	42%	28d	ECHA
2,2-bis(acryloyloxy methyl)butyl acrylate	carbon dioxide generation	82-90%	28d	ECHA
Oxybis(methyl2,1-ethanediyl) diacrylate	DOC removal	90 – 100 %	28d	ECHA
diphenyl(2,4,6- trimethylbenzoyl) phosphine oxide	oxygen depletion	0 – 10%	28d	ECHA

### 12.3. Bio-accumulative potential

Components	BCF	Log kow	BOD/COD
4,4'-Isopropylidenedi phenol, oligomeric re	-	1.6-3.8 (pHvalue : 6.4, 23°C)	-



## SAFETY DATA SHEET

ABS-like Matte Gray

action products with 1- chloro-2,3-epoxy propane, esters with acrylic acid			
2,2-bis(acryloyloxymethyl)butyl acrylate		4.35	
Oxybis(methyl-2,1-ethanediyl) diacrylate		0.01 – 0.39 (pH value: 7, 24 °C)	
diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	47- 55	3.1 (pH value: 6.4, 23 °C)	

### 12.4. Mobility in soil

None

### 12.5. Other adverse effects

None

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste disposal methods

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### 13.2. Sewage disposal method

Do not empty into drains. Avoid release to the environment.

### 13.3. Contaminated Packaging disposal method

Handle contaminated packages in the same way as the substance itself.

## SECTION 14: TRANSPORT INFORMATION

<b>Land transport USDOT</b>	Not classified as dangerous goods under transport regulations.
<b>Sea transport IMDG</b>	Not classified as dangerous goods under transport regulations.

## SAFETY DATA SHEET

ABS-like Matte Gray

<b>Air transport IATA/ICAO</b>	Not classified as dangerous goods under transport regulations.
<b>Further information</b>	N/A
<b>Other requirements</b>	N/A

### Additional information for IMDG CODE 3.4.1 :

According to the general provisions 2.10.2.7, if the volume of the product is less than 5L or the mass is less than 5kg when transported, and the packaging complies with the general provisions in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8, the product is not regarded as dangerous goods transportation.

## SECTION 15: REGULATORY INFORMATION

### **15.1. List of substances subject to authorisation (REACH, Annex XIV) / SVHC- candidate list**

None of the ingredients are listed

### **15.2. Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)**

None of the ingredients are listed

### **15.3. Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

None of the ingredients are listed

### **15.4. Regulation on persistent organic pollutants (POP)**

None of the ingredients are listed.

### **15.5. National inventories**

Country	Inventory	Status
AU	AU AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CA	NDSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed



# SAFETY DATA SHEET

ABS-like Matte Gray

Page 11 of 12

JP	ISHA-ENCS	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

## Legend

AIIC	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
EU	EC Substance Inventory (EINECS, ELINCS, NLP)
EU	REACH registered substances
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
NZIoC	New Zealand Inventory of Chemicals
CICR	Chemical Inventory and Control Regulation
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act



## SAFETY DATA SHEET

ABS-like Matte Gray

Page 12 of 12

### SECTION 16: OTHER INFORMATION

<b>Reference</b>	US OSHA HCS 29 CFR 1910.1200 / ECHA / REACH
<b>Table formulation unit</b>	Name : Phrozen Tech. Co. Ltd
	Address / Phone : 287 Niupu Rd, Xiangshan Dist, Hsinchu City 30091, TAIWAN( R.O.C ) /+ 886-3-6210505
<b>Table formulator</b>	Job title : Occupational Safety & Health manager Name : Chun-Yao, Kuo
<b>Table formulation Date</b>	2023.11.14
<b>Remarks</b>	In the above described information, the symbol "N/A" means no relevant information currently.

To the best of our knowledge the information contained herein is accurate. However, Phrozen Tech. Co. Ltd. makes no warranty, expressed or implied, regarding the accuracy of these results to be obtained from the use thereof. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Phrozen Tech. Co. Ltd. assumes no responsibility for injury from the use of the product described herein.

**END OF SAFETY DATASHEET**