

**SECTION 1 : IDENTIFICATION****1.1 Product identifier**

**Product name** Aqua Macaroon-Purple

**Recommended use and restrictions on use**

**Recommended use** For use in Phrozen 3D-printers

**Restrictions on use** Do not use in the situation that easily generate aerosol, steam.

**1.2 Name, address and phone of manufacturer , importers or supplier**

**Manufacturer** Phrozen Tech Co., Ltd.287 Niupu Rd, Xiangshan Dist,  
Hsinchu City 30091, TAIWAN( R.O.C )

**Phone** +886-3621-0505

**Emergency phone / Fax** +886-3621-0505 / +886-3539-6591

**SECTION 2 : HAZARD IDENTIFICATION****2.1 Hazard classification**

Skin corrosion/irritation Category 2 , Serious eye damage/eye irritation Category 2A ,

Skin sensitization Category 1 , Carcinogenicity Category2,

Specific target organ toxicity (single exposure) Category 3

Hazardous to the aquatic environment (chronic hazard) Category 3

**2.2 Signal statement**

Corrosion, Exclamation mark, Health hazard

**2.3 Pictograms**

**2.4 Signal word** WARNING

**2.5 Hazard statements**

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

**2.6 Precautionary statements**

Wear protective gloves, Wash thoroughly after handling.

Wear eye/face protection.



IF ON SKIN: Wash with plenty of soap and water.

Take of contaminated clothing and wash before re-use. If skin irritation occurs, seek medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, If present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. Wash hands after handling.

Dispose of contents/container in accordance with local and national regulations.

## 2.7 Other hazard

None

## SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS number	Weight %	Classification acc. to GHS
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid	55818-57-0	10 – 30%	Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411
Oxybis(methyl-2,1-ethanediyl) diacrylate	57472-68-1	15 – 25%	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Eye Dam. 1 / H318
Glycerol propoxylate (1PO/OH) triacrylate	52408-84-1	15-25%	Acute Tox. 4 / H302 STOT RE 2 / H373 Eye Dam. 1 / H318 Skin Sens. 1 / H317
Hexane, 1,6-diisocyanato-, homopolymer, 2-hydroxyethyl acrylate-blocked	264888-31-5	10-20%	Skin Sens. 1A / H317 Skin Irrit. 2 / H315 Eye Dam. 2A / H319
Additives1	Trade Secret	1-4%	-
Additives2	Trade Secret	0.1-2%	Carc. 2 / H351
Additives3	Trade Secret	0.05-0.1%	-

**SECTION 4 : FIRST AID MEASURES****4.1. First-aid advice and recommendations for different routes of exposure****4.1.1 Inhalation**

Keep at rest. Move to fresh air. Consult a physician.

**4.1.2 Skin Contact**

Take off contaminated clothing and shoes immediately. Rinse immediately with plenty of water and seek medical advice.

**4.1.3 Eyes Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Consult a physician.

**4.1.4 Ingestion**

Do not induce vomiting. Keep at rest. Consult a physician.

**4.2. Most important symptoms and hazardous effects**

None

**4.3. Protection of First-aid personnel**

None

**4.4. Note for physician**

None

**SECTION 5 : FIRE-FIGHTING MEASURES****5.1 Applicable extinguishing media**

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

**5.2 Specific hazards confronted during fire fighting**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), NO<sub>x</sub>

**5.3 Specific fire-fighting procedure**

None

**5.4 Specific protective equipments for fire-fighters**

For fires in enclosed areas, wear self-contained breathing apparatus and protective suit.  
Do not inhale combustion gases.

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions**

Ensure adequate ventilation. Wear personal protective equipment. Remove all sources of ignition. Avoid contact with skin and eyes. Do not breathe vapors or spray mist.

**6.2. Environmental precautions**

Do not flush into surface water.

**6.3. Cleaning methods**

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur(diatomite), sand, universal binder. Covering of drains.

Place in appropriate containers for disposal. Ventilate affected area.

**SECTION 7 : SAFETY HANDLING AND STORAGE****7.1. Handling**

Use local and general ventilation. Use only in well-ventilated areas.

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Wash hands after use.

Never keep food or drink in the vicinity of chemicals.

Never place chemicals in containers that are normally used for food or drink.

**7.2. Storage**

Storage at the area of cool,dry.

Keep away from heat ,direct sunlight, rainy and rapid temperature .

Storage temperature between 15°C/ 59°C to 35°C / 95°F.

Close the lid tightly when not in use.

**SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION****8.1. Engineering controls**

Provide adequate ventilation to the areas where the product is stored and/or handled.

**8.2. Control Parameters**

Component	TWA	STEL	CEILING	BEI s
-----------	-----	------	---------	-------



Titanium dioxide	10 mg / m <sup>3</sup>	15 mg /m <sup>3</sup>	-	-
Carbon black	3.5 mg/ m <sup>3</sup>	7 mg/ m <sup>3</sup>		

**8.3. Personal protective equipment**
**8.3.1 Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**8.3.2 Hand protection**

Chemical protection gloves are suitable, which are tested according to EN 374.

For example : NBR: acrylonitrile-butadiene rubber

Material thickness :  $\geq 0.6\text{mm}$

Breakthrough times of the glove material : > 480 minutes (permeation: level 6)

**8.3.3 Eye protection**

Use safety goggles.

**8.3.4 Skin protection**

Use clothing that provides complete protection to the skin.

**8.4. Hygiene measures**

Do not eat, drink and smoke in work areas.

Wash thoroughly after handling.

Keep clean of operation area.

Take off polluted clothing as soon as possible after work. The clothing can be re-wear only after washed in clean or discard.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance and color</b>	Purple viscous liquid	<b>Odor</b>	Typical acrylate
<b>Odor threshold</b>	N/A	<b>Melting point</b>	N/A
<b>pH value</b>	N/A	<b>Boiling point</b>	N/A
<b>Flammable</b>	N/A	<b>Flash point</b>	>110°C
<b>Decomposition Temp</b>	N/A	<b>Testing method</b>	close up
<b>Natural Temp</b>	N/A	<b>Explosive limit</b>	N/A
<b>Vapor pressure</b>	N/A	<b>Vapor density</b>	N/A



Density	1.12 g /cm <sup>3</sup> at 20 °C	Solubility	N/A
Octanol/water distribution coefficient (log Kow)	N/A	Evaporation rate	N/A

**SECTION 10: STABILITY AND REACTIVITY**
**10.1. Stability**

Stable under normal condition.

**10.2. Possible hazardous reaction under specific conditions**

None

**10.3. Must avoid condition**

UV-radiation/sunlight.

**10.4. Must avoid substances**

Oxidisers, Reducing agents

**10.5. Hazardous decomposed product**

CO<sub>x</sub>, NO<sub>x</sub>

**SECTION 11: TOXICOLOGICAL INFORMATION**
**Information on toxicological effects**

Test data are not available for the complete mixture.

**11.1. Exposure paths**

None

**11.2. Symptoms**

None

**11.3. Acute toxicity**

Components	route	Species	End point	Value
Oxybis(methyl-2,1-ethanediyl) diacrylate	Oral	Rat	LD50	4600 mg/kg
	Oral	Rabbit	LD50	>2g/kg
Glycerol propoxylate (1PO/OH)triacylate	Oral	Rat	LD50	>2000 mg/kg
	Dermal	Rat	LD50	>2000 mg/kg
Titanium dioxide	Oral	Rat	LD50	>10000 mg/kg



	Dermal	Rat	LD50	>10000 mg/kg
	Ingestion	Rat	LC50	>5.09 mg/l/4h

**11.4. Chronic toxicity**

None

**SECTION 12: ECOLOGICAL INFORMATION**

The statement has been derived from the properties of the individual components.

**12.1. Ecological toxicity**

Aquatic toxicity (acute) of components of the mixture				
Components	End point	Value	Species	Exposure time
Oxybis(methyl-2,1-ethanediyl) diacrylate	LC50	4.64 mg/l	fish	96 h
	EC50	22.3 mg/l	aquatic invertebrates	48 h
	ErC50	16.7mg/l	algae	72h
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid	LL50	>100 mg/l	fish	96 h
	LC50	0.082mg/l	fish	96h
	EC50	>16mg/l	aquatic invertebrates	48h
	EL50	105mg/l	algae	48h
Glycerol propoxylate (1P O/OH)triacylate	LC50	5.74mg/l	fish	96h
	EC50	91.4mg/l	aquatic invertebrates	48h
	EC50	12.2mg/l	algae	72h
Hexane, 1,6-diisocyanato-, homopolymer, 2-hydroxyethyl acrylate-blocked	LC50	>100mg/l	fish	96 h
	EC50	>100mg/l	aquatic invertebrates	48 h
	EC50	>100mg/l	algae	72h
Aquatic toxicity (chronic) of components of the mixture				
Components	End point	Value	Species	Exposure time
Oxybis(methyl-2,1-ethanediyl) diacrylate	EC50	>1,000 mg/l	microorganisms	30 min
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid	EC50	>1,000 mg/l	microorganisms	3h

**12.2. Persistence and degradability**



Degradability of components of the mixture				
Components	Process	Degradation rate	Time	Source
Oxybis(methyl-2,1-ethanediyl) diacrylate	DOC removal	90–100 %	28d	ECHA
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid	oxygen depletion	42%	28d	ECHA

**12.3. Bio-accumulative potential**

Components	BCF	Log K <sub>ow</sub>	BOD/COD
Oxybis(methyl-2,1-ethanediyl) diacrylate		0.01- 0.39 (pHvalue : 7, 24° C)	
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid		1.6 – 3.8 (pHvalue : 6.4, 23° C)	

**12.4. Mobility in soil**

None

**12.5. Other adverse effects**

None

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1. Waste disposal methods**

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**13.2. Sewage disposal method**

Do not empty into drains. Avoid release to the environment.

**13.3. Contaminated Packaging disposal method**

Handle contaminated packages in the same way as the substance itself.



**SECTION 14: TRANSPORT INFORMATION**

<b>Land transport USDOT</b>	Not classified as dangerous goods under transport regulations.
<b>Sea transport IMDG</b>	Not classified as dangerous goods under transport regulations.
<b>Air transport IATA/ICAO</b>	Not classified as dangerous goods under transport regulations.
<b>Further information</b>	N/A
<b>Other requirements</b>	N/A

**Additional information for IMDG CODE 3.4.1 :**

According to the general provisions 2.10.2.7, if the volume of the product is less than 5L or the mass is less than 5kg when transported, and the packaging complies with the general provisions in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8, the product is not regarded as dangerous goods transportation.

**SECTION 15: REGULATORY INFORMATION****15.1. List of substances subject to authorisation (REACH, Annex XIV) / SVHC- candidate list**

None of the ingredients are listed

**15.2. Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)**

None of the ingredients are listed

**15.3. Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

None of the ingredients are listed

**15.4. Regulation on persistent organic pollutants (POP)**

None of the ingredients are listed.

**15.5. National inventories**



Country	Inventory	Status
AU	AU AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CA	NDSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

**Legend**

AIIC	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
EU	EC Substance Inventory (EINECS, ELINCS, NLP)
EU	REACH registered substances
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
NZIoC	New Zealand Inventory of Chemicals
CICR	Chemical Inventory and Control Regulation
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

**SAFETY DATA SHEET**

Aqua Macaroon- Purple



<b>Reference</b>	US OSHA HCS 29 CFR 1910.1200 / DIN38412 / REACH
<b>Table formulation unit</b>	Name : Phrozen Tech. Co. Ltd Address / Phone : 287 Niupu Rd, Xiangshan Dist, Hsinchu City 30091, TAIWAN( R.O.C ) /+ 886-3-6210505
<b>Table formulator</b>	Job title : Occupational Safety & Health manager Name : Chun-Yao, Kuo
<b>Table formulation Date</b>	2023.11.27
<b>Remarks</b>	In the above described information, the symbol "N/A" means no relevant information currently.

To the best of our knowledge the information contained herein is accurate. However, Phrozen Tech. Co. Ltd. makes no warranty, expressed or implied, regarding the accuracy of these results to be obtained from the use thereof. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Phrozen Tech. Co. Ltd. assumes no responsibility for injury from the use of the product described herein.

**END OF SAFETY DATASHEET**