

SAFETY DATA SHEET

TR300

Page 1 of 11

SECTION 1 : IDENTIFICATION

1.1 Product identifier

Product name TR300

Recommended use and restrictions on use

Recommended use For use in Phrozen 3D-printers

Restrictions on use Do not use in the situation that easily generate aerosol, steam.

1.2 Name, address and phone of manufacturer , importers or supplier

Manufacturer Phrozen Tech Co., Ltd.287 Niupu Rd, Xiangshan Dist,
Hsinchu City 30091, TAIWAN(R.O.C)

Phone +886-3621-0505

Emergency phone / Fax +886-3621-0505 / +886-3539-6591

SECTION 2 : HAZARD IDENTIFICATION

2.1. Hazard classification

Acute toxicity: oral Category 4 , Skin corrosion/irritation Category 2 ,

Serious eye damage/eye irritation Category 1 , Skin sensitization Category 1

Reproductive toxicity Category 1B,

Specific target organ toxicity single exposure(respiratory tract irritation) Category 3

Specific target organ toxicity(repeated exposure) Category 2

Hazardous to the aquatic environment - chronic hazard Category 2

2.2. Signal statement

Corrosion, Exclamation mark, Health hazard, Environment



2.3. Pictograms

2.4. Signal word Danger

2.5. Hazard statements

Harmful if swallowed

Causes skin irritation

Causes serious eye irritation

SAFETY DATA SHEET

TR300

Page 2 of 11

May cause an allergic skin reaction
May cause respiratory irritation.
May damage fertility. May damage the unborn child
May cause damage to organs through prolonged or repeated exposure.
Toxic to aquatic life with long lasting effects.

2.6. Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Obtain special instructions before use.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a POISON CENTER/doctor.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point.

2.7. Other hazard

None

SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS number	Weight %	Classification acc. to GHS
(2,4,6-trioxo-1,3,5-triazine1,3,5 (2H,4H,6H)-triy)tri-2,1-ethaned iyl triacrylate	40220-08-4	35 – 50%	Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411
4-Acryloyl morpholine	5117-12-4	30 – 40%	Acute Tox. 4 / H302 Eye Dam. 1 / H318 Skin Sens. 1 / H317 STOT RE 2 / H373

SAFETY DATA SHEET

TR300

Page 3 of 11

Urethane acrylate oligomer	73324-00-2	10 – 35%	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335
Additives1	Trade Secret	1 – 10%	Repr. 1B / H360FD

SECTION 4 : FIRST AID MEASURES

4.1. First-aid advice and recommendations for different routes of exposure

4.1.1. Inhalation

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

4.1.2. Skin Contact

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

4.1.3. Eyes Contact

Flush immediately with water for 20-30 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing for an additional 15 minutes. Seek medical attention.

4.1.4. Ingestion

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and hazardous effects

None

4.3. Protection of First-aid personnel

None

4.4. Note for physician

None

SECTION 5 : FIRE-FIGHTING MEASURES

5.1. Applicable extinguishing media

Water spray, BC-powder, foam

5.2. Specific hazards confronted during fire fighting

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

SAFETY DATA SHEET

TR300

Page 4 of 11

5.3. Specific fire-fighting procedure

None

5.4. Specific protective equipments for fire-fighters

Wear self-contained breathing apparatus and chemical-protective clothing. If exposed to fire, keep containers cool by spraying with water. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2. Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3. Cleaning methods

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder. Covering of drains.

Place in appropriate containers for disposal. Ventilate affected area.

SECTION 7 : SAFETY HANDLING AND STORAGE

7.1. Handling

Use local and general ventilation. Use only in well-ventilated areas.

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Wash hands after use.

Never keep food or drink in the vicinity of chemicals.

Never place chemicals in containers that are normally used for food or drink.

7.2. Storage

Storage at the area of cool, dry.

Keep away from heat, direct sunlight, rainy and rapid temperature.

Storage temperature between 15°C / 59°F to 35°C / 95°F.

Close the lid tightly when not in use.

SAFETY DATA SHEET

TR300

Page 5 of 11

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Engineering controls

Provide adequate ventilation to the areas where the product is stored and/or handled.

8.2. Control Parameters

None

8.3. Personal protective equipment

8.3.1 Respiratory protection

In case of inadequate ventilation wear respiratory protection.

8.3.2 Hand protection

Chemical protection gloves are suitable, which are tested according to EN 374.

For example : NBR: acrylonitrile-butadiene rubber

Material thickness : $\geq 0.6\text{mm}$

Breakthrough times of the glove material : > 480 minutes (permeation: level 6)

8.3.3 Eye protection

Use safety goggles.

8.3.4 Skin protection

Use clothing that provides complete protection to the skin.

8.4. Hygiene measures

Do not eat, drink and smoke in work areas.

Wash thoroughly after handling.

Keep clean of operation area.

Take off polluted clothing as soon as possible after work. The clothing can be re-wear only after washed in clean or discard.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Apperance and color	Gray viscous liquid	Odor	Typical acrylate
Odor threshold	N/A	Melting point	N/A
pH value	N/A	Boiling point	N/A

SAFETY DATA SHEET

TR300

Page 6 of 11

Flammable	N/A	Flash point	N/A
Decomposition Temp	N/A	Testing method	
Natural Temp :	N/A	Explosive limit	N/A
Vapor pressure	0 Pa at 25 °C	Vapor density	N/A
Density	1.17 g/cm ³	Solubility	N/A
Octanol/water distribution coefficient (log Kow)	N/A	Evaporation rate	N/A

SECTION 10: STABILITY AND REACTIVITY**10.1. Stability**

Stable under normal condition.

10.2. Possible hazardous reaction under specific conditions

None

10.3. Must avoid condition

UV-radiation/sunlight.

10.4. Must avoid substances

Oxidisers, Reducing agents

10.5. Hazardous decomposed product

None

SECTION 11: TOXICOLOGICAL INFORMATION**Information on toxicological effects**

Test data are not available for the complete mixture.

11.1. Exposure paths

None

SAFETY DATA SHEET

TR300

Page 7 of 11

11.2. Symptoms

None

11.3. Acute toxicity

Components	route	Species	End point	Value
4-Acryloylmorpholine	Oral	Rat	LD50	588 mg/kg
	Dermal	Rat	LD50	> 2,000 mg/kg
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	Oral	Rat	LD50	> 5,000 mg/kg
	Dermal	Rat	LD50	> 2,000 mg/kg

11.4. Chronic toxicity

None

11.5. Reproductive and/or Developmental Effects

Components	route	Species	End point	Value
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	Ingestion	Rat	NOAEL pre-mating into lactation for female	200 mg/kg/day

SECTION 12: ECOLOGICAL INFORMATION

The product has not been tested. The statement has been derived from the properties of the individual components.

12.1. Ecological toxicity

Aquatic toxicity (acute) of components of the mixture				
Components	End point	Value	Species	Exposure time
(2,4,6-trioxo-1,3,5-triazine-1,3,5-(2H,4H,6H)-triy)tri-2,1-ethanediyl triacrylate	LC50	9.43mg/l	fish	96 h
	EC50	158.3mg/l	aquatic invertebrates	48 h
	ErC50	25.7mg/l	algae	72h
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	LC50	1.4mg/l	fish	96 h
	EC50	3.53mg/l	aquatic invertebrates	48 h
	ErC50	>2.01mg/l	algae	72h
4-(1-oxo-2-propeny)l-mor-pholine	LC50	>220mg/l	fish	24h
	EL50	230mg/l	aquatic invertebrates	24h

SAFETY DATA SHEET

TR300

Page 8 of 11

	EC50	>120mg/l	algae	72h
Aquatic toxicity (chronic) of components of the mixture				
Components	End point	Value	Species	Exposure time
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	EC50	>1,000 mg/l	microorganisms	180 min

12.2. Persistence and degradability

Degradability of components of the mixture				
Components	Process	Degradation rate	Time	Source
(2,4,6-trioxo-1,3,5-triazine-1,3,5-(2H,4H,6H)-triazine-2,1-ethanediyl triacrylate	oxygen depletion	19.7%	28d	ECHA
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide	oxygen depletion	0-10%	29d	ECHA

12.3. Bio-accumulative potential

Components	BCF	Log _{kow}	BOD/COD
(2,4,6-trioxo-1,3,5-triazine-1,3,5-(2H,4H,6H)-triazine-2,1-ethanediyl triacrylate		1.09 (pH value : 6.8, 25°C)	
4-(1-oxo-2-propenyl)-morpholine		-0.46 (21°C)	
Diphenyl(2,4,6-trimethyl benzoyl) phosphine oxide		3.1 (pH value: 6.4, 23 °C)	

12.4. Mobility in soil

None

12.5. Other adverse effects

None

SAFETY DATA SHEET

TR300

Page 9 of 11

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste disposal methods

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

13.2. Sewage disposal method

Do not empty into drains. Avoid release to the environment.

13.3. Contaminated Packaging disposal method

Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

In accordance with local and national regulations.

SECTION 14: TRANSPORT INFORMATION

Land transport USDOT	Not classified as dangerous goods under transport regulations.
Sea transport IMDG	Not classified as dangerous goods under transport regulations.
Air transport IATA/ICAO	Not classified as dangerous goods under transport regulations.
Further information	N/A
Other requirements	N/A

Additional information for IMDG CODE 3.4.1 :

According to the general provisions 2.10.2.7, if the volume of the product is less than 5L or the mass is less than 5kg when transported, and the packaging complies with the general provisions in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8, the product is not regarded as dangerous goods transportation.

SECTION 15: REGULATORY INFORMATION
15.1. List of substances subject to authorisation (REACH, Annex XIV) / SVHC-candidate list

None of the ingredients are listed

15.2. Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed

15.3. Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed

15.4. Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

15.5. National inventories

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
DSL	Domestic Substances List (DSL)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
EU	EC Substance Inventory (EINECS, ELINCS, NLP)

SAFETY DATA SHEET

TR300

Page 11 of 11

EU	REACH registered substances
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
NZIoC	New Zealand Inventory of Chemicals
CICR	Chemical Inventory and Control Regulation

SECTION 16: OTHER INFORMATION

Reference	US OSHA HCS 29 CFR 1910.1200 / ECHA / REACH
Table formulation unit	Name : Phrozen Tech. Co. Ltd Address / Phone : 287 Niupu Rd, Xiangshan Dist, Hsinchu City 30091, TAIWAN(R.O.C) /+ 886-3-6210505
Table formulator	Job title : Occupational Safety & Health manager Name : Chun-Yao, Kuo
Table formulation Date	2023.11.15
Remarks	In the above described information, the symbol "N/A" means no relevant information currently.

To the best of our knowledge the information contained herein is accurate. However, Phrozen Tech. Co. Ltd. makes no warranty, expressed or implied, regarding the accuracy of these results to be obtained from the use thereof. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Phrozen Tech. Co. Ltd. assumes no responsibility for injury from the use of the product described herein.

END OF SAFETY DATASHEET