

Test Report No.: 158224242c 001 Page 1 of 41

Client: STOR S.L.

Paseo General Martinez Campos, 53, 28010 Madrid, Spain

Test item(s): Bottle

Identification/ QUOKKA SMALL, MEDIUM, LARGE ICE BOTTLE; QUOKKA MINERAL BOTTLE; QUOKKA SPLASH BOTTLE; QUOKKA SWEAT BOTTLE; QUOKKA QUICK SIP

BOTTLE

Sample Receiving date: 2020-12-28

Delivery condition: Apparent good, Samples tested as received

Test specification: Test result:

Performed parameters for the compliance with the following regulations concerning materials in contact with foodstuff:

 Regulation (EC) no 1935/2004 on materials and articles intended to come into contact with food.

Other Information:

Testing period: 2021-01-27 - 2021-02-08

For and on behalf of TÜV Rheinland (Hong Kong) Ltd.

2021-02-10

Edward To / Key Account Manager

Date Name/Position

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed. This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.



Test Report No.: 158224242c 001 Page 2 of 41

Material list:

Item: QUOKKA SMALL, MEDIUM, LARGE ICE BOTTLE; QUOKKA MINERAL BOTTLE; QUOKKA SPLASH BOTTLE; QUOKKA SWEAT BOTTLE; QUOKKA QUICK SIP BOTTLE

Material No.	Material	Color	Location
M001	Whole Product	-	Bottle (A) 570ml / Bottle (B) 720ml
M002	Whole Product	-	Bottlw (C) 840ml
M003	Whole Product	-	Bottle (D) 520ml / Bottle (E) 670ml
M004	Whole Product	-	Bottle (F) 730ml
M005	Whole Product	-	Bottle (G) 580ml
M006	Whole Product	-	Bottle (H) 830ml
M007	PP Plastic	Brown	Top cover (Bottle A / B / C)
M008	PP Plastic	Pink	Semi lid (Bottle A / B)
M009	PP Plastic	Blue	Semi lid (Bottle C)
M010	Thermoplastic Rubber	Red	Main lid over molding (Bottle D / E)
M011	PP Plastic	Light blue	Main lid (Bottle F)
M012	PCTG Plastic	Tranparent blue	Body (Bottle F)
M013	PP Plastic	Green	Main lid (Bottle G)
M014	PP Plastic	Black	Part of main lid (Bottle G)
M015	PE Plastic	Black	Body (Bottle G)
M016	Thermoplastic Rubber	Green	Sipper (Bottle G)
M017	Thermoplastic Rubber	White	Gasket (Bottle G)
M018	Silicone	Grey	Valve (Bottle G)
M019	PP Plastic	Dark blue	Main lid (Bottle H)
M020	PCTG Plastic	Transparent blue	Body (Bottle H)
M021	PE Plastic	Translucent	Inside straw (Bottle H)
M022	Silicone	Grey	Valve (Bottle H)

Remark:

According to client's information Material No. M001 (Bottle A and bottle B) are produced of the same material; Material No. M003 (Bottle D and bottle E) are produced of the same material; Material No. M007 (Top cover of bottle A, B and C) are produced of the same material. Tests were performed on randomly selected items.



Test Report No.: 158224242c 001 Page 3 of 41

Test Results

1. Sensorial Examination

Test method:

It is examined to the extent of food simulant being used, which comes into contact with the product, undergoes detectable changes in taste and smell.

For this purpose, the food simulant was stored in the product under the below mentioned time and temperature. Afterwards, the food simulant was examined by an appropriate number of tasters with regard to any divergence in smell and taste. Another test sample, which was used as a reference, was treated by the same way except that it had no contact with the product to be tested.

Before testing, the product had been cleaned according to the product's instruction manual or in the absence of such manual, by normal household cleaning.

The test is carried out on the basis of ISO 13302 by paired comparison test:

Evaluation scheme:

0 = No discernible deviation

1 = Barely discernible deviation

2 = Weak deviation

3 = Clear deviation

4 = Strong deviation

Limit: 3 (failed)

The following food simulants and conditions were applied:

Food simulant	Test duration / Temperature
Water	24 hours at 40°C
Test No.:	T001
Material No.:	M001
Parameter:	Result
Transfer of Smell:	1
Transfer of Taste:	1
Test No.:	T002
Material No.:	M002
Parameter:	Result
Transfer of Smell:	1
Transfer of Taste:	1



Test Report No.: 158224242c 001 Page 4 of 41

T003
M003
Result
1
1
T004
M004
Result
1
1
T005
M005
Result
1
1
T006
M006
Result
2
2

The submitted products are inconspicuous with regard to the transfer of smell and taste to the food simulant.



Test Report No.: 158224242c 001 Page 5 of 41

2. Global Migration

Test method: The migratory behaviour is examined with reference to Chapter V, Article 18 of

Commission Regulation 10/2011 and its amendments. Deviating to the regulations the

following tests were performed as orientating single tests.

Limit: Commission Regulation (EU) No 10/2011 and its amendments

The following food simulants and conditions were applied:

Food simulant	Test duration / Temperature
3% Acetic acid	2 hours at 70°C
50% Ethanol	2 hours at 70°C

Test No.:	T001 (*1) (*2) (*3)							
Material No.:		M001						
Parameter	Unit	Unit 1 st Migration 2 nd Migration 3 rd Migration Limit						
3% Acetic acid	mg/dm ²	< 2	< 2	< 2	10			
50% Ethanol	mg/dm²	< 2	< 2	< 2	10			

Test No.:	T002 (*1) (*2) (*4)							
Material No.:		M002						
Parameter	Unit	Unit 1st Migration 2nd Migration 3rd Migration Limit						
3% Acetic acid	mg/dm²	< 2	< 2	< 2	10			
50% Ethanol	mg/dm²	< 2	< 2	< 2	10			

Test No.:	T003 (*1) (*2) (*5)							
Material No.:		M003						
Parameter	Unit	Unit 1 st Migration 2 nd Migration 3 rd Migration Limit						
3% Acetic acid	mg/dm²	< 2	< 2	< 2	10			
50% Ethanol	mg/dm²	< 2	< 2	< 2	10			

Test No.:	T004 (*1) (*2) (*6)							
Material No.:		M004						
Parameter	Unit	Unit 1 st Migration 2 nd Migration 3 rd Migration Limit						
3% Acetic acid	mg/dm²	< 2	< 2	< 2	10			
50% Ethanol	mg/dm²	< 2	< 2	< 2	10			



Test Report No.: 158224242c 001 Page 6 of 41

Test No.:	T005 (*1) (*2) (*7)								
Material No.:		M005							
Parameter	Unit	Unit 1 st Migration 2 nd Migration 3 rd Migration Limit							
3% Acetic acid	mg/dm ²	< 2	< 2	< 2	10				
50% Ethanol	/-l 2	mg/dm^2 4 <2 <2 10							

Test No.:	T006 (*1) (*2) (*8)							
Material No.:		M006						
Parameter	Unit	Unit 1 st Migration 2 nd Migration 3 rd Migration Limit						
3% Acetic acid	mg/dm²	< 2	< 2	< 2	10			
50% Ethanol	mg/dm²	< 2	< 2	< 2	10			

Abbreviations:

mg/dm² = Milligram per square decimetre

< = Less than

Remarks:

- *1. Stability test is included in this test parameter.
- *2. The migration results do not show increase between subsequent tests and therefore it meets the stability requirement.
- *3. Ratio of food contact surface area to volume used to establish the compliance of the material is 1dm²:122ml.
- *4. Ratio of food contact surface area to volume used to establish the compliance of the material is 1dm²:133ml.
- *5. Ratio of food contact surface area to volume used to establish the compliance of the material is 1dm²:139ml.
- *6. Ratio of food contact surface area to volume used to establish the compliance of the material is 1dm²:160ml.
- *7. Ratio of food contact surface area to volume used to establish the compliance of the material is 1dm²:153ml.
- *8. Ratio of food contact surface area to volume used to establish the compliance of the material is 1dm²:136ml.
- *9. The examined items meet the requirement.



Test Report No.: 158224242c 001 Page 7 of 41

3. Specific Migration of Metals from Plastic

Test method: The migratory behaviour was examined with reference to Commission Regulation (EU)

No. 10/2011 and its amendments. Determination by ICP-MS.

Limit: Commission Regulation (EU) No 10/2011 and its amendments

The following food simulant and condition was applied:

Food simulant	Test duration / Temperature
3% Acetic acid	24 hours at 40°C

Test No.:	T001 (*1) (*2)						
Material No.:	M001						
Parameter	Unit	RL	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit	
Aluminium	mg/kg	0.1	n.d.	n.d.	n.d.	1	
Antimony	mg/kg	0.01	n.d.	n.d.	n.d.	0.04	
Arsenic	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Barium	mg/kg	0.1	n.d.	n.d.	n.d.	1	
Cadmium	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (< 0.002)	
Total Chromium	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Cobalt	mg/kg	0.01	n.d.	n.d.	n.d.	0.05	
Copper	mg/kg	0.1	n.d.	n.d.	n.d.	5	
Iron	mg/kg	1.0	n.d.	n.d.	n.d.	48	
Lead	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Lithium	mg/kg	0.1	n.d.	n.d.	n.d.	0.6	
Manganese	mg/kg	0.1	n.d.	n.d.	n.d.	0.6	
Mercury	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Nickel	mg/kg	0.01	n.d.	n.d.	n.d.	0.02	
Zinc	mg/kg	1.0	n.d.	n.d.	n.d.	5	
Europium	mg/kg	0.01	n.d.	n.d.	n.d.		
Gadolinium	mg/kg	0.01	n.d.	n.d.	n.d.		
Lanthanum	mg/kg	0.01	n.d.	n.d.	n.d.		
Terbium	mg/kg	0.01	n.d.	n.d.	n.d.		
Sum of Lanthanide substances	mg/kg	0.01	n.d.	n.d.	n.d.	0.05	



Test Report No.: 158224242c 001 Page 8 of 41

Test No.:			T0	02 (*1) (*2)			
Material No.:	M002						
Parameter	Unit	RL	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit	
Aluminium	mg/kg	0.1	n.d.	n.d.	n.d.	1	
Antimony	mg/kg	0.01	n.d.	n.d.	n.d.	0.04	
Arsenic	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Barium	mg/kg	0.1	n.d.	n.d.	n.d.	1	
Cadmium	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (< 0.002)	
Total Chromium	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Cobalt	mg/kg	0.01	n.d.	n.d.	n.d.	0.05	
Copper	mg/kg	0.1	n.d.	n.d.	n.d.	5	
Iron	mg/kg	1.0	n.d.	n.d.	n.d.	48	
Lead	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Lithium	mg/kg	0.1	n.d.	n.d.	n.d.	0.6	
Manganese	mg/kg	0.1	n.d.	n.d.	n.d.	0.6	
Mercury	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Nickel	mg/kg	0.01	n.d.	n.d.	n.d.	0.02	
Zinc	mg/kg	1.0	n.d.	n.d.	n.d.	5	
Europium	mg/kg	0.01	n.d.	n.d.	n.d.		
Gadolinium	mg/kg	0.01	n.d.	n.d.	n.d.		
Lanthanum	mg/kg	0.01	n.d.	n.d.	n.d.		
Terbium	mg/kg	0.01	n.d.	n.d.	n.d.		
Sum of Lanthanide substances	mg/kg	0.01	n.d.	n.d.	n.d.	0.05	



Test Report No.: 158224242c 001 Page 9 of 41

Test No.:	T003 (*1) (*2)						
Material No.:	M003						
Parameter	Unit	RL	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit	
Aluminium	mg/kg	0.1	n.d.	n.d.	n.d.	1	
Antimony	mg/kg	0.01	n.d.	n.d.	n.d.	0.04	
Arsenic	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Barium	mg/kg	0.1	n.d.	n.d.	n.d.	1	
Cadmium	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (< 0.002)	
Total Chromium	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Cobalt	mg/kg	0.01	n.d.	n.d.	n.d.	0.05	
Copper	mg/kg	0.1	n.d.	n.d.	n.d.	5	
Iron	mg/kg	1.0	n.d.	n.d.	n.d.	48	
Lead	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Lithium	mg/kg	0.1	n.d.	n.d.	n.d.	0.6	
Manganese	mg/kg	0.1	n.d.	n.d.	n.d.	0.6	
Mercury	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)	
Nickel	mg/kg	0.01	n.d.	n.d.	n.d.	0.02	
Zinc	mg/kg	1.0	n.d.	n.d.	n.d.	5	
Europium	mg/kg	0.01	n.d.	n.d.	n.d.		
Gadolinium	mg/kg	0.01	n.d.	n.d.	n.d.		
Lanthanum	mg/kg	0.01	n.d.	n.d.	n.d.		
Terbium	mg/kg	0.01	n.d.	n.d.	n.d.		
Sum of Lanthanide substances	mg/kg	0.01	n.d.	n.d.	n.d.	0.05	



Test Report No.: 158224242c 001 Page 10 of 41

Test No.:			T0	04 (*1) (*2)				
Material No.:	M004							
Parameter	Unit	RL	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit		
Aluminium	mg/kg	0.1	n.d.	n.d.	n.d.	1		
Antimony	mg/kg	0.01	n.d.	n.d.	n.d.	0.04		
Arsenic	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Barium	mg/kg	0.1	n.d.	n.d.	n.d.	1		
Cadmium	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (< 0.002)		
Total Chromium	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Cobalt	mg/kg	0.01	n.d.	n.d.	n.d.	0.05		
Copper	mg/kg	0.1	n.d.	n.d.	n.d.	5		
Iron	mg/kg	1.0	n.d.	n.d.	n.d.	48		
Lead	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Lithium	mg/kg	0.1	n.d.	n.d.	n.d.	0.6		
Manganese	mg/kg	0.1	n.d.	n.d.	n.d.	0.6		
Mercury	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Nickel	mg/kg	0.01	n.d.	n.d.	n.d.	0.02		
Zinc	mg/kg	1.0	n.d.	n.d.	n.d.	5		
Europium	mg/kg	0.01	n.d.	n.d.	n.d.			
Gadolinium	mg/kg	0.01	n.d.	n.d.	n.d.			
Lanthanum	mg/kg	0.01	n.d.	n.d.	n.d.			
Terbium	mg/kg	0.01	n.d.	n.d.	n.d.			
Sum of Lanthanide substances	mg/kg	0.01	n.d.	n.d.	n.d.	0.05		



Test Report No.: 158224242c 001

Page 11 of 41

Test No.:	T005 (*1) (*2)							
Material No.:				M005				
Parameter	Unit	RL	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit		
Aluminium	mg/kg	0.1	n.d.	n.d.	n.d.	1		
Antimony	mg/kg	0.01	n.d.	n.d.	n.d.	0.04		
Arsenic	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Barium	mg/kg	0.1	n.d.	n.d.	n.d.	1		
Cadmium	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (< 0.002)		
Total Chromium	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Cobalt	mg/kg	0.01	n.d.	n.d.	n.d.	0.05		
Copper	mg/kg	0.1	n.d.	n.d.	n.d.	5		
Iron	mg/kg	1.0	n.d.	n.d.	n.d.	48		
Lead	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Lithium	mg/kg	0.1	n.d.	n.d.	n.d.	0.6		
Manganese	mg/kg	0.1	n.d.	n.d.	n.d.	0.6		
Mercury	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Nickel	mg/kg	0.01	n.d.	n.d.	n.d.	0.02		
Zinc	mg/kg	1.0	n.d.	n.d.	n.d.	5		
Europium	mg/kg	0.01	n.d.	n.d.	n.d.			
Gadolinium	mg/kg	0.01	n.d.	n.d.	n.d.			
Lanthanum	mg/kg	0.01	n.d.	n.d.	n.d.			
Terbium	mg/kg	0.01	n.d.	n.d.	n.d.			
Sum of Lanthanide substances	mg/kg	0.01	n.d.	n.d.	n.d.	0.05		



Test Report No.: 158224242c 001 Page 12 of 41

Test No.:	T006 (*1) (*2)							
Material No.:	M006							
Parameter	Unit	RL	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit		
Aluminium	mg/kg	0.1	n.d.	n.d.	n.d.	1		
Antimony	mg/kg	0.01	n.d.	n.d.	n.d.	0.04		
Arsenic	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Barium	mg/kg	0.1	n.d.	n.d.	n.d.	1		
Cadmium	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (< 0.002)		
Total Chromium	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Cobalt	mg/kg	0.01	n.d.	n.d.	n.d.	0.05		
Copper	mg/kg	0.1	n.d.	n.d.	n.d.	5		
Iron	mg/kg	1.0	n.d.	n.d.	n.d.	48		
Lead	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Lithium	mg/kg	0.1	n.d.	n.d.	n.d.	0.6		
Manganese	mg/kg	0.1	n.d.	n.d.	n.d.	0.6		
Mercury	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (< 0.01)		
Nickel	mg/kg	0.01	n.d.	n.d.	n.d.	0.02		
Zinc	mg/kg	1.0	n.d.	n.d.	n.d.	5		
Europium	mg/kg	0.01	n.d.	n.d.	n.d.			
Gadolinium	mg/kg	0.01	n.d.	n.d.	n.d.			
Lanthanum	mg/kg	0.01	n.d.	n.d.	n.d.			
Terbium	mg/kg	0.01	n.d.	n.d.	n.d.			
Sum of Lanthanide substances	mg/kg	0.01	n.d.	n.d.	n.d.	0.05		

Abbreviations:

RL = Reporting limit

mg/kg = Milligram per kilogram

n.d. = Not detected

< = Less than



Test Report No.: 158224242c 001 Page 13 of 41

Remarks:

- *1. Stability test is included in this test parameter.
- *2. The migration results do not show increase between subsequent tests and therefore it meets the stability requirement.
- *3. Single component with an amount below reporting limit was not considered by the calculation of the sum. In the case of all lanthanide substances europium, gadolinium, lanthanum and terbium were not detected, the result is stated n.d..
- *4. The examined items meet the requirement.

4. Colourfastness

Test method: Resolution AP (89) 1 on the use of colorants in plastic materials coming into contact

with food, Appendix III

Limit: Resolution AP (89) 1 on the use of colorants in plastic materials coming into contact

with food - No transfer of colorants to foodstuffs is permitted

Test No.:	T001	T002
Material No.:	M007	M008
Parameter Colourfastness to	Difference between blank and filter paper contacted with sample	Difference between blank and filter paper contacted with sample
Distilled Water	No	No
3% Acetic acid	No	No
50% Ethanol	No	No
Oil	No	No

Test No.:	T003	T004
Material No.:	M009	M010
Parameter Colourfastness to	Difference between blank and filter paper contacted with sample	Difference between blank and filter paper contacted with sample
Distilled Water	No	No
3% Acetic acid	No	No
50% Ethanol	No	No
Oil	No	No

Oil



No

41

Test Report No.: 158	224242c 001	Page
Test No.:	T005	T006
Material No.:	M011	M012
Parameter Colourfastness to	Difference between blank and filter paper contacted with sample	Difference between blank and filter paper contacted with sample
Distilled Water	No	No
3% Acetic acid	No	No
50% Ethanol	No	No
Oil	No	No
Test No.:	T007	T008
Material No.:	M013	M014
Parameter Colourfastness to	Difference between blank and filter paper contacted with sample	Difference between blank and filter paper contacted with sample
Distilled Water	No	No
3% Acetic acid	No	No
50% Ethanol	No	No
Oil	No	No
Test No.:	T009	T010
Material No.:	M015	M016
Parameter Colourfastness to	Difference between blank and filter paper contacted with sample	Difference between blank and filter paper contacted with sample
Distilled Water	No	No
3% Acetic acid	No	No
50% Ethanol	No	No

Test No.:	T011	T012
Material No.:	M018	M019
Parameter Colourfastness to	Difference between blank and filter paper contacted with sample	Difference between blank and filter paper contacted with sample
Distilled Water	No	No
3% Acetic acid	No	No
50% Ethanol	No	No
Oil	No	No

No



Test Report No.: 158224242c 001 Page 15 of 41

Test No.:	T013	T014
Material No.:	M020	M022
Parameter Colourfastness to	Difference between blank and filter paper contacted with sample	Difference between blank and filter paper contacted with sample
Distilled Water	No	No
3% Acetic acid	No	No
50% Ethanol	No	No
Oil	No	No

The examined items meet the requirement.

5. Specific Migration of Phthalates

Test method: The migratory behaviour is examined with reference to Chapter V, Article 18 of

Commission Regulation 10/2011 and its amendments. Presence of Phthalates is

detected with reference to EN ISO 18856:2005.

Limit: Commission Regulation (EU) No 10/2011 and its amendments

The following food simulant and condition was applied:

Food simulant	Test duration / Temperature
50% Ethanol	24 hours at 40°C

Test No.:	T001 (*1) (*2)						
Material No.:			M	001			
Parameter	Abbreviation	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit	
Benzylbutylphthalate	BBP	mg/kg	< 0.3	< 0.3	< 0.3	30	
Diethylhexylphthalate	DEHP	mg/kg	< 0.3	< 0.3	< 0.3	1.5	
Dibutylphthalate	DBP	mg/kg	< 0.3	< 0.3	< 0.3	0.3	
Diisononylphthalate + Diisodecylphthalate	DINP + DIDP	mg/kg	< 6.0	< 6.0	< 6.0	9	
Phthalic acid, diallyl ester	DAP	mg/kg	n.d.	n.d.	n.d.	n.d. (< 0.01)	



Test Report No.: 158224242c 001 Page 16 of 41

Test No.:	T002 (*1) (*2)										
Material No.:		M002									
Parameter	Abbreviation	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit					
Benzylbutylphthalate	BBP	mg/kg	< 0.3	< 0.3	< 0.3	30					
Diethylhexylphthalate	DEHP	mg/kg	< 0.3	< 0.3	< 0.3	1.5					
Dibutylphthalate	DBP	mg/kg	< 0.3	< 0.3	< 0.3	0.3					
Diisononylphthalate + Diisodecylphthalate	DINP + DIDP	mg/kg	< 6.0	< 6.0	< 6.0	9					
Phthalic acid, diallyl ester	DAP	mg/kg	n.d.	n.d.	n.d.	n.d. (< 0.01)					

Test No.:	T003 (*1) (*2)										
Material No.:		M003									
Parameter	Abbreviation	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit					
Benzylbutylphthalate	BBP	mg/kg	< 0.3	< 0.3	< 0.3	30					
Diethylhexylphthalate	DEHP	mg/kg	< 0.3	< 0.3	< 0.3	1.5					
Dibutylphthalate	DBP	mg/kg	< 0.3	< 0.3	< 0.3	0.3					
Diisononylphthalate + Diisodecylphthalate	DINP + DIDP	mg/kg	< 6.0	< 6.0	< 6.0	9					
Phthalic acid, diallyl ester	DAP	mg/kg	n.d.	n.d.	n.d.	n.d. (< 0.01)					

Test No.:	T004 (*1) (*2)										
Material No.:		M004									
Parameter	Abbreviation	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit					
Benzylbutylphthalate	BBP	mg/kg	< 0.3	< 0.3	< 0.3	30					
Diethylhexylphthalate	DEHP	mg/kg	< 0.3	< 0.3	< 0.3	1.5					
Dibutylphthalate	DBP	mg/kg	< 0.3	< 0.3	< 0.3	0.3					
Diisononylphthalate + Diisodecylphthalate	DINP + DIDP	mg/kg	< 6.0	< 6.0	< 6.0	9					
Phthalic acid, diallyl ester	DAP	mg/kg	n.d.	n.d.	n.d.	n.d. (< 0.01)					



Test Report No.: 158224242c 001 Page 17 of 41

Test No.:	T005 (*1) (*2)										
Material No.:		M005									
Parameter	Abbreviation	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit					
Benzylbutylphthalate	BBP	mg/kg	< 0.3	< 0.3	< 0.3	30					
Diethylhexylphthalate	DEHP	mg/kg	< 0.3	< 0.3	< 0.3	1.5					
Dibutylphthalate	DBP	mg/kg	< 0.3	< 0.3	< 0.3	0.3					
Diisononylphthalate + Diisodecylphthalate	DINP + DIDP	mg/kg	< 6.0	< 6.0	< 6.0	9					
Phthalic acid, diallyl ester	DAP	mg/kg	n.d.	n.d.	n.d.	n.d. (< 0.01)					

Test No.:	T006 (*1) (*2)										
Material No.:		M006									
Parameter	Abbreviation	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit					
Benzylbutylphthalate	BBP	mg/kg	< 0.3	< 0.3	< 0.3	30					
Diethylhexylphthalate	DEHP	mg/kg	< 0.3	< 0.3	< 0.3	1.5					
Dibutylphthalate	DBP	mg/kg	< 0.3	< 0.3	< 0.3	0.3					
Diisononylphthalate + Diisodecylphthalate	DINP + DIDP	mg/kg	< 6.0	< 6.0	< 6.0	9					
Phthalic acid, diallyl ester	DAP	mg/kg	n.d.	n.d.	n.d.	n.d. (< 0.01)					

Abbreviations:

mg/kg = Milligram per kilogram

< = Less than

n.d. = Not detected

Remarks:

- *1. Stability test is included in this test parameter.
- *2. The migration results do not show increase between subsequent tests and therefore it meets the stability requirement.
- *3. The examined items meet the requirement.



Test Report No.: 158224242c 001 Page 18 of 41

6. Specific Migration of Primary Aromatic Amines

Test method: The migratory behaviour is examined with reference to Chapter V, Article 18 of

Commission Regulation 10/2011 and its amendments. Presence of Primary Aromatic

Amines is detected by means of LC-MS/MS.

Limit: Commission Regulation (EU) No 10/2011 and its amendments

The following food simulants and conditions were applied:

Food simulant	Test duration / Temperature
3% Acetic acid	24 hours at 40°C

	Test No.:		T001 (*1) (*2)								
N	/laterial No.:				M001						
Parameter	CAS no.	Unit	RL	1st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit				
2,4,5-Trimethylaniline	137-17-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
2,4-Diaminoanisole	615-05-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
2-Naphthylamine	91-59-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
3,3'-Dichlorobenzidine	91-94-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
4,4'-methylene-bis-(2-chloro-aniline)	101-14-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
4,4'-methylenedianiline	101-77-9	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
4,4'-oxydianiline	101-80-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
4,4'-thiodianiline	139-65-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
4-aminoazobenzene	60-09-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
4-aminobiphenyl	92-67-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
4-chloro-o-toluidine	95-69-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
o-anisidine	90-04-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
Benzidine	92-87-5	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
4-chloroaniline	106-47-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
o-aminoazotoluene	97-56-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
p-cresidine	120-71-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
4,4'-bi-o-toluidine	119-93-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
2,4-toluenediamine	95-80-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
o-Toluidine	95-53-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
3,3'-Dimethoxybenzidine	119-90-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
4,4'-Methylene-di-o-toluidine	838-88-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
2-Methyl-5-nitroaniline	99-55-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
m-phenylenediamine	108-45-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)				
Benzoguanamine	91-76-9	mg/kg	0.01	n.d.	n.d.	n.d.	5				



Test Report No.: 158224242c 001

Page 19 of 41

4,4'-Methylenebis-(3-cholor-2,6-diethylaniline)	106246- 33-7	mg/kg	0.01	n.d.	n.d.	n.d.	0.05
PAAs not listed in entry 43	3 to Appendix	8 of Anne	ex XVII to R	egulation (EC	C) No 1907/200	06 and its ame	ndments
2,4-Dimethylaniline	95-68-1	mg/kg	0.01	n.d.	n.d.	n.d.	
2-ethoxyaniline	94-70-2	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Amino-4- methoxybenzanilide	120-35-4	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Amino-4- methylbenzamide	19406-86- 1	mg/kg	0.01	n.d.	n.d.	n.d.	
4-aminobenzamide	2835-68-9	mg/kg	0.01	n.d.	n.d.	n.d.	-
4-chloro-2,5- dimethoxyaniline	6358-64-1	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Ethoxyaniline	156-43-4	mg/kg	0.01	n.d.	n.d.	n.d.	
Dimethyl-2- aminoterephthalate	5372-81-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloroaniline	95-51-2	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2- methoxyaniline	95-03-4	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Nitroaniline	88-74-4	mg/kg	0.01	n.d.	n.d.	n.d.	
1,3-Diiminoisoindoline	3468-11-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloro-4-nitroaniline	121-87-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methoxy-4-nitroaniline	97-52-9	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Chloro-3- methoxyaniline	13726-14- 2	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Amino-6-methyl-1,3- dihydro-2H- benzimidazol-2-one	67014-36- 2	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Aminonaphthalene-1- sulfonic acid	81-16-3	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Aminotoluene-3- sulfonic acid	88-44-8	mg/kg	0.01	n.d.	n.d.	n.d.	
2,5-Dichloroaniline	95-82-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4,5-Trichloroaniline	636-30-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4-Dinitroaniline	97-02-09	mg/kg	0.01	n.d.	n.d.	n.d.	
Biphenyl-2-ylamine	90-41-5	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methyl-4-nitroaniline	99-52-5	mg/kg	0.01	n.d.	n.d.	n.d.	
1,5-naphthylenediamine	2243-62-1	mg/kg	0.01	n.d.	n.d.	n.d.	
2,6-Dimethylaniline	87-62-7	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2-methylaniline	95-79-4	mg/kg	0.01	n.d.	n.d.	n.d.	
Aniline	62-53-3	mg/kg	0.01	n.d.	n.d.	n.d.	
m-Anisidine	536-90-3	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Chloroaniline	108-42-9	mg/kg	0.01	n.d.	n.d.	n.d.	
o-phenylenediamine	95-54-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-phenylenediamine	106-50-3	mg/kg	0.01	n.d.	n.d.	n.d.	



Test Report No.: 158224242c 001 Page 20 of 41

2,6-toluenediamine	823-40-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-toluidine	106-49-0	mg/kg	0.01	n.d.	n.d.	n.d.	
m-toluidine	108-44-1	mg/kg	0.01	n.d.	n.d.	n.d.	
Sum of PAAs	N.A.	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (<0.01)

	Test No.: T002 (*1) (*2)									
N	/laterial No.:				M002					
Parameter	CAS no.	Unit	RL	1st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit			
2,4,5-Trimethylaniline	137-17-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
2,4-Diaminoanisole	615-05-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
2-Naphthylamine	91-59-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
3,3'-Dichlorobenzidine	91-94-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
4,4'-methylene-bis-(2-chloro-aniline)	101-14-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
4,4'-methylenedianiline	101-77-9	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
4,4'-oxydianiline	101-80-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
4,4'-thiodianiline	139-65-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
4-aminoazobenzene	60-09-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
4-aminobiphenyl	92-67-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
4-chloro-o-toluidine	95-69-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
o-anisidine	90-04-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
Benzidine	92-87-5	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
4-chloroaniline	106-47-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
o-aminoazotoluene	97-56-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
p-cresidine	120-71-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
4,4'-bi-o-toluidine	119-93-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
2,4-toluenediamine	95-80-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
o-Toluidine	95-53-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
3,3'-Dimethoxybenzidine	119-90-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
4,4'-Methylene-di-o-toluidine	838-88-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
2-Methyl-5-nitroaniline	99-55-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
m-phenylenediamine	108-45-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)			
Benzoguanamine	91-76-9	mg/kg	0.01	n.d.	n.d.	n.d.	5			



Test Report No.: 158224242c 001

Page 21 of 41

4,4'-Methylenebis-(3-cholor-2,6-diethylaniline)	106246- 33-7	mg/kg	0.01	n.d.	n.d.	n.d.	0.05
PAAs not listed in entry 43	to Appendix	8 of Anne	ex XVII to R	egulation (EC	C) No 1907/200	06 and its ame	ndments
2,4-Dimethylaniline	95-68-1	mg/kg	0.01	n.d.	n.d.	n.d.	
2-ethoxyaniline	94-70-2	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Amino-4- methoxybenzanilide	120-35-4	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Amino-4- methylbenzamide	19406-86- 1	mg/kg	0.01	n.d.	n.d.	n.d.	
4-aminobenzamide	2835-68-9	mg/kg	0.01	n.d.	n.d.	n.d.	
4-chloro-2,5- dimethoxyaniline	6358-64-1	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Ethoxyaniline	156-43-4	mg/kg	0.01	n.d.	n.d.	n.d.	
Dimethyl-2- aminoterephthalate	5372-81-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloroaniline	95-51-2	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2- methoxyaniline	95-03-4	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Nitroaniline	88-74-4	mg/kg	0.01	n.d.	n.d.	n.d.	
1,3-Diiminoisoindoline	3468-11-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloro-4-nitroaniline	121-87-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methoxy-4-nitroaniline	97-52-9	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Chloro-3- methoxyaniline	13726-14- 2	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Amino-6-methyl-1,3- dihydro-2H- benzimidazol-2-one	67014-36- 2	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Aminonaphthalene-1- sulfonic acid	81-16-3	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Aminotoluene-3- sulfonic acid	88-44-8	mg/kg	0.01	n.d.	n.d.	n.d.	
2,5-Dichloroaniline	95-82-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4,5-Trichloroaniline	636-30-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4-Dinitroaniline	97-02-09	mg/kg	0.01	n.d.	n.d.	n.d.	
Biphenyl-2-ylamine	90-41-5	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methyl-4-nitroaniline	99-52-5	mg/kg	0.01	n.d.	n.d.	n.d.	
1,5-naphthylenediamine	2243-62-1	mg/kg	0.01	n.d.	n.d.	n.d.	
2,6-Dimethylaniline	87-62-7	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2-methylaniline	95-79-4	mg/kg	0.01	n.d.	n.d.	n.d.	
Aniline	62-53-3	mg/kg	0.01	n.d.	n.d.	n.d.	
m-Anisidine	536-90-3	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Chloroaniline	108-42-9	mg/kg	0.01	n.d.	n.d.	n.d.	
o-phenylenediamine	95-54-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-phenylenediamine	106-50-3	mg/kg	0.01	n.d.	n.d.	n.d.	



Test Report No.: 158224242c 001 Page 22 of 41

2,6-toluenediamine	823-40-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-toluidine	106-49-0	mg/kg	0.01	n.d.	n.d.	n.d.	
m-toluidine	108-44-1	mg/kg	0.01	n.d.	n.d.	n.d.	
Sum of PAAs	N.A.	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (<0.01)

	Test No.:			T0	03 (*1) (*2)		
N	/laterial No.:				M003		
Parameter	CAS no.	Unit	RL	1st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit
2,4,5-Trimethylaniline	137-17-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2,4-Diaminoanisole	615-05-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2-Naphthylamine	91-59-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
3,3'-Dichlorobenzidine	91-94-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-methylene-bis-(2-chloro-aniline)	101-14-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-methylenedianiline	101-77-9	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-oxydianiline	101-80-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-thiodianiline	139-65-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-aminoazobenzene	60-09-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-aminobiphenyl	92-67-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-chloro-o-toluidine	95-69-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-anisidine	90-04-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
Benzidine	92-87-5	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-chloroaniline	106-47-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-aminoazotoluene	97-56-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
p-cresidine	120-71-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-bi-o-toluidine	119-93-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2,4-toluenediamine	95-80-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-Toluidine	95-53-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
3,3'-Dimethoxybenzidine	119-90-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-Methylene-di-o- toluidine	838-88-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2-Methyl-5-nitroaniline	99-55-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
m-phenylenediamine	108-45-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
Benzoguanamine	91-76-9	mg/kg	0.01	n.d.	n.d.	n.d.	5



Test Report No.: 158224242c 001

Page 23 of 41

4,4'-Methylenebis-(3-cholor-2,6-diethylaniline)	106246- 33-7	mg/kg	0.01	n.d.	n.d.	n.d.	0.05
PAAs not listed in entry 43	3 to Appendix	8 of Anne	ex XVII to R	egulation (EC	C) No 1907/200	06 and its ame	ndments
2,4-Dimethylaniline	95-68-1	mg/kg	0.01	n.d.	n.d.	n.d.	
2-ethoxyaniline	94-70-2	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Amino-4- methoxybenzanilide	120-35-4	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Amino-4- methylbenzamide	19406-86- 1	mg/kg	0.01	n.d.	n.d.	n.d.	
4-aminobenzamide	2835-68-9	mg/kg	0.01	n.d.	n.d.	n.d.	-
4-chloro-2,5- dimethoxyaniline	6358-64-1	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Ethoxyaniline	156-43-4	mg/kg	0.01	n.d.	n.d.	n.d.	
Dimethyl-2- aminoterephthalate	5372-81-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloroaniline	95-51-2	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2- methoxyaniline	95-03-4	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Nitroaniline	88-74-4	mg/kg	0.01	n.d.	n.d.	n.d.	
1,3-Diiminoisoindoline	3468-11-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloro-4-nitroaniline	121-87-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methoxy-4-nitroaniline	97-52-9	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Chloro-3- methoxyaniline	13726-14- 2	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Amino-6-methyl-1,3- dihydro-2H- benzimidazol-2-one	67014-36- 2	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Aminonaphthalene-1- sulfonic acid	81-16-3	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Aminotoluene-3- sulfonic acid	88-44-8	mg/kg	0.01	n.d.	n.d.	n.d.	
2,5-Dichloroaniline	95-82-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4,5-Trichloroaniline	636-30-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4-Dinitroaniline	97-02-09	mg/kg	0.01	n.d.	n.d.	n.d.	
Biphenyl-2-ylamine	90-41-5	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methyl-4-nitroaniline	99-52-5	mg/kg	0.01	n.d.	n.d.	n.d.	
1,5-naphthylenediamine	2243-62-1	mg/kg	0.01	n.d.	n.d.	n.d.	
2,6-Dimethylaniline	87-62-7	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2-methylaniline	95-79-4	mg/kg	0.01	n.d.	n.d.	n.d.	
Aniline	62-53-3	mg/kg	0.01	n.d.	n.d.	n.d.	
m-Anisidine	536-90-3	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Chloroaniline	108-42-9	mg/kg	0.01	n.d.	n.d.	n.d.	
o-phenylenediamine	95-54-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-phenylenediamine	106-50-3	mg/kg	0.01	n.d.	n.d.	n.d.	



Test Report No.: 158224242c 001 Page 24 of 41

2,6-toluenediamine	823-40-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-toluidine	106-49-0	mg/kg	0.01	n.d.	n.d.	n.d.	
m-toluidine	108-44-1	mg/kg	0.01	n.d.	n.d.	n.d.	
Sum of PAAs	N.A.	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (<0.01)

	Test No.:			T0	04 (*1) (*2)		
N	/laterial No.:				M004		
Parameter	CAS no.	Unit	RL	1st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit
2,4,5-Trimethylaniline	137-17-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2,4-Diaminoanisole	615-05-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2-Naphthylamine	91-59-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
3,3'-Dichlorobenzidine	91-94-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-methylene-bis-(2-chloro-aniline)	101-14-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-methylenedianiline	101-77-9	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-oxydianiline	101-80-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-thiodianiline	139-65-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-aminoazobenzene	60-09-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-aminobiphenyl	92-67-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-chloro-o-toluidine	95-69-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-anisidine	90-04-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
Benzidine	92-87-5	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-chloroaniline	106-47-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-aminoazotoluene	97-56-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
p-cresidine	120-71-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-bi-o-toluidine	119-93-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2,4-toluenediamine	95-80-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-Toluidine	95-53-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
3,3'-Dimethoxybenzidine	119-90-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-Methylene-di-o-toluidine	838-88-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2-Methyl-5-nitroaniline	99-55-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
m-phenylenediamine	108-45-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
Benzoguanamine	91-76-9	mg/kg	0.01	n.d.	n.d.	n.d.	5



Test Report No.: 158224242c 001

Page 25 of 41

4.4"-Methylenebis-(3) color-2, G-dietylaniline) 106246* bylaniline mg/kg 0.01 n.d. n.d. <th></th> <th>-</th> <th></th> <th></th> <th></th> <th>T</th> <th></th> <th>.</th>		-				T		.
2.4-Dimethylaniline 95-68-1 mg/kg 0.01 n.d. n.d. n.d.	4,4'-Methylenebis-(3-cholor-2,6-diethylaniline)	106246- 33-7	mg/kg	0.01	n.d.	n.d.	n.d.	0.05
2-ethoxyaniline 94-70-2 mg/kg 0.01 n.d. n.d. n.d					, , , , , , , , , , , , , , , , , , ,	C) No 1907/200		ndments
3-Amino-4- methoxybenzamide 19406-86- methylbenzamide 4-aminobenzamide 2835-68-9 mg/kg 0.01 n.d. n.d. n.d. n.d. 4-aminobenzamide 4-aminobenzamide 2835-68-9 mg/kg 0.01 n.d. n.d. n.d. n.d. 4-chloro-2.5- dimethoxyaniline 156-43-4 mg/kg 0.01 n.d. n.d. n.d. n.d. 4-Ethoxyaniline 95-51-2 mg/kg 0.01 n.d. n.d. n.d. n.d. 4-Ethoxyaniline 95-51-2 mg/kg 0.01 n.d. n.d. n.d. n.d. 4-Ethoxyaniline 95-03-4 mg/kg 0.01 n.d. n.d. n.d. n.d. 4-Ethoxyaniline 13-Ethoxyaniline 95-03-4 mg/kg 0.01 n.d. n.d. n.d. n.d. 4-Ethoxyaniline 13-Ethoxyaniline 13-Ethoxyanili								
methoxybenzanlide 12U-39-4 mg/kg 0.01 n.d. n.d. n.d. 3-Amino-4-methylbenzamide 19406-86 1 mg/kg 0.01 n.d. n.d. n.d.		94-70-2	mg/kg	0.01	n.d.	n.d.	n.d.	
methylbenzamide 1 mg/kg 0.01 n.d. n.d. n.d. 4-aminobenzamide 2835-68-9 mg/kg 0.01 n.d. n.d. n.d.	methoxybenzanilide		mg/kg	0.01	n.d.	n.d.	n.d.	
4-chloro-2,5-dimethoxyaniline 6358-64-1 mg/kg 0.01 n.d. n.d. n.d.			mg/kg	0.01	n.d.	n.d.	n.d.	
dimethoxyaniline 0.358-64-1 mg/kg 0.01 n.d. n.d. n.d. 4-Ethoxyaniline 156-43-4 mg/kg 0.01 n.d. n.d. n.d. Dimethyl-2- aminoterephthalate 5372-81-6 mg/kg 0.01 n.d. n.d. n.d. 2-Chloro-2- methoxyaniline 95-03-4 mg/kg 0.01 n.d. n.d. n.d. 2-Nitroaniline 88-74-4 mg/kg 0.01 n.d. n.d. n.d. 2-Nitroaniline 3468-11-9 mg/kg 0.01 n.d. n.d. n.d. 2-Nethoxy-4-nitroaniline 121-87-9 mg/kg 0.01 n.d. n.d. n.d. 2-Methoxy-4-nitroaniline 13726-14-1 mg/kg 0.01 n.d. n.d. n.d. 2-Aminon-6-methyl-1,3-dihydro-2H-benzimidazol-2-one 81-16-3 mg/kg 0.01 n.d. n.d. n.d. n.d. 2-Aminonaphthalene-1-sulfinic acid 81-48-8	4-aminobenzamide	2835-68-9	mg/kg	0.01	n.d.	n.d.	n.d.	
Dimethyl-2- aminoterephthalate 5372-81-6 mg/kg 0.01 n.d. n.d. n.d. 2-Chloroanliline 95-51-2 mg/kg 0.01 n.d. n.d. n.d. 5-Chloro-2- methoxyaniline 95-03-4 mg/kg 0.01 n.d. n.d. n.d. n.d. 2-Nitroaniline 88-74-4 mg/kg 0.01 n.d. n.d. n.d. n.d.		6358-64-1	mg/kg	0.01	n.d.	n.d.	n.d.	
aminoterephthalate 35/2-81-8 mg/kg 0.01 n.d. n.d. n.d. n.d 2-Chloro-2-methoxyaniline 95-03-4 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 5-Chloro-2-methoxyaniline 95-03-4 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 1,3-Diiminoisoindoline 3468-11-9 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-Chloro-4-nitroaniline 121-87-9 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-Chloro-3-methoxyaniline 97-52-9 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 4-Chloro-3-methoxyaniline 22-methoxyaniline 2-methoxyaniline 2-methoxyaniline 3-mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 3-Amino-6-methyl-1,3-dihydro-2H-benzimidazol-2-one 2-minonaphthalene-1-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d. n.d. n.d. 2- 2-A-Enimotonaliline 95-82-9 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotonaliline 95-82-9 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotonaliline 95-82-9 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotonaliline 95-82-9 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotonaliline 95-82-9 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotonaliline 95-82-9 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotonaliline 95-82-9 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. n.d 2-A-Enimot	4-Ethoxyaniline	156-43-4	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2-methoxyaniline		5372-81-6	mg/kg	0.01	n.d.	n.d.	n.d.	
methoxyaniline 95-03-4 mg/kg 0.01 n.d. n.d. n.d. 2-Nitroaniline 88-74-4 mg/kg 0.01 n.d. n.d. n.d. 1,3-Diiminoisoindoline 3468-11-9 mg/kg 0.01 n.d. n.d. n.d. 2-Chloro-4-nitroaniline 121-87-9 mg/kg 0.01 n.d. n.d. n.d. 2-Methoxy-4-nitroaniline 13726-14-1 mg/kg 0.01 n.d. n.d. n.d. n.d. 4-Chloro-3-methoxy-aniline 13726-14-1 mg/kg 0.01 n.d. n.d. n.d. n.d. 5-Amino-6-methyl-1,3-dihydro-2H-benzimidazol-2-one 8ng/kg 0.01 n.d. n.d. n.d. n.d. n.d. 2-Aminonaphthalene-1-sulfonic acid 81-16-3 mg/kg 0.01 n.d. n.d. n.d. n.d. <td< td=""><td>2-Chloroaniline</td><td>95-51-2</td><td>mg/kg</td><td>0.01</td><td>n.d.</td><td>n.d.</td><td>n.d.</td><td></td></td<>	2-Chloroaniline	95-51-2	mg/kg	0.01	n.d.	n.d.	n.d.	
1,3-Diiminoisoindoline 3468-11-9 mg/kg 0.01 n.d. n.d. n.d. 2-Chloro-4-nitroaniline 121-87-9 mg/kg 0.01 n.d. n.d. n.d. 2-Methoxy-4-nitroaniline 97-52-9 mg/kg 0.01 n.d. n.d. n.d. 4-Chloro-3-methoxyaniline 13726-14-20 mg/kg 0.01 n.d. n.d. n.d. n.d. 5-Amino-6-methyl-1,3-dihydro-2H-benzimidazol-2-one 67014-36-2 mg/kg 0.01 n.d. n.d. n.d. n.d.		95-03-4	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloro-4-nitroaniline 121-87-9 mg/kg 0.01 n.d. n.d. n.d. 2-Methoxy-4-nitroaniline 97-52-9 mg/kg 0.01 n.d. n.d. n.d. 4-Chloro-3-methyl-1,3-dihydro-2H-benzimidazol-2-one 67014-36-2 mg/kg 0.01 n.d.	2-Nitroaniline	88-74-4	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methoxy-4-nitroaniline 97-52-9 mg/kg 0.01 n.d. n.d. n.d. 4-Chloro-3-methoxyaniline 13726-14-2 mg/kg 0.01 n.d. n.d. n.d. n.d. 5-Amino-6-methyl-1,3-dihydro-2H-benzimidazol-2-one 67014-36-2 mg/kg 0.01 n.d.	1,3-Diiminoisoindoline	3468-11-9	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Chloro-3-methoxyaniline 13726-14-2 mg/kg 0.01 n.d. n.d. n.d.	2-Chloro-4-nitroaniline	121-87-9	mg/kg	0.01	n.d.	n.d.	n.d.	
methoxyaniline 2 mg/kg 0.01 n.d. n.d. n.d. 5-Amino-6-methyl-1,3-dihydro-2H-benzimidazol-2-one 67014-36-2 mg/kg 0.01 n.d. n.d. n.d. n.d. 2-Aminonaphthalene-1-sulfonic acid 81-16-3 mg/kg 0.01 n.d. n.d. n.d. n.d. 4-Aminotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. n.d. 2,5-Dichloroaniline 95-82-9 mg/kg 0.01 n.d. n.d. <td< td=""><td>2-Methoxy-4-nitroaniline</td><td>97-52-9</td><td>mg/kg</td><td>0.01</td><td>n.d.</td><td>n.d.</td><td>n.d.</td><td></td></td<>	2-Methoxy-4-nitroaniline	97-52-9	mg/kg	0.01	n.d.	n.d.	n.d.	
dihydro-2H-benzimidazol-2-one 87014-36-2 mg/kg 0.01 n.d.			mg/kg	0.01	n.d.	n.d.	n.d.	
sulfonic acid 81-16-3 mg/kg 0.01 n.d. n.d. n.d. 4-Aminotoluene-3-sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. 2,5-Dichloroaniline 95-82-9 mg/kg 0.01 n.d. n.d. n.d. 2,4,5-Trichloroaniline 636-30-6 mg/kg 0.01 n.d. n.d. n.d. 2,4-Dinitroaniline 97-02-09 mg/kg 0.01 n.d. n.d. n.d. 2,4-Dinitroaniline 97-02-09 mg/kg 0.01 n.d. n.d. n.d. 2,4-Dinitroaniline 97-02-09 mg/kg 0.01 n.d. n.d. n.d. 2,4-Dinitroaniline 90-41-5 mg/kg 0.01 n.d. n.d. n.d. 2-Methyl-2-ylamine 90-41-5 mg/kg 0.01 n.d. n.d. n.d. 1,5-naphthylenediamine 2243-62-1 mg/kg 0.01 n.d. n.d. n.d. 2,6-Dimethylaniline 87-62-7 mg/kg 0.01 </td <td>dihydro-2H-</td> <td></td> <td>mg/kg</td> <td>0.01</td> <td>n.d.</td> <td>n.d.</td> <td>n.d.</td> <td></td>	dihydro-2H-		mg/kg	0.01	n.d.	n.d.	n.d.	
sulfonic acid 88-44-8 mg/kg 0.01 n.d. n.d. n.d. 2,5-Dichloroaniline 95-82-9 mg/kg 0.01 n.d. n.d. n.d. 2,4,5-Trichloroaniline 636-30-6 mg/kg 0.01 n.d. n.d. n.d. 2,4-Dinitroaniline 97-02-09 mg/kg 0.01 n.d. n.d. n.d. 2,4-Dinitroaniline 90-41-5 mg/kg 0.01 n.d. n.d. n.d. 2-Methyl-2-ylamine 90-41-5 mg/kg 0.01 n.d. n.d. n.d. 2-Methyl-4-nitroaniline 99-52-5 mg/kg 0.01 n.d. n.d. n.d. 1,5-naphthylenediamine 2243-62-1 mg/kg 0.01 n.d. n.d. n.d. 2,6-Dimethylaniline 87-62-7 mg/kg 0.01 n.d. n.d. n.d. 5-Chloro-2-methylaniline 95-79-4 mg/kg 0.01 n.d.	•	81-16-3	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4,5-Trichloroaniline 636-30-6 mg/kg 0.01 n.d. n.d. n.d. 2,4-Dinitroaniline 97-02-09 mg/kg 0.01 n.d. n.d. n.d. Biphenyl-2-ylamine 90-41-5 mg/kg 0.01 n.d. n.d. n.d. 2-Methyl-4-nitroaniline 99-52-5 mg/kg 0.01 n.d. n.d. n.d. 1,5-naphthylenediamine 2243-62-1 mg/kg 0.01 n.d. n.d. n.d. 2,6-Dimethylaniline 87-62-7 mg/kg 0.01 n.d. n.d. n.d. 5-Chloro-2-methylaniline 95-79-4 mg/kg 0.01 n.d. n.d. n.d. Aniline 62-53-3 mg/kg 0.01 n.d. n.d. n.d. 3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. 0-phenylenediamine 95-54-5 mg/kg 0.01 n.d. <td></td> <td>88-44-8</td> <td>mg/kg</td> <td>0.01</td> <td>n.d.</td> <td>n.d.</td> <td>n.d.</td> <td></td>		88-44-8	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4-Dinitroaniline 97-02-09 mg/kg 0.01 n.d. n.d. n.d. Biphenyl-2-ylamine 90-41-5 mg/kg 0.01 n.d. n.d. n.d. 2-Methyl-4-nitroaniline 99-52-5 mg/kg 0.01 n.d. n.d. n.d. 1,5-naphthylenediamine 2243-62-1 mg/kg 0.01 n.d. n.d. n.d. 2,6-Dimethylaniline 87-62-7 mg/kg 0.01 n.d. n.d. n.d. 5-Chloro-2-methylaniline 95-79-4 mg/kg 0.01 n.d. n.d. n.d. Aniline 62-53-3 mg/kg 0.01 n.d. n.d. n.d. m-Anisidine 536-90-3 mg/kg 0.01 n.d. n.d. n.d. 3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d.	2,5-Dichloroaniline	95-82-9	mg/kg	0.01	n.d.	n.d.	n.d.	
Biphenyl-2-ylamine 90-41-5 mg/kg 0.01 n.d. n.d. n.d. 2-Methyl-4-nitroaniline 99-52-5 mg/kg 0.01 n.d. n.d. n.d. 1,5-naphthylenediamine 2243-62-1 mg/kg 0.01 n.d. n.d. n.d. 2,6-Dimethylaniline 87-62-7 mg/kg 0.01 n.d. n.d. n.d. 5-Chloro-2-methylaniline 95-79-4 mg/kg 0.01 n.d. n.d. n.d. Aniline 62-53-3 mg/kg 0.01 n.d. n.d. n.d. m-Anisidine 536-90-3 mg/kg 0.01 n.d. n.d. n.d. 3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d.	2,4,5-Trichloroaniline	636-30-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methyl-4-nitroaniline 99-52-5 mg/kg 0.01 n.d. n.d. n.d. 1,5-naphthylenediamine 2243-62-1 mg/kg 0.01 n.d. n.d. n.d. 2,6-Dimethylaniline 87-62-7 mg/kg 0.01 n.d. n.d. n.d. 5-Chloro-2-methylaniline 95-79-4 mg/kg 0.01 n.d. n.d. n.d. Aniline 62-53-3 mg/kg 0.01 n.d. n.d. n.d. m-Anisidine 536-90-3 mg/kg 0.01 n.d. n.d. n.d. 3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d.	2,4-Dinitroaniline	97-02-09	mg/kg	0.01	n.d.	n.d.	n.d.	
1,5-naphthylenediamine 2243-62-1 mg/kg 0.01 n.d. n.d. n.d. 2,6-Dimethylaniline 87-62-7 mg/kg 0.01 n.d. n.d. n.d. 5-Chloro-2-methylaniline 95-79-4 mg/kg 0.01 n.d. n.d. n.d. Aniline 62-53-3 mg/kg 0.01 n.d. n.d. n.d. m-Anisidine 536-90-3 mg/kg 0.01 n.d. n.d. n.d. 3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d.	Biphenyl-2-ylamine	90-41-5	mg/kg	0.01	n.d.	n.d.	n.d.	
1,5-naphthylenediamine 2243-62-1 mg/kg 0.01 n.d. n.d. n.d. 2,6-Dimethylaniline 87-62-7 mg/kg 0.01 n.d. n.d. n.d. 5-Chloro-2-methylaniline 95-79-4 mg/kg 0.01 n.d. n.d. n.d. Aniline 62-53-3 mg/kg 0.01 n.d. n.d. n.d. m-Anisidine 536-90-3 mg/kg 0.01 n.d. n.d. n.d. 3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d.	2-Methyl-4-nitroaniline	99-52-5	mg/kg	0.01	n.d.	n.d.	n.d.	
2,6-Dimethylaniline 87-62-7 mg/kg 0.01 n.d. n.d. n.d. 5-Chloro-2-methylaniline 95-79-4 mg/kg 0.01 n.d. n.d. n.d. Aniline 62-53-3 mg/kg 0.01 n.d. n.d. n.d. m-Anisidine 536-90-3 mg/kg 0.01 n.d. n.d. n.d. 3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d.	1,5-naphthylenediamine	2243-62-1		0.01	n.d.	n.d.	n.d.	
5-Chloro-2-methylaniline 95-79-4 mg/kg 0.01 n.d. n.d. n.d. Aniline 62-53-3 mg/kg 0.01 n.d. n.d. n.d. m-Anisidine 536-90-3 mg/kg 0.01 n.d. n.d. n.d. 3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d.	2,6-Dimethylaniline	87-62-7	mg/kg	0.01	n.d.	n.d.	n.d.	
Aniline 62-53-3 mg/kg 0.01 n.d. n.d. n.d. m-Anisidine 536-90-3 mg/kg 0.01 n.d. n.d. n.d. 3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d.	5-Chloro-2-methylaniline	95-79-4		0.01	n.d.	n.d.	n.d.	
m-Anisidine 536-90-3 mg/kg 0.01 n.d. n.d. n.d. 3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d.	Aniline	62-53-3		0.01	n.d.	n.d.	n.d.	
3-Chloroaniline 108-42-9 mg/kg 0.01 n.d. n.d. n.d. o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d.	m-Anisidine	536-90-3		0.01	n.d.	n.d.	n.d.	
o-phenylenediamine 95-54-5 mg/kg 0.01 n.d. n.d. n.d	3-Chloroaniline							
		1						



Test Report No.: 158224242c 001 Page 26 of 41

2,6-toluenediamine	823-40-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-toluidine	106-49-0	mg/kg	0.01	n.d.	n.d.	n.d.	
m-toluidine	108-44-1	mg/kg	0.01	n.d.	n.d.	n.d.	
Sum of PAAs	N.A.	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (<0.01)

	Test No.:			T0	05 (*1) (*2)		
N	/laterial No.:				M005		
Parameter	CAS no.	Unit	RL	1st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit
2,4,5-Trimethylaniline	137-17-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2,4-Diaminoanisole	615-05-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2-Naphthylamine	91-59-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
3,3'-Dichlorobenzidine	91-94-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-methylene-bis-(2- chloro-aniline)	101-14-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-methylenedianiline	101-77-9	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-oxydianiline	101-80-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-thiodianiline	139-65-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-aminoazobenzene	60-09-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-aminobiphenyl	92-67-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-chloro-o-toluidine	95-69-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-anisidine	90-04-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
Benzidine	92-87-5	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-chloroaniline	106-47-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-aminoazotoluene	97-56-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
p-cresidine	120-71-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-bi-o-toluidine	119-93-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2,4-toluenediamine	95-80-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-Toluidine	95-53-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
3,3'-Dimethoxybenzidine	119-90-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-Methylene-di-o- toluidine	838-88-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2-Methyl-5-nitroaniline	99-55-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
m-phenylenediamine	108-45-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
Benzoguanamine	91-76-9	mg/kg	0.01	n.d.	n.d.	n.d.	5



Test Report No.: 158224242c 001

Page 27 of 41

4,4'-Methylenebis-(3-cholor-2,6-diethylaniline)	106246- 33-7	mg/kg	0.01	n.d.	n.d.	n.d.	0.05
PAAs not listed in entry 43	to Appendix	8 of Anne	ex XVII to R	egulation (EC	C) No 1907/200	06 and its ame	ndments
2,4-Dimethylaniline	95-68-1	mg/kg	0.01	n.d.	n.d.	n.d.	
2-ethoxyaniline	94-70-2	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Amino-4- methoxybenzanilide	120-35-4	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Amino-4- methylbenzamide	19406-86- 1	mg/kg	0.01	n.d.	n.d.	n.d.	
4-aminobenzamide	2835-68-9	mg/kg	0.01	n.d.	n.d.	n.d.	
4-chloro-2,5- dimethoxyaniline	6358-64-1	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Ethoxyaniline	156-43-4	mg/kg	0.01	n.d.	n.d.	n.d.	
Dimethyl-2- aminoterephthalate	5372-81-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloroaniline	95-51-2	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2- methoxyaniline	95-03-4	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Nitroaniline	88-74-4	mg/kg	0.01	n.d.	n.d.	n.d.	
1,3-Diiminoisoindoline	3468-11-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloro-4-nitroaniline	121-87-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methoxy-4-nitroaniline	97-52-9	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Chloro-3- methoxyaniline	13726-14- 2	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Amino-6-methyl-1,3- dihydro-2H- benzimidazol-2-one	67014-36- 2	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Aminonaphthalene-1- sulfonic acid	81-16-3	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Aminotoluene-3- sulfonic acid	88-44-8	mg/kg	0.01	n.d.	n.d.	n.d.	
2,5-Dichloroaniline	95-82-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4,5-Trichloroaniline	636-30-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4-Dinitroaniline	97-02-09	mg/kg	0.01	n.d.	n.d.	n.d.	
Biphenyl-2-ylamine	90-41-5	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methyl-4-nitroaniline	99-52-5	mg/kg	0.01	n.d.	n.d.	n.d.	
1,5-naphthylenediamine	2243-62-1	mg/kg	0.01	n.d.	n.d.	n.d.	
2,6-Dimethylaniline	87-62-7	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2-methylaniline	95-79-4	mg/kg	0.01	n.d.	n.d.	n.d.	
Aniline	62-53-3	mg/kg	0.01	n.d.	n.d.	n.d.	
m-Anisidine	536-90-3	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Chloroaniline	108-42-9	mg/kg	0.01	n.d.	n.d.	n.d.	
o-phenylenediamine	95-54-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-phenylenediamine	106-50-3	mg/kg	0.01	n.d.	n.d.	n.d.	



Test Report No.: 158224242c 001 Page 28 of 41

2,6-toluenediamine	823-40-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-toluidine	106-49-0	mg/kg	0.01	n.d.	n.d.	n.d.	
m-toluidine	108-44-1	mg/kg	0.01	n.d.	n.d.	n.d.	
Sum of PAAs	N.A.	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (<0.01)

	Test No.:			T0	06 (*1) (*2)		
N	/laterial No.:				M006		
Parameter	CAS no.	Unit	RL	1st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit
2,4,5-Trimethylaniline	137-17-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2,4-Diaminoanisole	615-05-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2-Naphthylamine	91-59-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
3,3'-Dichlorobenzidine	91-94-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-methylene-bis-(2- chloro-aniline)	101-14-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-methylenedianiline	101-77-9	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-oxydianiline	101-80-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-thiodianiline	139-65-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-aminoazobenzene	60-09-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-aminobiphenyl	92-67-1	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-chloro-o-toluidine	95-69-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-anisidine	90-04-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
Benzidine	92-87-5	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4-chloroaniline	106-47-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-aminoazotoluene	97-56-3	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
p-cresidine	120-71-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-bi-o-toluidine	119-93-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2,4-toluenediamine	95-80-7	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
o-Toluidine	95-53-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
3,3'-Dimethoxybenzidine	119-90-4	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
4,4'-Methylene-di-o-toluidine	838-88-0	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
2-Methyl-5-nitroaniline	99-55-8	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
m-phenylenediamine	108-45-2	mg/kg	0.002	n.d.	n.d.	n.d.	n.d. (<0.002)
Benzoguanamine	91-76-9	mg/kg	0.01	n.d.	n.d.	n.d.	5



Test Report No.: 158224242c 001

Page 29 of 41

4,4'-Methylenebis-(3-cholor-2,6-diethylaniline)	106246- 33-7	mg/kg	0.01	n.d.	n.d.	n.d.	0.05
PAAs not listed in entry 43				· · · · · · · · · · · · · · · · · · ·	r'		ndments
2,4-Dimethylaniline	95-68-1	mg/kg	0.01	n.d.	n.d.	n.d.	
2-ethoxyaniline	94-70-2	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Amino-4- methoxybenzanilide	120-35-4	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Amino-4- methylbenzamide	19406-86- 1	mg/kg	0.01	n.d.	n.d.	n.d.	
4-aminobenzamide	2835-68-9	mg/kg	0.01	n.d.	n.d.	n.d.	
4-chloro-2,5- dimethoxyaniline	6358-64-1	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Ethoxyaniline	156-43-4	mg/kg	0.01	n.d.	n.d.	n.d.	
Dimethyl-2- aminoterephthalate	5372-81-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloroaniline	95-51-2	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2- methoxyaniline	95-03-4	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Nitroaniline	88-74-4	mg/kg	0.01	n.d.	n.d.	n.d.	
1,3-Diiminoisoindoline	3468-11-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Chloro-4-nitroaniline	121-87-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methoxy-4-nitroaniline	97-52-9	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Chloro-3- methoxyaniline	13726-14- 2	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Amino-6-methyl-1,3- dihydro-2H- benzimidazol-2-one	67014-36- 2	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Aminonaphthalene-1- sulfonic acid	81-16-3	mg/kg	0.01	n.d.	n.d.	n.d.	
4-Aminotoluene-3- sulfonic acid	88-44-8	mg/kg	0.01	n.d.	n.d.	n.d.	
2,5-Dichloroaniline	95-82-9	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4,5-Trichloroaniline	636-30-6	mg/kg	0.01	n.d.	n.d.	n.d.	
2,4-Dinitroaniline	97-02-09	mg/kg	0.01	n.d.	n.d.	n.d.	
Biphenyl-2-ylamine	90-41-5	mg/kg	0.01	n.d.	n.d.	n.d.	
2-Methyl-4-nitroaniline	99-52-5	mg/kg	0.01	n.d.	n.d.	n.d.	
1,5-naphthylenediamine	2243-62-1	mg/kg	0.01	n.d.	n.d.	n.d.	
2,6-Dimethylaniline	87-62-7	mg/kg	0.01	n.d.	n.d.	n.d.	
5-Chloro-2-methylaniline	95-79-4	mg/kg	0.01	n.d.	n.d.	n.d.	
Aniline	62-53-3	mg/kg	0.01	n.d.	n.d.	n.d.	
m-Anisidine	536-90-3	mg/kg	0.01	n.d.	n.d.	n.d.	
3-Chloroaniline	108-42-9	mg/kg	0.01	n.d.	n.d.	n.d.	
o-phenylenediamine	95-54-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-phenylenediamine	106-50-3		0.01	n.d.	n.d.		
p-prierryleneulamine	100-30-3	mg/kg	0.01	n.u.	n.u.	n.d.	



450004040 004	Davis 20 of 44
Test Report No.: 158224242c 001	Page 30 of 41

2,6-toluenediamine	823-40-5	mg/kg	0.01	n.d.	n.d.	n.d.	
p-toluidine	106-49-0	mg/kg	0.01	n.d.	n.d.	n.d.	
m-toluidine	108-44-1	mg/kg	0.01	n.d.	n.d.	n.d.	
Sum of PAAs	N.A.	mg/kg	0.01	n.d.	n.d.	n.d.	n.d. (<0.01)

Abbreviations:

RL = Reporting Limit

mg/kg = Milligram per kilogramm

n.d. = Not detected

< = Less than

N.A. = Not Applicable

Remarks:

- *1. Stability test is included in this test parameter.
- *2. The migration results do not show increase between subsequent tests and therefore it meets the stability requirement.
- *3. The examined items meet the requirement.



Test Report No.: 158224242c 001 Page 31 of 41

7. Specific Migration of Terephthalic Acid

Test method: The migratory behaviour is examined with reference to Chapter V, Article 18 of

Commission Regulation 10/2011 and its amendments. Presence of Terephthalic Acid is

detected according to EN 13130-2.

Limit: Commission Regulation (EU) No 10/2011 and its amendments

The following food simulant and condition was applied:

Food simulant	Test duration / Temperature
3% Acetic acid	24 hours at 40°C

Test No.:	T001 (*1) (*2)						
Material No.:		M003					
Parameter	CAS No.	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit	
Terephthalic Acid	100-21-0	mg/kg	< 1	< 1	< 1	7.5	

Test No.:	T002 (*1) (*2)						
Material No.:		M004					
Parameter	CAS No.	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit	
Terephthalic Acid	100-21-0	100-21-0 mg/kg < 1 < 1 < 1 7.5					

Abbreviations:

mg/kg = Milligram per kilogram

< = Less than

Remarks:

- *1. Stability test is included in this test parameter.
- *2. The migration results do not show increase between subsequent tests and therefore it meets the stability requirement.
- *3. The examined items meet the requirement.



Test Report No.: 158224242c 001 Page 32 of 41

8. Specific Migration of Ethyleneglycol

Test method: The migratory behaviour is examined with reference to Chapter V, Article 18 of

Commission Regulation 10/2011 and its amendments. Presence of Ethyleneglycol is

detected according to EN 13130-7.

Limit: Commission Regulation (EU) No 10/2011 and its amendments

The following food simulant and condition was applied:

Food simulant	Test duration / Temperature
50% Ethanol	24 hours at 40°C

Test No.:		T001 (*1) (*2)					
Material No.:		M003					
Parameter	CAS No.	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit	
Ethyleneglycol	107-21-1	mg/kg	< 5	< 5	< 5	30	

Test No.:		T002 (*1) (*2)						
Material No.:		M004						
Parameter	CAS No.	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit		
Ethyleneglycol	107-21-1	mg/kg	< 5	< 5	< 5	30		

Abbreviations:

mg/kg = Milligram per kilogram

< = Less than

Remarks:

- *1. Stability test is included in this test parameter.
- *2. The migration results do not show increase between subsequent tests and therefore it meets the stability requirement.
- *3. The examined items meet the requirement.



Test Report No.: 158224242c 001 Page 33 of 41

9. Specific Migration of Antimony

Test method: The migratory behaviour is examined with reference to Chapter V, Article 18 of

Commission Regulation 10/2011 and its amendments. Presence of Antimony is detected

by means of ICP-MS.

Limit: Commission Regulation (EU) No 10/2011 and its amendments

The following food simulant and condition was applied:

Food simulant	Test duration / Temperature
3% Acetic acid	24 hours at 40°C

Test No.:	T001 (*1) (*2)							
Material No.:		M003						
Parameter	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit			
Antimony	mg/kg	< 0.01	< 0.01	< 0.01	0.04			

Test No.:		T002 (*1) (*2)						
Material No.:		M004						
Parameter	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit			
Antimony	mg/kg	< 0.01	< 0.01	< 0.01	0.04			

Abbreviations:

mg/kg = Milligram per kilogramm

< = Less than

Remarks:

- *1. Stability test is included in this test parameter.
- *2. The migration results do not show increase between subsequent tests and therefore it meets the stability requirement.

*3. The examined items meet the requirement.



Test Report No.: 158224242c 001 Page 34 of 41

10. Specific Migration of Butadiene

Test method: The migratory behaviour is examined with reference to Chapter V, Article 18 of

Commission Regulation 10/2011 and its amendments. Presence of Butadiene is

detected according to EN 13130-15.

Limit: With reference to Commission Regulation (EU) No 10/2011 and its amendments

The following food simulant and condition was applied:

Food simulant	Test duration / Temperature
3% Acetic acid	24 hours at 40°C

Test No.:	T001 (*1) (*2)						
Material No.:		M003					
Parameter	CAS No.	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit	
Butadiene	106-99-0	mg/kg	n.d.	n.d.	n.d.	n.d. (< 0.01)	

Test No.:	T002 (*1) (*2)					
Material No.:		M005				
Parameter	CAS No.	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit
Butadiene	106-99-0	mg/kg	n.d.	n.d.	n.d.	n.d. (< 0.01)

Food simulant	Test duration / Temperature
50% Ethanol	24 hours at 40°C

Test No.:	T003 (*1) (*2)					
Material No.:		M003				
Parameter	CAS No.	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit
Butadiene	106-99-0	mg/kg	n.d.	n.d.	n.d.	n.d. (< 0.01)

Test No.:	T004 (*1) (*2)					
Material No.:		M005				
Parameter	CAS No.	Unit	1 st Migration Result	2 nd Migration Result	3 rd Migration Result	Limit
Butadiene	106-99-0	mg/kg	n.d.	n.d.	n.d.	n.d. (< 0.01)



Test Report No.: 158224242c 001 Page 35 of 41

Abbreviations:

n.d. = Not detected

mg/kg = Milligram per kilogram

< = Less than

Remarks:

*1. Stability test is included in this test parameter.

*2. The migration results do not show increase between subsequent tests and therefore it meets the stability requirement.

*3. The examined items meet the requirement.

11. Screening of Plasticizer

Test method: Extraction and Detection with reference to CPSC-CH-C1001-09.3. Screening list of

plasticizers acc. to table 1.

Limit: Commission Regulation (EU) No 10/2011 and its amendments

Test No.:	T001				
Material No.:	M010				
Parameter	CAS No.	Unit	RL	Result	Limit (1, 2)
Benzylbutyl phthalate (BBP)	85-68-7	%	0.01	< RL	0.1
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.01	< RL	0.1
Dibutyl phthalate (DBP)	84-74-2	%	0.01	< RL	0.05
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	< RL	0.1
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.01	< RL	0.1

Test No.:	T002				
Material No.:	M015				
Parameter	CAS No.	Unit	RL	Result	Limit (1, 2)
Benzylbutyl phthalate (BBP)	85-68-7	%	0.01	< RL	0.1
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.01	< RL	0.1
Dibutyl phthalate (DBP)	84-74-2	%	0.01	< RL	0.05
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	< RL	0.1
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.01	< RL	0.1



Test Report No.: 158224242c 001 Page 36 of 41

Test No.:			T003		
Material No.:	M016				
Parameter	CAS No.	Unit	RL	Result	Limit (1, 2)
Benzylbutyl phthalate (BBP)	85-68-7	%	0.01	< RL	0.1
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.01	< RL	0.1
Dibutyl phthalate (DBP)	84-74-2	%	0.01	< RL	0.05
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	< RL	0.1
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.01	< RL	0.1

Test No.:	T004				
Material No.:			M017		
Parameter	CAS No.	Unit	RL	Result	Limit (1, 2)
Benzylbutyl phthalate (BBP)	85-68-7	%	0.01	< RL	0.1
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.01	< RL	0.1
Dibutyl phthalate (DBP)	84-74-2	%	0.01	< RL	0.05
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	< RL	0.1
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.01	< RL	0.1

Test No.:	T005						
Material No.:		M021					
Parameter	CAS No.	Unit	RL	Result	Limit (1, 2)		
Benzylbutyl phthalate (BBP)	85-68-7	%	0.01	< RL	0.1		
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.01	< RL	0.1		
Dibutyl phthalate (DBP)	84-74-2	%	0.01	< RL	0.05		
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.01	< RL	0.1		
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.01	< RL	0.1		

Abbreviations:

< = Less than

RL = Reporting Limit

% = Percentage



Test Report No.: 158224242c 001 Page 37 of 41

Remarks:

- *1. If used as a plasticizer the following restrictions apply:
 - BBP, DINP, DIDP: Can be used as a) as a plasticizer in repeated use materials and articles or b) as a plasticizer in single-use materials and articles containing non-fatty foods except for infant formulae and follow-on formulae as defined by Directive 2006/141/EC or processed cereal-based foods and baby foods for infants and young children as defined by Directive 2006/125/EC
 - DEHP, DBP: Can be used as a plasticizer in repeated use materials and articles contacting non-fatty foods

Further limitations concerning the specific migration of the respective substance still apply.

- *2. If used as a technical support agent the total content limitation of the respective substance within the final product apply as indicated in the table above.
- *3. The examined items meet the requirement.



Test Report No.: 158224242c 001 Page 38 of 41


Plasticizer Name CAS No. Di-n-pentylphthalat (DnPP) 131-18-0 Benzylbutyl phthalate (BBP) 85-68-7 Diethylhexyl phthalate (DEHP) 117-81-7 Dibutyl phthalate (DBP) 84-74-2 Diisononyl phthalate (DINP) 28553-12-0, 68515-48-0 Edischer Berner 26761-40-0, 68515-49-1 Di-n-octylphthalat (DNOP) 117-84-0 Dimethylphthalat (DMP) 131-11-3 Diethylphthalat (DEP) 84-66-2 Butyl-i-butylphthalat 17851-53-5 Trimethylpentandiolisobutyrat (TXIB) 6846-50-0 Diisononyladipat (DINA) 33703-08-1 Acetyltributylcitrat (ATBC) 77-90-7 Diethylhexyladipat (DEHA) 103-23-1 Hexamoll® 166412-78-8 Mesamoll® 91082-17-6 Tri-penylphosphat 78-30-8 Tri-o-kresylphosphat 78-30-8 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN	Table 1: Screening List of Plasticizer			
Benzylbutyl phthalate (BBP) 85-68-7 Diethylhexyl phthalate (DEHP) 117-81-7 Dibutyl phthalate (DBP) 84-74-2 Diisononyl phthalate (DINP) 28553-12-0, 68515-48-0 Diisodecyl phthalate (DIDP) 26761-40-0, 68515-49-1 Di-n-octylphthalat (DNOP) 117-84-0 Dimethylphthalat (DEP) 84-66-2 Butyl-i-butylphthalat 17851-53-5 Trimethylpentandiolisobutyrat (TXIB) 6846-50-0 Diisononyladipat (DINA) 33703-08-1 Acetyltributylcitrat (ATBC) 77-90-7 Diethylhexyladipat (DEHA) 103-23-1 Hexamoll® 166412-78-8 Mesamoll® 91082-17-6 Tri-p-kresylphosphat 78-30-8 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Plasticizer Name	CAS No.		
Diethylhexyl phthalate (DEHP) 117-81-7 Dibutyl phthalate (DBP) 84-74-2 Diisononyl phthalate (DINP) 28553-12-0, 68515-48-0 Diisodecyl phthalate (DIDP) 26761-40-0, 68515-49-1 Di-n-octylphthalat (DNOP) 117-84-0 Dimethylphthalat (DEP) 84-66-2 Butyl-i-butylphthalat 17851-53-5 Trimethylpentandiolisobutyrat (TXIB) 6846-50-0 Diisononyladipat (DINA) 33703-08-1 Acetyltributylcitrat (ATBC) 77-90-7 Diethylhexyladipat (DEHA) 103-23-1 Hexamoll® 91082-17-6 Triphenylphosphat 115-86-6 Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Di-n-pentylphthalat (DnPP)	131-18-0		
Dibutyl phthalate (DBP) 84-74-2 Diisononyl phthalate (DINP) 28553-12-0, 68515-48-0 Diisodecyl phthalate (DIDP) 26761-40-0, 68515-49-1 Di-n-octylphthalat (DNOP) 117-84-0 Dimethylphthalat (DMP) 131-11-3 Diethylphthalat (DEP) 84-66-2 Butyl-i-butylphthalat 17851-53-5 Trimethylpentandiolisobutyrat (TXIB) 6846-50-0 Diisononyladipat (DINA) 33703-08-1 Acetyltributylcitrat (ATBC) 77-90-7 Diethylhexyladipat (DEHA) 103-23-1 Hexamoll® 91082-17-6 Triphenylphosphat 115-86-6 Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Benzylbutyl phthalate (BBP)	85-68-7		
Diisononyl phthalate (DINP) 28553-12-0, 68515-48-0 26761-40-0, 68515-49-1 Di-n-octylphthalat (DNOP) 117-84-0 Dimethylphthalat (DMP) 131-11-3 Diethylphthalat (DEP) 84-66-2 Butyl-i-butylphthalat 17851-53-5 Trimethylpentandiolisobutyrat (TXIB) 6846-50-0 Diisononyladipat (DINA) 33703-08-1 Acetyltributylcitrat (ATBC) 77-90-7 Diethylhexyladipat (DEHA) 103-23-1 Hexamoll® 166412-78-8 Mesamoll® 91082-17-6 Triphenylphosphat 115-86-6 Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Diethylhexyl phthalate (DEHP)	117-81-7		
Diisononyl phthalate (DINP) 68515-48-0 Diisodecyl phthalate (DIDP) 26761-40-0, 68515-49-1 Di-n-octylphthalat (DNOP) 117-84-0 Dimethylphthalat (DMP) 131-11-3 Diethylphthalat (DEP) 84-66-2 Butyl-i-butylphthalat 17851-53-5 Trimethylpentandiolisobutyrat (TXIB) 6846-50-0 Diisononyladipat (DINA) 33703-08-1 Acetyltributylcitrat (ATBC) 77-90-7 Diethylhexyladipat (DEHA) 103-23-1 Hexamoll® 166412-78-8 Mesamoll® 91082-17-6 Triphenylphosphat 78-30-8 Tri-m-kresylphosphat 78-30-8 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Dibutyl phthalate (DBP)	84-74-2		
Diisodecyl phthalate (DIDP) 26761-40-0, 68515-49-1	Diinanand mhabhalata (DINID)	28553-12-0,		
Diisodecyl phthalate (DIDP) Di-n-octylphthalat (DNOP) Dimethylphthalat (DMP) Diethylphthalat (DEP) Butyl-i-butylphthalat Trimethylpentandiolisobutyrat (TXIB) Diisononyladipat (DINA) Acetyltributylcitrat (ATBC) Diethylhexyladipat (DEHA) Hexamoll® Mesamoll® Tri-o-kresylphosphat Tri-o-kresylphosphat Tri-p-kresylphosphat Tri-p-kresylphosphat Di(propylen glycol) dibenzoat, DPGDB LG FLEX EBN 117-84-0 131-11-3 141	Dilsononyi pritnalate (DINP)	68515-48-0		
Di-n-octylphthalat (DNOP) Dimethylphthalat (DMP) Diethylphthalat (DEP) Butyl-i-butylphthalat Trimethylpentandiolisobutyrat (TXIB) Diisononyladipat (DINA) Acetyltributylcitrat (ATBC) Diethylhexyladipat (DEHA) Hexamoll® Mesamoll® Mesamoll® Tri-o-kresylphosphat Tri-m-kresylphosphat Tri-p-kresylphosphat Tri-p-kresylphosphat Di(propylen glycol) dibenzoat, DPGDB LG FLEX EBN 131-11-3 148-66-2 B4-66-2 B4-66-2 B4-66-2 B4-66-2 B4-66-2 B4-66-2 T7-90-7 D6446-50-0 T7-90-7 D103-23-1 Hexamoll® 91082-17-6 T15-86-6 Tri-o-kresylphosphat T8-30-8 Tri-m-kresylphosphat T8-30-8 Tri-p-kresylphosphat T8-32-0 Butylbenzoat Di(propylen glycol) dibenzoat, DPGDB Di(ethylen glycol) dibenzoat, DEGDB LG FLEX EBN 610787-77-4	Dijaadaayd shthalata (DIDD)	26761-40-0,		
Dimethylphthalat (DMP) Diethylphthalat (DEP) Butyl-i-butylphthalat Trimethylpentandiolisobutyrat (TXIB) Diisononyladipat (DINA) Acetyltributylcitrat (ATBC) Diethylhexyladipat (DEHA) Hexamoll® Mesamoll® Triphenylphosphat Tri-o-kresylphosphat Tri-m-kresylphosphat Tri-p-kresylphosphat Tri-p-kresylphosphat Di(propylen glycol) dibenzoat, DPGDB LG FLEX EBN 178-51-53-5 1784-66-2 178-61-2 178-61-2 178-61-3 178-61-3 178-61-3 178-31-4 178-61-3 178-31-4 178-61-3 178-31-4 178-61-3 178-31-4 178-61-3 178-31-4 178-61-3 178-31-4 178-61-3 178-31-4 178-61-3 178-31-4 178-61-3 178-31-4 178-61-3 178-61-3 178-61-7 178-61-3 178	Disodecyi pritrialate (DIDP)	68515-49-1		
Diethylphthalat (DEP) Butyl-i-butylphthalat Trimethylpentandiolisobutyrat (TXIB) Diisononyladipat (DINA) Acetyltributylcitrat (ATBC) Diethylhexyladipat (DEHA) Hexamoll® Mesamoll® Mesamoll® Tri-o-kresylphosphat Tri-o-kresylphosphat Tri-p-kresylphosphat Tri-p-kresylphosphat Di(propylen glycol) dibenzoat, DPGDB LG FLEX EBN 17851-53-5 17851-53-5 17851-53-5 178-30-8 103-23-1 115-86-6 115-86-6 115-86-6 115-86-6 116-60-7 136-60-7 136-60-7 136-60-7 136-60-7	Di-n-octylphthalat (DNOP)	117-84-0		
Butyl-i-butylphthalat 17851-53-5 Trimethylpentandiolisobutyrat (TXIB) 6846-50-0 Diisononyladipat (DINA) 33703-08-1 Acetyltributylcitrat (ATBC) 77-90-7 Diethylhexyladipat (DEHA) 103-23-1 Hexamoll® 166412-78-8 Mesamoll® 91082-17-6 Triphenylphosphat 115-86-6 Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Dimethylphthalat (DMP)	131-11-3		
Trimethylpentandiolisobutyrat (TXIB) 6846-50-0 Diisononyladipat (DINA) 33703-08-1 Acetyltributylcitrat (ATBC) 77-90-7 Diethylhexyladipat (DEHA) 103-23-1 Hexamoll® 166412-78-8 Mesamoll® 91082-17-6 Triphenylphosphat 115-86-6 Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Diethylphthalat (DEP)	84-66-2		
Diisononyladipat (DINA) Acetyltributylcitrat (ATBC) Diethylhexyladipat (DEHA) Hexamoll® Mesamoll® Mesamoll® Triphenylphosphat Tri-o-kresylphosphat Tri-m-kresylphosphat Tri-p-kresylphosphat Tri-p-kresylphosphat Tri-p-kresylphosphat Di(propylen glycol) dibenzoat, DPGDB LG FLEX EBN 137-90-7 103-23-1 104-27-8-8 115-86-6 78-30-8 78-30-8 78-30-8 136-60-7 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 120-55-8 LG FLEX EBN	Butyl-i-butylphthalat	17851-53-5		
Acetyltributylcitrat (ATBC) 77-90-7 Diethylhexyladipat (DEHA) 103-23-1 Hexamoll® 166412-78-8 Mesamoll® 91082-17-6 Triphenylphosphat 115-86-6 Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Trimethylpentandiolisobutyrat (TXIB)	6846-50-0		
Diethylhexyladipat (DEHA) 103-23-1 Hexamoll® 166412-78-8 Mesamoll® 91082-17-6 Triphenylphosphat 115-86-6 Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Diisononyladipat (DINA)	33703-08-1		
Hexamoll® 166412-78-8 Mesamoll® 91082-17-6 Triphenylphosphat 115-86-6 Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Acetyltributylcitrat (ATBC)	77-90-7		
Mesamoll® 91082-17-6 Triphenylphosphat 115-86-6 Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Diethylhexyladipat (DEHA)	103-23-1		
Triphenylphosphat 115-86-6 Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Hexamoll®	166412-78-8		
Tri-o-kresylphosphat 78-30-8 Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Mesamoll®	91082-17-6		
Tri-m-kresylphosphat 563-04-2 Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Triphenylphosphat	115-86-6		
Tri-p-kresylphosphat 78-32-0 Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Tri-o-kresylphosphat	78-30-8		
Butylbenzoat 136-60-7 Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Tri-m-kresylphosphat	563-04-2		
Di(propylen glycol) dibenzoat, DPGDB 27138-31-4 Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Tri-p-kresylphosphat	78-32-0		
Di(ethylen glycol) dibenzoat, DEGDB 120-55-8 LG FLEX EBN 610787-77-4	Butylbenzoat	136-60-7		
LG FLEX EBN 610787-77-4	Di(propylen glycol) dibenzoat, DPGDB	27138-31-4		
	Di(ethylen glycol) dibenzoat, DEGDB	120-55-8		
LG FLEX BET 610787-76-3	LG FLEX EBN	610787-77-4		
	LG FLEX BET	610787-76-3		
Tri(ethylhexyl)trimellitat, TOTM 3319-31-1	Tri(ethylhexyl)trimellitat, TOTM	3319-31-1		
2-Ethylhexyldiphenylphosphat 1241-94-7	2-Ethylhexyldiphenylphosphat	1241-94-7		
Di-iso-heptylphthalat, DIHeP	Di-iso-hentylphthalat DIHeP	90937-19-2,		
71888-89-6	Di 130 Hoptyiphthialat, Dil 161	71888-89-6		

Plasticizer Name	CAS No.	
Pentyl-iso-pentylphthalat	84777-06-0	
Bis-(2-methoxyethyl)phthalat	117-82-8	
Diethylhexylterephthalat (DEHT)	6422-86-2	
Di-(2-butoxyethyl)phthalat	117-83-9	
Diallylphthalat	131-17-9	
Dicyclohexylphthalat (DCP)	84-61-7	
Bis-(3,5,5-trimethylhexyl)phthalat	14103-61-8	
Dicapryladipat	108-63-4	
Di n hutulmalaat (DPM)	1190-39-2,	
Di-n-butylmaleat (DBM)	105-76-0	
Di-(2-ethylhexyl)maleat	142-16-5	
Butylstearat	123-95-5	
Dimethyladipat	627-93-0	
Dibutyladipat	105-99-7	
Diigo do ayla dinat	27178-16-1,	
Diisodecyladipat	27193-86-8	
Di(2-(2-butoxyethoxy)ethyl)adipat	141-17-3	
Bis(2-butoxyethyl)adipat	141-18-4	
Stearylstearat	2778-96-3	
Di-n-propylphthalat	131-16-8	
Di-n-hexylphthalat, DNHP	84-75-3	
Di-n-heptylphthalat	3648-21-3	
Di-n-nonylphthalat, DnNP	84-76-4	
Di-n-decylphthalat	84-77-5	
Di-n-undecylphthalat	91082-17-6	
Diisoundecylphthalat, DIUP	96507-86-7	
Di(2-propylheptyl)phthalat, DPHP	53306-54-0	
Diisooctylphthalat, DIOP	27554-26-3	
Diisobutylphthalat, DIBP	84-69-5	
Diisopentylphthalat DiPP	605-50-5	



Test Report No.: 158224242c 001 Page 39 of 41


Sample photos:







Test Report No.: 158224242c 001 Page 40 of 41


Sample photos:

















Test Report No.: 158224242c 001 Page 41 of 41

Sample photos:





- END -

General Terms and Conditions of Business of TÜV Rheinland in Greater China

1. Scope

- These General Terms and Conditions of Business of TÜV Rheinland in Greater China Insee Genera Terms and Condonor of business or TUV Rheinland in Teritatr China (CTGCB) is made between the client and one or more marble retitles of TUV Rheinland in Greater China as applicable as the case may be (TUV Rheinland). The Creater China hered reteles to Maintan China, thony Rong and Talwan. The client hered includes: (i) a natural person capable to form legally binding contracts under the applicable laws who concludes the contract not for the purpose of a daily use;

 - (ii) the incorporated or unincorporated entity duly organized, validly existing and capable to form legally binding contracts under the applicable law.
- 1.2 The following terms and conditions apply to agreed services including consultar information, deliveries and similar services as well as ancillary services and oth obligations provided within the scope of contract performance.
- Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TÜV Rheinland does not explicitly object to them.
- 1.4 In the context of an ongoing business relationship with the client, this GTCB shall also apply to future contracts with the client without TÜV Rheinland having to refer to them separately in each Individual case.

Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party.

Coming into effect and duration of contracts

- 3.1 The contract shall come into effect for the agreed terms upon the quotation letter of TÜV Rheinland or a separate contractual document being signed by both contracting parties, or upon the words requested by the client being carried out by TÜV Rheinland (if the client instructs TÜV Rheinland without receiving a quotation from TÜV Rheinland (quotation), TÜV Rheinland (s, in its sole discretion, emitted to accept the order by giving written notice of such acceptance (including notice sent via electronic means) or by performing the requested
- The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract.
- 3.3 If the contract provides for an extension of the contract term, the contract term will be extended by the term provided for in the contract unless terminated in writing by either party with a six-week notice prior to the end of the contractual term.

- The scope and type of the services to be provided by TÜV Rheinland shall be specified in the contractually agreed service scope of TÜV Rheinland by both parties. If no such separate service scope of TÜV Rheinland shall be written confirmation of order by TÜV Rheinland shall be decisive for the service to be provided.
- 4.2 The agreed services shall be performed in compliance with the regulations in force at the time the contract is entered into.
- 4.3 TÜV Rheinland is entitled to determine, in its sole discretion, the method and nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific procedure to be followed.
- 4.4 On execution of the work there shall be no simultaneous assumption of any guarantee of the correctness (proper quality) and working order of either tested or examined parts nor of the installation as a whole and its upstream and/or downstream processes, organisations, use and application in accordance with regulations, nor of the systems on which the installation is based. In particular, TUV Rheinland shall assume no responsibility for the construction, selection of materials and assembly of installations examined, nor for their use and application in accordance with regulations, unless these questions are expressly overed by the contract.
- In the case of inspection work, TÜV Rheinland shall not be responsible for the accuracy or checking of the safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing.
- If mandatory legal regulations and standards or official requirements for the agree scope change after conclusion of the contract, with a written notice to the clir Rheinland shall be entitled to additional remuneration for resulting additional expenses.
- 4.7The services to be provided by TÜV Rheinland under the contract are agreed exclusively with the client. A contract of third parties with the services of TÜV Rheinland, as well as making available of and justifying confidence in the work results (test reports, tet results, expert reports, etc.) is not part of the agreed services. This also applies if the clent passes on work results in full or in extracts to third parties in accordance with clause 11.4.

- The contractually agreed periods/dates of performance are based on estimates of the work involved which are prepared in line with the details provided by the client. They shall only be binding if being confirmed as binding by TÜV Rheinland in writing.
- If binding periods of performance have been agreed, these periods shall not commence until the client has submitted all required documents to $T\bar{U}V$ Rheinland.
- 5.3 Articles 5.1 and 5.2 also apply, even without express approval by the client, to all extensions of agreed periods/dates of performance not caused by TÜV Rheinland.
- 5.4TÜV Rheinland is not responsible for a delay in performance, in particular if the client has not fulfilled his duties to cooperate in accordance with clause 6.1 or has not done so in time and, in particular, has not provided TÜV Rheinland with all documents and information required for the performance of the service as specified in the contract.
- 5.5If the performance of TÜV Rheinland is delayed due to unforeseeable circumstances such as force majeure, strikes, business disruptions, governmental regulations, transport obstacles, etc., TÜV Rheinland is entitled to postpore performance for a reasonable period of time which corresponds at least to the duration of the hindrance plus any time period which may be required to resumeperformance.

6. The client's obligation to cooperate

- 6.1 The client shall guarantee that all cooperation required on its part, its agents or third parties will be provided in good time and at no cost to TÜV Rheinland.
- 6.2 Design documents, supplies, auxiliary staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with legal provisions, standards, safely regulations and accident prevention instructions. And the client represents and warrants that:
 - a) it has required statutory qualifications;
 - b) the product, service or management system to be certified complies with applicable laws and
 - it doesn't have any illegal and dishonest behaviours or is not included in the list of Enterprises with Serious Illegal and Dishonest Acts of People's Republic of China.
 - If the client breaches the aforesaid representations and warranties, TÜV Rheinland is entitled to i) immediately terminate the contract/order without prior notice; and ii) withdraw the issued testing report/certificates if any.
- The client shall bear any additional cost incurred on account of work having to be redone or being delayed as a result of late, incorrect or incomplete information provided by or lack of proper cooperation from the cli

- 7.1 If the scope of performance is not laid down in writing when the order is placed, invoicing shall be based on costs actually incurred. If no price is agreed in writing, invoicing shall be made in accordance with the price list of TUV Rheinland valid at the time of performance.
- 7.2 Unless otherwise agreed, work shall be invoiced according to the progress of the work.
- 7.3 If the execution of an order extends over more than one month and the value of the contract or the agreed fixed price exceeds e2,500.00 or equivalent value in local currency, TÜV Rheinland may demand payments on account or in instalments.

- 8.1 All invoice amounts shall be due for payment without deduction on receipt of the invoice. No discounts and rebates shall be granted.
- Payments shall be made to the bank account of $T\bar{U}V$ Rheinland as indicated on the invoice, stating the invoice and client numbers.
- 8.3 In cases of default of payment, TÜV Rheinland shall be entitled to claim default interest at the applicable short term loan interest rate publicly announced by a reputable commercial bank in the country where TÜV Rheinland is located. At the same time, TÜV Rheinland reserves the right to claim further damages.
- 8.4 Should the client default in payment of the invoice despite being granted a reasonable grace period, TUV Rheinland shall be entitled to cancel the contract, withdraw the certificate, claim damages for non-performance and refuse to continue performance of the contract.
- The provisions set forth in article 8.4 shall also apply in cases involving returned cheque cessation of payment, commencement of insolvency proceedings against the client's assets cases in which the commencement of insolvency proceedings has been dismissed due to la

- 8.6 Objections to the invoices of TÜV Rheinland shall be submitted in writing within two wereceipt of the invoice.
- 8.7 TÜV Rheinland shall be entitled to demand appropriate advance payments
- TUV Rheinland shall be entitled to demand appropriate advancepsyments.

 TUV Rheinland shall be entitled to orise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TUV Rheinland shall notify the client in writing of the rise in fees. This notification shall be issued one morth prior to the date on which the rise in fees shall come into effect (period of notice of changes in fees). If the rise in fees remains under 6% per contractual year, the client shall be entitled to terminate the contract. If the rise in fees exceeds 5% per contractual year, the client shall be entitled to terminate the contract by the end of the period of notice of changes in fees. If the contract is not terminated, the changed fees shall be deemed to have been agreed upon by the time of the explicit of notice period.
- 8.9 Only legally established and undisputed claims may be offset against claims by TÜV Rheinland

9. Acceptance of work

- Any part of the work result ordered which is complete in itself may be presented by $T\bar{U}V$ Rheinland for acceptance as an instalment. The client shall be obliged to accept it immediately.
- 9.2 If acceptance is required or contractually agreed in an individual case, this shall be deemed to have taken place two (2) weeks after completion and handover of the work, unless the client refuses acceptance within this period stating at least one fundmental breach of contract by TUV Rhenitand.
- 9.3 The client is not entitled to refuse acceptance due to insignificant breach of contract by TÜV
- 9.4 If acceptance is excluded according to the nature of the work performance of TÜV Rheinland, the completion of the work shall take its place.
- the competition of the work shall take its place.

 9.5 If the client was unable to make use of the time windows provided for within the scope of a certification procedure for auditing/performance by TÜV Rheinland and the certificate is therefore to be withdrawn (e.g. performance of surveillance audits), TÜV Rheinland is entitled to immediately charge a lump-sum compensation of 10% of the order amount as compensation for expenses. The client reserves the right to prove that the TÜV Rheinland has incurred no damage withstower or only a considerably lower damage than the above lump sum.
- 9.6 Insofar as the client has undertaken in the contract to accept services, TÜV Rheinland shall also be entitled to charge lump-sum damages in the amount of 10% of the order amount as compensation for expenses if the service is not called within one year after the order has been placed. The client reserves the right to prove that the TÜV Rheinland has incurred no damage whatsoever or only a considerably lower damage than the above mentioned tump surplements.

- 10.1 For the purpose of these terms and conditions, "confidential information" means all information, documents, images, drawings, know-how, data, samples and project documentation which one party (the "disclosing party") hands over, transfers or otherwise discloses to the other party (the "receiving party"), and the confidential information created during performance of work by TUV. Rheinland, including product testing data, defects, conformly to the technical standard and related reports. Confidential information also includes paper copies and electronic copies of such formation. Confidential information is expressly not the data and know-how collected, compiled or otherwise obtained by TÜV. Rheinland.
 - or unraws obtained by 1 or knemland (non-personal) within the scope of the provision of services by TÜV Rheinland. TÜV Rheinland is entitled to store, use, further develop and pass on the data obtained in connection with the provision of services for the purposes of developing new services, improving services and analysing the provision of services.
- 10.2 The disclosing party shall mark all confidential information disclosed in written form as confidential before passing it onto the receiving party. The same applies to confidential information is disclosed orally, the receiving party shall be appropriately informed in advance and the disclosing party shall confirm in writt the confidentially nature of the information within the working days of oral disclosure. Where it disclosing party shall to only one information within the working days of oral disclosure. Where it disclosing party fails to do so within the stipulated period, the receiving party shall not take any confidentiality obligations hereunder towards such information.
- 10.3 All confidential information which the disclosing party transmits or otherwise disclosing perty party and which is created during performance of work by TÜVRheinland:
 - a) may only be used by the receiving party for the purposes of performing the contract, unless expressly otherwise agreed in writing by the disclosing party;
- b) may not be copied, distributed, published or otherwise disclosed by the receiving party, unless this is necessary for fulfilling the purpose of the contract or TÜV Rheinland is required to pass on confidential information, inspection reports or documentation to the government authorities, judicial court, accreditation bodies or third parties that are involved in the performance of the contract;
- c) must be treated by the receiving party with the same level of confide party uses to protect its own confidential information, but never with confidentiality than that which is reasonably required.
- The receiving party may disclose any confidential information received from the disclosing party only to those of its employees who need this information to perform the services required for the contract. The receiving party undertakes to oblige these employees to observe the same level of secrecy as set forth in this confidentiality clause.
- 10.5 Information for which the receiving party can furnish proof that:
 - a) it was generally known at the time of disclosure or has become general knowledge without violation of this confidentiality clause by the receiving party; or b) it was disclosed to the receiving party by a third party entitled to disclose this information; or
 - c) the receiving party already possessed this information prior to disclosure by the disclosing
 - d) the receiving party developed it itself, irrespective of disclosure by the disclosing party, shall not be deemed to constitute "confidential information" as defined in this confidentiality clause.
- to element to constitute continential information as centreine of intercontinentally clause.

 16. All confidential information shall remain the property of the discosing party. The receiving party hereby agrees to immediately (i) return all confidential information, including all copies, to the discosing party, and/or (ii) or request by the discosing party, to destry all confidential information, including all copies, and confirm the destruction of this confidential information to the discosing party in writing, at any time if so requested by the discosing party by at the latest and without special request after termination or expiry of the contract. This does not extend to include reports and certificates repeared for the client solely for the purpose of fullifling the obligations under the contract, which shall remain with the client. However, TÜV Rheinland is entitled to make file occipies of such reports, certificates and confidential information that forms the basis for preparing these reports and certificates in order to evidence the correctness of its results and for general documentation numerous remained in the requestion and certificates in the remaining the requestion and certificates in order to evidence the correctness of its results and for general documentation numerous remained in the remaining and the rema results and for general documentation purposes required by laws, regulations and the requirements of working procedures of TÜV Rheinland.
- 10.7 From the start of the contract and for a period of three years after termination or expiry of the contract, the receiving party shall maintain strict secrecy of all confidential information and shall not disclose this information to any third parties or use it for itself.

11. Copyrights and rights of use, publications

- TÜV Rheinland shall retain all exclusive copyrights in the reports, expert reports/opinions, test reports/results, results, calculations, presentations etc. prepared by TÜV Rheinland, unless otherwise agreed by the parties in a separate agreement. As the owner of the copyrights, TÜV Rheinland is free to grant others the right to use the work results for individual or all types of use (right of use).
- 11.2 The client receives a simple, unlimited, non-transferable, non-sublicensable right of use to the contents of the work results produced within the scope of the contract, unless otherwise agreed by the parties in a separate agreement. The client may only use such reports, epident reports-opinions, step if epotations, results calculations, presentations etc. prepared within the scope of the contract for the contractually agreed purpose.
- 11.3 The transfer of right of use of the generated work results regulated in clause 11.2. of the GTCB is subject to full payment of the remuneration agreed in favour of TÜV Rheinland.
- 11.4 The client may use work results only complete and unshortened. The client may only pass on the work results in full unless TÜV Rheinland has given its prior written consent to the partial passing on of work results.
- 11.5 Any publication or duplication of the work results for advertising purposes or any further use of the work results beyond the scope regulated in clause 11.2 needs the prior written approval of TUV Rheinland in each individual case.
- 11.6 TÜV Rheinland may revoke a once given approval according to clause 11.5 at any time without stating reasons. In this case, the client is obliged to stop the transfer of the work results immediately at his own expense and, as far as possible, to withdraw publications.
- 11.7 The consent of TÜV Rheinland to publication or duplication of the work results does not entitle the client to use the corporate logo, corporate design or test/certification mark of TÜV Rheinland.

12. Liability of TÜV Rheinland

12.1 Irrespective of the legal basis, to the fullest extent permitted by applicable law, in the event of a breach of contractual obligations or tort, the liability of TUV Rheinland for all damages, losses and reimbursement of expenses caused by TUV Rheinland, its legal representatives and/or employees shall be limited to: (i) in the case of a contract with a fixed overall fee, three times the overall fee for the entire contract; (ii) in the case of a contract or annual recurring services, the agreed annural free; (iii) in the case of a contract expressly charged on a time and material basis, a maximum of 20,000 Euror or equivalent amount in local currency; and (iv) in the case of a framework agreement that provides for the possibility of placing individual

- orders, three times of the fee for the individual order under which the damages or losses have occurred. Notwithstanding the above, in the event that he total and accumulated liability calculated excording to the foregoing provisions exceeds 2.5 Million Euro or equivalent amount in local currency, the total and accumulated liability of TUV Rheinland shall be only limited to and shall not exceed the said 2.5 Million Euro or equivalent amount in local currency.
- 12.2 The limitation of liability according to article 12.1 above shall not apply to damages and/or losses caused by mailce, intent or gross negligence on the part of TÜV Rheinland or its vicarious agents. Such limitation shall not apply to damages for a person's death, physical injury or illness.
- 12.3 In cases involving a fundamental breach of contract, TÜV Rheinland will be liable even where minor negligence is involved. For this purpose, a "fundamental breach" is breach of a material contractual chilgation, the performance of which permits the due performance of the contract shall be limited to the amount of damages reasonably foreseen as a possible consequence of such breach of contract at the time of the breach (reasonably foreseeable damages), unless any of the circumstances described in article. breach (reas: 12.2 applies.
- TÜV Rheinland shall not be liable for the acts of the personnel made available by the cis support TÜV Rheinland in the performance of its services under the contract, unless personnel made available is regarded as viacrious agent of TÜV Rheinland. If TÜV Rheinland not liable for the acts of the personnel made available by the client under the foregoing pro-the client shall indermity TÜV Rheinland against any claims made by third parties arising fr in connection with such personnel's acts.
- 12.5 Unless otherwise contractually agreed in writing, TÜV Rheinland shall only be liable under the contract to the client.
- 12.6 The limitation periods for claims for damages shall be based on statutory provisions.
- 12.7 None of the provisions of this article 12 changes the burden of proof to the disadvantage of the

13. Export control

- 13.1When passing on the services provided by TÜV Rheinland or parts thereof to third parties in Greater China or other regions, the client must comply with the respectively applicable regulations of national and international export control law.
- 13.2The performance of a contract with the client is subject to the proviso that there are no obstacles to performance due to national or international foreign trade legislations or embargos and/or sanctions. In the event of a violation, TÜV Rheinland shall be entitled to terminate the contract with immediate effect and the client shall compensate for the losses incured thereof by TÜV

14. Data protection notice

Data protection notice
TÜV Rheinland processes personal data of the client for the purpose of fulfilling this contract. In addition, TÜV Rheinland also processes the data for other legal purposes in accordance with the relevant legal basis. The personal data of the client will only be disclosed to other natural or legal personal data of the client will only be disclosed to other natural or legal personal data of the client will only be disclosed to other natural or legal personal data of the client will endeath or mentioned as one as a corresponding teach or location arises. Data subjects may exercise the following rights: right of Information right of rectification, right of election, right of the processing in the client or legal personal data by time with refer to the future, as well as the right to file a complaint with the competent data protection supervisory authority. For further details on the processing of personal data by TÜV Rheinland as the person responsible or contract processor, please refer to the respective data protection information. You can contact the Group Data Protection Officer of TÜV Rheinland AG, c'o Group Data Protection Officer, Am Grauen Stein, 51105 Cologne, Germany.

15. Test material: transport risk and storage

- 15.1The risk and costs for freight and transport of documents or test material to and from TÜV Rheinland as well as the costs of necessary disposal measures shall be borne by the client.
- 15.2Any destroyed and otherwise worthless test material will be disposed of by TÜV Rheinland for the client at the expense of the client, unless otherwise agreed.
- 15.3Undamaged test material shall be stored by TÜV Rheinland for four (4) weeks after completion of the test. If a longer storage period is desired, TÜV Rheinland charges an appropriate storage fee.
- 15.4After the expiry of the 4 weeks or any longer period agreed upon, the test material will be disposed of by TÜV Rheinland for the client for a fee in accordance with clause 15.2.

16. Termination of the contract

- 16.1 Notwithstanding clause 3.3 of the GTCB, TÜV Rheinland and the client are entitled to terminate the contract in its entirely or, in the case of services combined in one contract, each of the combined parts of the contract Individually and independently of the contrinuation of the remaining services with six (6) months' notice to the end of the contractually agreed term.
- 16.2For good causes, TÜV Rheinland may consider giving a written notice to the client to termin contract which includes but not limited to the following:
- a) the client does not immediately notify TÜV Rheinland of changes in the conditions within the company which are relevant for certification or signs of such changes;
- b) the client misuses the certificate or certification mark or uses it in violation of the contract;
- c) in the event of several consecutive delays in payment (at least three times);
- d) a substantial deterioration of the financial circumstances of the client occurs and as a result the payment claims of TÜV Rheinland under the contract are considerably endangered and TÜV Rheinland cannot reasonably be expected to continue the contractual relationship.
- 16.3in the event of termination with written notice by TÜV Rheinland for good cause, TÜVRheinland shall be entitled to a lump-sum claim for damages against the client if the conditions of a claim for damages exist. In this case, the client shall over 15% of the remuneration to be paid until the end of the fixed contract term as lump-sum compensation. The cleint reserves the right to prove that there is no damage or a considerably lower damage, TÜV Rheinland reserves the right to prove a considerably higher damage in individual case.
- 16.4TÜV Rheinland is also entitled to terminate the contract with written notice if the client has not been able to make use of the time windows for auditing /service provision provided by TÜV Rheinland within the scope of a certification procedure and the certificate therefore has to be withdrawn (for example during the performance of monitoring audits). Clause 16.3 applies accordingly.

17. Partial invalidity, written form, place of jurisdiction and dispute resolution

- 17.1 All amendments and supplements must be in writing in order to be effective. This also applies to amendments and supplements to this clause 17.1.
- Should one or several of the provisions under the contract and/or these terms and conditions be or become ineffective, the contracting parties shall replace the invalid provision with a legally valid provision that comes closest to the content of the invalid provision in legal and commercial terms.
- 17.3 Unless otherwise stipulated in the contract, the governing law of the contract and these terms and conditions shall be chosen following the rules as below:
 - a) if TÜV Rheinland in question is legally registered and existing in the People's Republic of China, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of the People's Republic of China.
 - b) if TÜV Rheinland in question is legally registered and existing in Taiwan, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Taiwan. $_{\rm c}$ if TÜV Rheinland in question is legally registered and existing in Hong Kong, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Hong Kong.
- Any dispute in connection with the contract and these terms and conditions or the execution thereof shall be settled friendly through negotiations.
- Unless otherwise stipulated in the contract, if no settlement or no agreement in respect of the extension of the negotiation period can be reached within two months of the arising of the dispute, the dispute shall be submitted:
- in the case of TÜV Rheinland in question being legally registered and existing in the People's Republic of China, to China International Economic and Trade Arbitration Commission (GIETAC) to be settled by arbitration under the Arbitration Rules of CIETAC in force when the arbitration is submitted. The arbitration shall take place in Beijing, Shanghai, Shenzhen or Chongqing as appropriately Arbitration Shall stake place in Beijing, Shanghai, Shenzhen or Chongqing as appropriately Arbitration Shall stake place in Beijing, Shanghai, Shenzhen or Chongqing as
- b) in the case of TÜV Rheinland in question being legally registered and existing in Taiwan, to Chinese Arbitration Association Taipei Branch to be arbitrated in accordance with its then current Rules of Arbitration. The arbitration shall take place in Taipei.
- e) in the case of TÜV Rheinland being legally registered and existing in Hong Kong, to Hong Kong International Arbitration Centre (HKIAC) to be settled by arbitration under the HKIAC Administered Arbitration Rules in force when the Notice of Arbitration is submitted in accordance with these rules. The arbitration shall take place in Hong Kong.
- The decision of the relevant arbitration tribunal shall be final and binding on both parties. The arbitration fee shall be borne by the losing party.