3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273

info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #AU-SC-000100

S00521818

Sample ID: 2108PSI0269.10048

Strain: N/A

Matrix: Concentrates & Extracts Type: Other

METRC Batch ID:

METRC Sample:

Produced:

Date Received: 08/25/2021 Completed: 09/01/2021

Sample Size: -; Batch: -

Pure Biologix

Lic.# 977 Irvin St

\$00521818 S050100L

10048

= PSI LABS

Plymouth, MI 48170

Cannabinoids



1,144.06

Total THC (mg/unit) Total CBD (mg/unit)

Testing Method: HPLC-DAD / SOP - PSIMTDA Date Tested: 08/27/2021 1 Unit = 50 mL, 45.58g

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
THCa	13.67	ND	ND
Δ9-ΤΗС	13.67	ND	ND
Δ8-ΤΗС	13.67	ND	ND
THCVa	13.67	ND	ND
THCV	13.67	ND	ND
CBDa	13.67	ND	ND
CBD	13.67	1144.06	25.10
CBDV	54.70	ND	ND
CBN	54.70	ND	ND
CBGa	13.67	ND	ND
CBG	13.67	ND	ND
CBC	13.67	ND	ND
T. 4.1		444407	05.40

 $\begin{tabular}{ll} \textbf{Total} & \textbf{1144.06} \\ \textbf{Total} & \textbf{THC} = \textbf{THCa} * 0.877 + \Delta 9 - \textbf{THC}; & \textbf{Total} & \textbf{CBD} = \textbf{CBDa} * 0.877 + \textbf{CBD} \\ \textbf{LOQ} = \textbf{Limit} & \textbf{of Quantitation, ND} = \textbf{Not Detected}; & \textbf{Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.} \end{tabular}$

Safety

Foreign Matter Visual Exam / SOP - PSIMTDF Pass















3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273 info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #AU-SC-000100

S00521818

Sample ID: 2108PSI0269.10048 Strain: N/A

Matrix: Concentrates & Extracts
Type: Other

METRC Batch ID:

METRC Sample:


Produced: Date Received: 08/25/2021

Completed: 09/01/2021 Sample Size: -; Batch: - Pure Biologix

Lic. # 977 Irvin St Plymouth, MI 48170

Foreign Matter Pass









Notes:

Date Tested: Testing Method: Visual Exam / SOP - PSIMTDF







f t.m

Lev Spivak-Birndorf CSO



