SAFETY DATA SHEET



Issue Date 26-Jan-2015

Revision Date 09-Sep-2014

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name

HYPAR FG-15

340279

None

Other means of identification Product code: Synonyms

Recommended use of the chemical and restrictions on useRecommended UseLubricant.Uses advised againstNo information available

Details of the supplier of the safety data sheet Supplier Address Summit Industrial Products 9010 County Road 2120 Tyler, Texas 75707 Phone: (903) 534-8021 Fax: (903) 581-4376

Emergency telephone number Emergency Telephone

CHEMTREC: 1-800-424-9300; INTERNATIONAL: (703) 527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Aspiration toxicity Category 1


Label elements

EMERGENCY OVERVIEW

Signal word Danger

Hazard statements

May be fatal if swallowed and enters airways



Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do not induce vomiting

Precautionary Statements - Storage Store locked up Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)_ Other information_

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Components	CAS-No	Weight %	Trade Secret
Oil, Technical White Mineral	8042-47-5	70-100	*

4. FIRST AID MEASURES

First aid measures

Eye contact:	Flush eye with water for 15 minutes. If symptoms persist, call a physician.
Skin contact:	Wash off immediately with soap and plenty of water.
Inhalation:	In the case of inhalation of aerosol/mist consult a physician if necessary. Move to fresh air.
Ingestion:	Drink 1 or 2 glasses of water. Do not induce vomiting. Risk of product entering the lungs on vomiting after ingestion. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Carbon dioxide (CO2). Dry chemical. Water spray mist or foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire <u>Specific hazards arising from the chemical</u> Keep product and empty container away from heat and sources of ignition. Water may be used to cool closed containers.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for firefighters:

In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions:

Contaminated surfaces will be extremely slippery. Use personal protective equipment. Remove all sources of ignition.

Environmental precautions

Environmental precautions: Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up:	Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.	

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Spilling onto the container's outside will make container slippery. Avoid contact with eyes and skin. Always replace cap after use.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers dry and tightly closed to avoid moisture absorption and contamination

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Contains mineral oil, vegetable oil, and/or synthetic oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg/m³, ACGIH STEL of 10 mg/m³.

Components	ACGIH TLV	OSHA (TWA mg/m ³):	IDLH:
Oil, Technical White Mineral - 8042-47-5	5 mg/m 3 (oil mist)	5 (oil mist)	

Appropriate engineering controls

Engineering measures to reduce Ensure adequate ventilation, especially in confined areas. **exposure:**

Individual protection measures, such as personal protective equipment

Respiratory protection:	Breathing apparatus needed only when aerosol or mist is formed.
Hand protection:	Nitrile rubber
Eye protection:	Safety glasses
Skin and body protection:	Usual safety precautions while handling the product will provide adequate protection
General Hygiene Considerations	against this potential effect Avoid contact with skin, eyes and clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance (•	Odor Mild Hydrocarbon-like	Color Light ye	llow	Odor thresholdNo information available
<u>Property</u> Melting point/freezing point	<u>Values</u> No information available	Remarks • Method	pH Boiling point / boiling range	Not applicable No information available	
Flash point Flammability (solid, gas)	> 204 °C / > 400 °F No information available	Cleveland Open Cup	Evaporation rate Flammability Limit in Air	No information available	

Upper flammability limit:No information availableVaporNo information availableSpecific< 0.9GravitySolubility in other solventsSolubility in temperatureNo information availableAutoignition temperatureNo information availableKinematic viscosityapprox. 15.4 viscosityCther information	No information available No information available	Water solubility Partition coefficient	No information available No information available Insoluble in water No information available No information available No information available
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available No information available No information available No information available		
	10. STABILITY	AND REACTI	VITY
<u>Reactivity</u> Not applicable			
Chemical stability			
Stability Possibility of Hazardous Reactions	Stable under recommend	led storage cond	itions.
Possibility of Hazardous	None under normal proce	essing.	
Reactions Hazardous polymerization	Hazardous polymerization does not occur.		
Conditions to avoid			
Conditions to avoid Hazardous Decomposition Product	No special storage condi <u>s</u>	tions required	
Hazardous Decomposition Products Incompatible materials	Thermal decomposition of	can lead to releas	se of irritating gases and vapors
Incompatible materials	Oxidising agents		

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information	
Eye contact	May cause slight irritation.	
Skin contact	Substance may cause slight skin irritation.	
Inhalation	Avoid breathing vapors or mists.	
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Potential for aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis.	

Components	Oral LD50	Dermal LD50	Inhalation LC50
Oil, Technical White Mineral - 8042-47-5	> 5000 mg/kg (Rat)	-	= 2062 ppm (Rat) 4 h

Information on toxicological effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Mutagenic effects: Carcinogenicity	No sensitization responses were observed. Did not show mutagenic or teratogenic effects in animal experiments. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
STOT - Single Exposure	None under normal use conditions.
STOT - Repeated Exposure	None under normal use conditions.
Aspiration hazard	May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	5086 mg/kg
ATEmix (dermal)	2034 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

No known hazards to the aquatic environment.

0.00099% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Oil, Technical White Mineral - 8042-47-5		
Algae/aquatic plants -		
Fish 10000: 96 h Lepomis macrochirus mg/L LC50		
Crustacea	-	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

The product is insoluble and floats on water.

Components	Partition coefficient
Oil, Technical White Mineral - 8042-47-5	>6

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

14. TRANSPORT INFORMATION

DOT

15. REGULATORY INFORMATION

International Inventories	
TSCA:	Listed in TSCA
DSL:	All of the components in this product are listed in DSL
EINECS/ELINCS	This product complies with EINECS/ELINCS
CHINA:	This product complies with China IECSC.
KECL:	This product complies with Korea KECL.
PICCS:	This product complies with Philippines PICCS.
AICS:	All the constituents of this material are listed on the Australian AICS

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

Federal Regulations

International Inventorias

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

State Regulations (RTK)

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

			PARTK:
-,	tance no. 1437 Listed. tance no. 4004 Listed.	Listed	Listed

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

Nfpa: Health: 1 Flammability: 1 Instability 0 NFPA/HMIS * for Carc, Muta, Tera, Specific Organ * <u>HMIS health rating:</u> Health: 2 Flammability: 1 Physical hazards 0 Personal protection B

Issue Date	26-Jan-2015
Revision Date	09-Sep-2014
Revision Note	
Not applicable	
Disclaimer	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet