# **Excisi()**n<sup>®</sup>

Dependable Precision

Heavy Duty Industrial Clamps

# Introducing the **EXCISION** FX Xtreme Clamp

#### XTREME FORCE - LESS EFFORT

- ✓ Lifetime guarantee
- ✓ Patented Design improved performance through innovation
- Maximised efficiency and outstanding durability



 Internal ball bearing mechanism - no resistance for optimal performance



- ✓ Totally sealed longer tool life
- ✓ Permanent lubrication lifetime guarantee
- ✓ Trapezoidal thread increased efficiency



✓ Hardened steel bar brake for a braking system of total confidence.

MADE IN SPAIN

2

# See page 3 for full range of sizes.





#### **FX Xtreme Clamps**

- ✓ Powerful clamping force with less effort
- ✓ High precision clamping
- ✓ Trapezoidal thread
- ✓ Totally sealed and permanently lubricated
- ✓ Suited to all environments and applications including welding, working with fluids, humid or salty atmosphere
- ✓ Hardened steel bar brake









Solid Bar (a - mm)	Bar Opening (b - mm)	Jaw Depth (c - mm)	Clamping Force (kg)	Part No.
30 x 8	200	95	800	321200095
30 x 8	300	95	800	321300095
35 x 8	200	120	1200	321200120
35 x 8	300	120	1200	321300120
35 x 8	400	120	1200	321400120
35 x 8	600	120	1200	321600120
35 x 8	800	120	1200	321800120
35 x 8	1000	120	1200	3211000120
35 x 8	1200	120	1200	3211200120
40 x 10	400	140	1800	321400140
40 x 10	600	140	1800	321600140







Solid Bar (a - mm)	Bar Opening (b - mm)	Jaw Depth (c - mm)	Clamping Force (kg)	Part No.
35 x 8	300	120	1000	322300
35 x 8	500	120	1000	322500





4

#### LX Lever Clamp

- ✓ Powerful clamping with less effort
- ✓ Quick locking, eccentric lever action with easy release trigger
- High precision clamping
- Suited to all environments and applications including welding, outdoor or gluing
- Hardened steel bar brake
- 🖌 Made in Spain

MADE IN SPAIN





Solid Bar (a - mm)	Bar Opening (b - mm)	Jaw Depth (c - mm)	Clamping Force (kg)	Part No.
35 x 8	400	120	1000	323400
35 x 8	600	120	1000	323600








#### **VX Super Vice Clamp**

- ✓ Maximal clamping force with double hardened steel bar brakes for guaranteed non-slip clamping
- ✓ Ideal for larger work where higher pressure is required
- ✓ Extra Heavy Duty steel bar
- ✓ Made in Spain


MADE IN SPAIN



Bar Profile (mm)	Bar Opening (a - mm)	Jaws (Lxh - mm)	Clamping Force (kg)	Part No.
80 x 42	1500	110 x 80	2000	3251500
80 x 42	2000	110 x 80	2000	3252000
80 x 42	2500	110 x 80	2000	3252500







To adjust sliding jaw position: 1. Lift handle to tilt forward

- 2. Slide the jaw to the desired position



#### Trestles for VX Super Vice Clamps Part No. 325001

Ideal for on-site applications800mm height x 600mm wide





#### Magnetic Jaw Attachments Part No. 321001

- ✓ Magnetic jaws for non-parallel clamping applications such as tube
- ✓ Swivel for difficult angles and applications
- ✓ For use with the FX Xtreme clamps



MADE IN SPAIN









Dependable Precision

T 1800 633 448 F 03 5571 1944 E sales@excision.com.au A 35 Peck Street, Hamilton VIC 3300 P PO Box 807, Hamilton VIC 3300 W excision.com.au

Your distributor: