



Bio-Repellent Scientific Industries

The Ultimate Pest Control Solutions

Battle-Tested Worldwide | 100% Non-Toxic Ingredients | EPA-Registered Products

DETOUR GEL FOR RATS

**FOR USE ONLY IN RODENT CONTROL BY PROFESSIONAL OPERATORS FOR
INTERNAL AND EXTERNAL USE**

Contains: .0357% Capsaicin

NOT FOR SALE OR SUPPLY: FOR USE BY PROFESSIONAL PEST CONTROL OPERATORS

DIRECTIONS FOR USE

FOR USE ONLY IN RODENT CONTROL PROGRAMS

Wear gloves and any other suitable personal protective equipment. Apply as a thick smear to entrance holes and runs (pipes, girders, etc.) sufficient to ensure that rodents are unable to avoid it. Gel must be placed only in situations where there is no ready access to occupants (in wall cavities and under floors). Gelled locations should be protected from the prevailing weather and from access to non-target species, particularly children and domesticated animals. Inspect at appropriate intervals and replenish as necessary. May be applied in conjunction with trapping equipment as well.

PRECAUTIONS

USE AS DIRECTED. READ ALL INSTRUCTIONS BEFORE USE

To avoid risks to man and the environment, comply with the instructions for use. Prevent access to get by children, birds, and non-target animals (particularly dogs, cats, pigs and poultry).

WASH HANDS AND EXPOSED SKIN before meals and after use. Do not place where food, feed, or water could become contaminated. Keep container tightly closed. Keep only in the original container.

KEEP IN A SAFE PLACE. Keep out of the reach of children. In case of accident or if you do not feel well seek professional medical advice immediately (show the label if possible). Keep away from food, drink and animal feeding stuffs. Avoid all contact by mouth. This material and its container must be disposed of according to proper waste segregation and disposal procedures for pesticides.

**READ ALL PRECAUTIONS BEFORE USE
STORE IN A COOL, DRY PLACE. PROTECT FROM FROST**

DETOUR GEL FOR RATS: USAGE PROTOCOL

This product come in a 10-ounce tube and should be applied with a standard caulking gun.

DETOUR GEL FOR RATS works by modifying rodent behavior so they leave the vicinity where the product has been applied.

DETOUR GEL FOR RATS is the first rodent control product that uses rodents as part of the delivery system carrying the product back to the harborage sites.


During the first 1-3 days after application, the rodents flight response is triggered, and they attempt to leave the area using urine and odor trails in conjunction with a kinesthetic response. This means rodents may be seen more frequently for this short period in areas where the product has been applied.

During this period, the rodent will be sufficiently disoriented and distracted to a point where any learned behavior such as bait shyness and trap shyness are compromised. **DETOUR GEL FOR RATS** elicits a stress response that makes the rodent vulnerable enhancing rodent trapping programs and, therefore, during the treatment, traps should be employed in sufficient numbers dependent on the area and infestation size.


DETOUR GEL FOR RATS must be used in a way that will maximize the chances of a rodent coming into contact with it during their foraging.

TYPICAL USAGES FOR THIS PRODUCT

- Internal holes that rodents have or could pass through, the product does not want to seal the hole but line the bottom in a 1.5-inch (4cm) strip running from back to front. These holes should be sealed at the end of the program.
- Where rodents are running along the top of a wall, along a girder or ledge use the zigzag style of application for us to 4 inches (10cm) across the width of the surface. The intervals between applications should be 10 feet (3m).



- Where mice run along the wall floor junction, apply in a square pattern where each square has sides of 2 inches (5cm) and one side will be along the wall floor junctions with two square style applications ever 10 feet (3m).



- In voids under seating or similar which provide mice with an open area to run in treat using the square application pattern or if there is one side where mice will have to come from then use in a zigzag configuration.
- In open locations both internal and external, **DETOUR GEL FOR RATS** can be used inside bait boxes to protect it. Apply directly to the center of the internal run channel in a zigzag configuration. Leave a $\frac{3}{4}$ inch (2cm) gap at either end of the run channel. **DETOUR GEL FOR RATS should only be used in boxes where other means of protecting product cannot be achieved.**

KEY POINTS TO REMEMBER

- Must only be used in protected areas
- Should be used in conjunction with a trapping program
- Must be applied throughout the whole premise, concentrating in areas where there are signs/evidence of rodent activity.
- Traps must be placed in areas of known activity and in the rooms/areas surrounding this.
- Proofing must be completed on the last visit of the treatment program when the extra traps must be removed.

RESTRICTIONS

- **DETOUR GEL FOR RATS** should not be used where there is a risk that it will contaminate food or food contact surfaces.
- This product should not be deployed in such a way that children and pets can come into contact with it.
- When using this product thought must be given to cleaning schedules. Place in locations which are protected from regular cleaning or reapplication will be necessary.
- If used directly on porous surfaces such as brick work, first seal the surface with a thin covering of silicone and allow this to dry before applying **DETOUR GEL FOR RATS** on top.

