Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name EC-No.	Mixture BARTOLINE PREMIUM LOW ODOUR WHITE SPIRIT 919-857-5 04 0410020250 00
REACH registration No Product code	: 01-2119463258-33 : 4671 : End product
Product group 1.2. Relevant identified uses of the substa	·

1.2.1. Relevant identified uses

Use of the substance/mixture

: Paint thinner. Paint brush cleaner General degreasing solvent.

1.2.2. Uses advised against

Restrictions on use

: Cosmetics, personal care products

1.3. Details of the supplier of the safety data sheet

Manufacturer

Bartoline Limited Ltd Barmston Close HU17 0LW Beverley United Kingdom T 01482 678710 - F 01482 872606 infor@bartoline.co.uk - www.bartoline.co.uk

EU Address

Bartoline Ireland Limited Unit 3D North Point House North Point Business Park New Mallow Road Cork T23 AT2P Ireland +353212066441 info@bartoline.eu

1.4. Emergency telephone number

Emergency number

: 01482 678710 8.30am - 4.45pm Monday to Friday NHS 111 - General Public (24 Hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, Category 3 H226 Specific target organ toxicity – Single exposure, Category 3, Narcosis H336 Aspiration hazard, Category 1 H304

Aspiration hazard, Category 1 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

2.2. Label elements

Labelling according to Regulation (EC)				
Hazard pictograms (CLP)				
	GHS02 GHS07 GHS08			
Signal word (CLP)	: Danger			
Contains	: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics.			
Hazard statements (CLP)	: H226 - Flammable liquid and vapour.			
	H304 - May be fatal if swallowed and enters airways.			
	H336 - May cause drowsiness or dizziness.			
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.			
	P233 - Keep container tightly closed.			
	P261 - Avoid breathing vapours, spray.			
	P271 - Use only outdoors or in a well-ventilated area.			
	P280 - Wear protective clothing, eye protection, face protection, protective gloves.			
	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.			
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.			
	Rinse skin with water or shower.			
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 - Call a POISON CENTER, doctor if you feel unwell.			
	P331 - Do NOT induce vomiting.			
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.			
	P405 - Store locked up.			
	P501 - Dispose of contents and container to a hazardous or special waste collection point. P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children.			
	P243 - Take action to prevent static discharges.			
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.			

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics.	EC-No.: 919-857-5	≥ 80	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

SECTION 4: First aid measures

4.1. Description of first aid measures				
First-aid measures general First-aid measures after inhalation	 Remove victim to uncontaminated area. Call a poison center or a doctor if you feel unwell. Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Move th affected person away from the contaminated area and into the fresh air. Get medical advice/attention. Give oxygen or artificial respiration if necessary. 			
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Wash with plenty of water/			
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing.			
First-aid measures after ingestion	: Get immediate medical advice/attention. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Keep at rest.			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms/effects	: The severity of the symptoms described will vary dependent on the concentration and the length of exposure.			
Symptoms/effects after inhalation	: At high concentrations, the vapours can be irritating to the respiratory system. May have a			
	narcotic effect at high concentrations. Other symptoms: Headache, dizziness, nausea, unconsciousness.			
	narcotic effect at high concentrations. Other symptoms: Headache, dizziness, nausea,			
Symptoms/effects after skin contact Symptoms/effects after eye contact	narcotic effect at high concentrations. Other symptoms: Headache, dizziness, nausea, unconsciousness.			

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).Do not use a heavy water stream.
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Explosion hazard	 The vapours are denser than air and may travel along the ground. Distance ignition possible. Flammable liquid and vapour. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other
Hazardous decomposition products in case of fire	toxic gases. Hydrocarbons. Aldehydes. Soot. Gas may accumulate in confined areas.Harmful if inhaled.Toxic fumes may be released.
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions Protection during firefighting Other information	 Avoid breathing (dust, vapor, mist, gas). Cool laterally with water containers exposed to flames, even after the fire is extinguished. Wear fire/flame resistant/retardant clothing. In confined space use self-contained breathing apparatus. Full face piece respirator. Keep run-off water out of sewers and water sources. Containers close to fire should be removed or cooled with water.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipn	nent and emergency procedures		
General measures	: Evacuate area.		
6.1.1. For non-emergency personnel			
Protective equipment	: Keep unnecessary and unprotected personnel away from the spillage.		
	: Land spill. Eliminate all ignition sources. Stop leak if safe to do so. Do not touch or walk on the spilled product.		
Measures in case of dust release	: Not applicable.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: For further information refer to section 8: "Exposure controls/personal protection". More detailed information: See section 11. For disposal of residues refer to section 13 : Disposal considerations" ".		

6.2. Environmental precautions

Avoid release to the environment. Very toxic to aquatic life with long lasting effects. Material insoluble in water. may spread in water systems. Do not discharge into drains or the environment. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

.3. Methods and material for containment and cleaning up		
For containment	: Eliminate sources of ignition. No open flames. No smoking.	
Methods for cleaning up	Stop leak if safe to do so. Absorb excess liquid spillage on inorganic adsorbent material such as fine sand, brick dust etc. Place spent adsorbent in sealed packages and contact specialist waste disposal contractor. Cover the spilled liquid product with foam to slow down evaporation. Use type. Alcohol resistant foam.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4 Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Handling temperature	 Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Eliminate all ignition sources if safe to do so. Use explosion-proof equipment. Containers must be properly grounded before beginning transfer. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. 5 – 30 °C
Hygiene measures	 Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Keep locked up and out of reach of children.
Incompatible products	: Oxidizing agent.
Heat and ignition sources	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Storage area	: Keep away from food, drink and animal feedingstuffs.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

Packaging materials

: Carbon steel. Glass. Mild steel. Stainless steel. high density polyethylene (HDPE). Polyethylene terephthalate (PET).

7.3. Specific end use(s)

Section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

BARTOLINE PREMIUM LOW ODOUR WHITE SPIRIT

Remark	Long-term exposure limit (8-hour TWA): 1200 mg/m³, CEFIC - HSPA recommended WEL

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

lydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics.	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	300 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1500 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	300 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	900 mg/m³
Long-term - systemic effects, dermal 300 mg/kg bodyweight/day	

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Ensure that there is a suitable ventilation system. Mechanical ventilation is recommended. Avoid inhalation of vapours.

8.2.2. Personal protection equipment

Personal protective equipment:

Do not attempt to take action without suitable protective equipment. Appropriate engineering controls.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

Eye protection	tion			
Туре	Field of application	Characteristics	Standard	
Use splash goggles when eye contact due to splashing is possible	Droplet	With side shields	EN 166	

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Nitrile-rubber protective gloves. Polyvinylchloride (PVC). Viton

Other skin protection

Materials for protective clothing:

Use appropriate personal protection equipment (PPE). According to the conditions of use, protective gloves, apron, boots, head and face protection must be worn

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear respiratory protection.

Respiratory protection			
Device	Filter type	Condition	Standard
Wear respiratory protection	Type A - High-boiling (>65 °C) organic compounds, Type P2	Vapour protection	EN 405

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Do not exceed the occupational exposure limits (OEL). Assure that emissions are compliant with all applicable air pollution control regulations. Emission reduction measures for the specific use situation has to be evaluated: Gas absorbers and scrubbers for relatively small volume structures. Minimisation of the fumigated volume by inflated balloons for large volume structure (e.g. churches, houses). (fumigation). Control measures to prevent releases. Keep container tightly closed. Dispose of this material and its container at hazardous or special waste collection point.

Other information:

Pregnant/breastfeeding women working with the product must not be in direct contact with the product. Persons suffering from asthma or eczema and persons who have chronic lung diseases, skin or respiratory allergies to isocyanates should not work with the material.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties		
Colour	Colourless.	
Appearance	: Clear liquid.	
Odour	: Not available	
Odour threshold	: Not available	
Melting point	: No information available.	
Freezing point	: Not available	
Boiling point	: 150 – 200 °C 302 - 401°F	
Flammability	: Not available	
Explosive properties	: Not explosive.	
Oxidising properties	: Not oxidising.	
Explosive limits	: Not available	
Lower explosion limit	: Not available	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

Upper explosion limit	: Not available
Flash point	: 41 °C 106°F ISO 2719
Auto-ignition temperature	: > 230 °C
Decomposition temperature	: Not available
pH	: No information available.
Viscosity, kinematic	: 1.09 mm²/s @ 40°C
Solubility	: Soluble in organic solvents.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 4 hPa @ 15°C
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: > 770 @ 15°C
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content	
Volatility	

: < 770 g/l : Volatile

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Never pressurise packagings as they will not resist.

10.5. Incompatible materials

Acids. Oxidizing agent.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral): Not classifiedAcute toxicity (dermal): Not classifiedAcute toxicity (inhalation): Not classified		
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics.		
LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

Hydrocarbons, C9-C11, n-alkanes, isoal	kanes, cyclics, <2% aromatics.
LD50 dermal rabbit	≥ 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	: Not classified pH: No information available.
Hydrocarbons, C9-C11, n-alkanes, isoall	anes, cyclics, <2% aromatics.
рН	No information available.
Serious eye damage/irritation	: Not classified pH: No information available.
Hydrocarbons, C9-C11, n-alkanes, isoall	anes, cyclics, <2% aromatics.
рН	No information available.
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
Hydrocarbons, C9-C11, n-alkanes, isoall	anes, cyclics, <2% aromatics.
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
BARTOLINE PREMIUM LOW ODOUR WH	IITE SPIRIT
Viscosity, kinematic	1.09 mm²/s @ 40°C
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics.	
Viscosity, kinematic	1.33 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'
11.2. Information on other hazards	

No additional information available

SECTION 42: Ecological informatio

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short–term : Not clas (acute) Hazardous to the aquatic environment, long–term : Not clas (chronic) Not rapidly degradable	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations 13.1. Waste treatment methods HP Code : HP3 - "Flammable:" - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

SECTION 14: Transport information

In accordance with ADR / IMD	G / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID nu	umber				
UN 1268	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping	j name				
PETROLEUM DISTILLATES, N.O.S. (PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.)	Not applicable	Not applicable	Not applicable	Not applicable	
Transport document descri	ption	1			
UN 1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.), 3, III, (D/E)	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard c	lass(es)				
3	Not applicable	Not applicable	Not applicable	Not applicable	
	Not applicable	Not applicable	Not applicable	Not applicable	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 $\,$ Version: 1.0 $\,$

ADR	IMDG	ΙΑΤΑ	ADN	RID
I4.4. Packing group		·		
111	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards	· · · ·		
Dangerous for the environment: No	Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

Overland transport		
Classification code (ADR)	:	F1
Special provisions (ADR)	:	664
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T4
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBF
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Operation (ADR)	:	S2
Hazard identification number (Kemler No.)	:	30
Orange plates	:	30

Tunnel restriction code (ADR)
EAC code

Transport by sea Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Rail transport Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

1268

: D/E : 3Y

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content

: < 770 g/l

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK)

Joint storage table

Storage class (LGK, TRGS 510)

: Not classified according to Regulation Governing Systems for Handling Substances Hazardous to Waters (AwSV).

LGK 3 - Flammable liquids.

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

Joint storage with restrictions permitted for Joint storage permitted for Hazardous Incident Ordinance (12. BImSchV)

- LGK 6.1B, LGK 6.2, LGK 7. : LGK 5.1B, LGK 6.1D, LGK 11, LGK 10-13.
- : LGK 2B, LGK 3, LGK 6.1A, LGK 6.1C, LGK 8A, LGK 8B, LGK 10, LGK 12, LGK 13.

: LGK 1, LGK 2A, LGK 4.1A, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1C, LGK 5.2,

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category	: A(4) - low hazard for aquatic organisms, may have longterm hazardous effects in aquatic
	environment
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/30/2022 Version: 1.0

SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed	
Denmark		
Class for fire hazard	: Class II-1	
Store unit	: 5 liter	
Classification remarks	: R10 <h226;h304;h336>; Emergency management guidelines for the storage of flammable liquids must be followed</h226;h304;h336>	
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product	
Switzerland		
Storage class (LK)	: LK 3 - Flammable liquids	
15.2. Chemical safety assessment		

No additional information available

SECTION 16: Other information				
Full text of H- and EUH-statements:				
Asp. Tox. 1	Aspiration hazard, Category 1			
EUH066	Repeated exposure may cause skin dryness or cracking.			
Flam. Liq. 3	Flammable liquids, Category 3			
H226	Flammable liquid and vapour.			
H304	May be fatal if swallowed and enters airways.			
H336	May cause drowsiness or dizziness.			
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis			

Indication of changes:

Due to change of classification database the revision numbering has been reset. You should therefore look at the revision date rather than the revision number to ensure you have the most up to date version.

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.