Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. **Identification of the preparation/Supplier reference**

Trade Name **Black Iron Oxide** Ferric oxide FeO Chemical name

Synonyms Synthetic/natural black iron oxide

Supplier Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,

Radstock, Nr. Bath. BA3 4XE

Emergency numbers Tel: 01761 411077

Fax: 01761 414115

Internet: coshh@bathpotters.demon.co.uk

2. Composition

Components. **CAS EINECS** % of composition

Black Iron Oxide 1345-25-1 N/A 100%

3. **Health Hazard Identification**

Inhalation Product can be regarded as a low toxicity dust. Excessive inhalation of dust may cause irritation of

the respiratory tract and cause symptoms of chronic lung disease.

Ingestion Product can be regarded as low toxicity material and is likely to be of low solubility in body fluids. Eyes

Not a primary irritant, but prolonged contact may give rise to physical irritation and inflammation

as with many powders.

Skin Not a primary irritant, but persistent contact may cause sensitisation by abrasion.

4. **First Aid Measures**

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical attention if any irritation of

the respiratory tract persists.

Do not induce vomiting. Rinse mouth with water and seek medical advice if irritation persists. Ingestion

Eves Wash with copious amounts of water and seek medical attention if irritation persists. Skin Wash affected areas with water, if any adverse reaction occurs obtain medical advice.

5. **Fire Fighting Measures**

Extinguishing Media Suitable for surrounding fire conditions.

> The product is not explosive or flammable. Standard fire fighting techniques only are required, i.e. water, carbon dioxide, dry powder, sand and chemical foam extinguishers.

Special Exposure hazard Suitable for surrounding fire conditions.

Suitable for surrounding fire conditions. Protective equipment

6. **Accidental Release Measures**

Leaks & Spills Small amounts may be washed into drains with plenty of water, but observe local

> effluent control limits. Remove dry materials either by a vacuum cleaner fitted with an efficient particulate filter, or by damping down and scooping in to a receptacle prior to

disposal.

Protective equipment Local exhaust ventilation is recommended to comply with occupational exposure limits

(refer to Guidance Note EH40 - latest edition), personal respiratory protection should be

used if local exhaust is not available.

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used. Wash thoroughly after handling the

material. Local exhaust ventilation is recommended to comply with occupational exposure limits

(refer to Guidance Note EH40 - latest edition), to avoid spreading and inhalation dust in use.

Storage Store in normal dry conditions.

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational Exposure Limits are not

exceeded. Local Exhaust Ventilation is normally recommended and preferable to

personal protection (refer to Guidance Note EH40 - latest edition).

Personal protective

equipment

Where local exhaust is unavailable, H.S.E. - approved personal respiratory protection should be used. Gloves and overalls should be used along with safety goggles if contact

with eyes is otherwise possible.

9. Physical & Chemical properties

Appearance & Odour Black odourless powder.

Flash point (°C) Not applicable
Flammability Not applicable
Explosive properties Non-explosive
Oxidising properties Non-oxidising

Specific gravity 3-5

pH value 7 (insoluble in water) Melting point (°C) Greater than 1000°C

10. Stability & Reactivity

Chemical stability The material is stable under normal conditions.

Conditions/materials to avoid None known. Hazardous decomposition products None known. Hazardous polymerisation products None.

11. <u>Toxicology Information</u>

Acute toxicology LD₅₀ Oral >2000mg/kg

LD₅₀ Dermal Not known LD₅₀ Inhalation Not known

Health effects The product is considered to be of low oral toxicity by the ingestion route, however

prolonged or repeated exposure above Occupational Exposure Standards may cause

fibrosis of the lungs.

12. Ecological information

Ecotoxicity Not soluble in water and no adverse effects to the environment are expected.

Persistence The product is chemically stable and will persist in the environment.

13. <u>Disposal</u>

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method. Minor amounts may be washed to trade effluent drains provided effluent conditions are complied with.

14. Transport Information

UN/SI No. Not restricted Not restricted **UN Class** Packing group Not restricted Road UK Not restricted **ADR** Not restricted Sea IMO Not restricted Air **ICAO** Not restricted

15. Regulatory information

EC Supply Labelling None required by directive 88/379/EEC

R-Phrases None

S-Phrases Optional safety phrases;

S20/21 When using do not eat, drink or smoke

S22/23 Do not breathe dust or sprayS25 Avoid contact with eyes

S38 In case of insufficient ventilation wear suitable respiratory equipment.

UK Occupational

Mg/m³ 8 hr TWA

% in product

exposures limits*

Low toxicity dust;

Total inhalable dust 10 Total respirable dust 5

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. Other information

General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP: H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health

Regulations 1994.

CHIP 96: Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.

CHIP SDS ACOP: H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of

the CHIP regulations.

HSE EH40: HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with

the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

August 2000-08-10

^{*} Refer to HSE Guidance note EH40