Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name	Red Iron Oxide
Chemical name	Ferric oxide Fe ₂ O ₃
Synonyms	Synthetic/natural red iron oxide
Supplier	Bath Potters Supplies, Unit 18, Fourth Avenue, Westfield Trading Estate,
	Radstock, Nr. Bath. BA3 4XE
Emergency numbers	Tel: 01761 411077
	Fax: 01761 414115
	Internet: coshh@bathpotters.demon.co.uk

2. <u>Composition</u>

Components.	CAS	EINECS	% of composition
Red Iron Oxide	1309-37-1	2151682	90%

3. <u>Health Hazard Identification</u>

Inhalation	Product can be regarded as a low toxicity dust. Excessive inhalation of dust may cause irritation of
	the respiratory tract and symptoms of chronic lung disease.
Ingestion	Product is of low solubility in body fluids, and is likely to be of low toxicity.
Eyes	Not a primary irritant, but prolonged contact may give rise to physical irritation and inflammation as with many powders.
Skin	Not a primary irritant, but persistent contact may cause sensitisation by abrasion.

4. First Aid Measures

Inhalation	Remove patient to fresh air, loosen tight clothing and seek medical attention if any irritation of
	the respiratory tract persists.
Ingestion	Do not induce vomiting. Rinse mouth with water and seek medical advice if irritation persists.
Eyes	Wash with copious amounts of water and seek medical attention if irritation persists.
Skin	Wash affected areas with water, if any adverse reaction occurs obtain medical advice.

5. <u>Fire Fighting Measures</u>

Extinguishing Media	Suitable for surrounding fire conditions. The product is not explosive or flammable. Standard fire fighting techniques only are required, i.e. water, carbon dioxide, dry powder, sand and chemical foam extinguishers.
Special Exposure hazard	Suitable for surrounding fire conditions.
Protective equipment	Suitable for surrounding fire conditions.

6. <u>Accidental Release Measures</u>

Leaks & Spills	Small amounts may be washed into drains with plenty of water, but observe local effluent control limits. Remove dry materials either by a vacuum cleaner fitted with an efficient particulate filter, or by damping down and scooping in to a receptacle prior to disposal.
Protective equipment	Local exhaust ventilation is recommended to comply with occupational exposure limits (refer to Guidance Note EH40 - latest edition), personal respiratory protection should be used if local exhaust is not available.

7. <u>Handling & Storage</u>

Handling Do not eat, drink, or smoke in areas where the material is used. Wash thoroughly after handling the material. Local exhaust ventilation is recommended to comply with occupational exposure limits (refer to Guidance Note EH40 - latest edition), to avoid spreading and inhalation dust in use.
Storage Store in normal dry conditions.

8. <u>Exposure Control/Personal protective Equipment</u>

Engineering controls	Adequate ventilation should be provided so that Occupational Exposure Limits are not exceeded. Local Exhaust Ventilation is normally recommended and preferable to personal protection (refer to Guidance Note EH40 - latest edition).
Personal protective equipment	Where local exhaust is unavailable, H.S.E approved personal respiratory protection should be used. Gloves and overalls should be used along with safety goggles if contact with eyes is otherwise possible.

9. <u>Physical & Chemical properties</u>

10. <u>Stability & Reactivity</u>

Chemical stability	The material is stable under normal conditions.
Conditions/materials to avoid	None known.
Hazardous decomposition products	None known.
Hazardous polymerisation products	None.

11. <u>Toxicology Information</u>

Acute toxicology	LD ₅₀ Oral	>2000mg/kg
	LD ₅₀ Dermal	Not known
	LD ₅₀ Inhalation	Not known
Health effects	1	nsidered to be of low oral toxicity, however prolonged or repeated Occupational Exposure Standards may cause fibrosis of the lungs.

12. <u>Ecological information</u>

Ecotoxicity	Not soluble in water and no adverse effects to the environment are expected.
Persistence	The product is chemically stable and will persist in the environment.

13. <u>Disposal</u>

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method. Minor amounts may be washed to trade effluent drains provided effluent conditions are complied with.

14. <u>Transport Information</u>

UN/SI No.		Not restricted
UN Class		Not restricted
Packing group		Not restricted
Road	UK	Not restricted
	ADR	Not restricted
Sea	IMO	Not restricted
Air	ICAO	Not restricted

15. <u>Regulatory information</u>

EC Supply Labelling R-Phrases S-Phrases	None Optional safety phrases; S20/21 When using do n S22/23 Do not breathe du S25 Avoid contact wi	Optional safety phrases; S20/21 When using do not eat, drink or smoke S22/23 Do not breathe dust or spray S25 Avoid contact with eyes	
UK Occupational exposures limits* Low toxicity dust; Total inhalable dust Total respirable dust	Mg/m ³ 8 hr TWA 10 5	% in product	

* Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. <u>Other information</u>

General industrial hygiene practices are recommended when handling and using this product.

COSHH ACOP:	H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health Regulations 1994.
CHIP 96:	Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.
CHIP SDS ACOP:	H.S.C. Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of the CHIP regulations.
HSE EH40:	HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

July 2000-07-27