Bath Potters' Supplies

MATERIAL SAFETY DATA SHEET

1. Identification of the preparation/Supplier reference

Trade Name	Nepheline Syenite - 371324
Chemical name	Sodium potassium aluminosilicate.
Synonyms	Chemically similar to feldspar.
Supplier	Bath Potters' Supplies, 2 Dorset Close, Bath, BA2 3RF
Emergency numbers	01225 337046

2. <u>Composition</u>

Component	CAS	EINECS	% of composition
Feldspar-group minerals	68476-25-5	2706667	100%

3. <u>Health Hazard Identification</u>

Inhalation	Excessive exposure may cause symptoms of chronic lung disease.
Ingestion	Low sol. Product in body fluids and likely to be of low acute toxicity.
Eyes	May cause physical irritation and inflamation.
Skin	Minor irritant. Any abrasive powder may cause minor irritation.

4. <u>First Aid Measures</u>

Inhalation	Remove patient to fresh air, loosen tight clothing and seek medical attention.
Ingestion	Do not induce vomiting, seek medical advice.
Eyes	Wash immediately with copious amounts of water. Seek medical attention is irritation persist.
Skin	Wash affected areas with water. If irritation persists, seek medical attention

5. <u>Fire Fighting Measures</u>

Extinguishing Media	Suitable for surrounding fire conditions
	The product is not explosive or combustible. Standard fire fighting
	techniques only are required, i.e. water, sand, carbon dioxide, chemical
	foam extinguishers etc.
Special Exposure hazard	None
Protective equipment	None other than required for surrounding fire conditions

6. <u>Accidental Release Measures</u>

Leaks & Spills	Remove dry materials either by a vacuum cleaner fitted with an efficient
Protective equipment	filter or by damping down and scooping in to a receptacle. Respiratory protective equipment.

7. <u>Handling & Storage</u>

Handling	Do not eat, drink, or smoke in areas where the material is used. Wash thoroughly
	after handling the material
	Local exhaust ventilation is recommended to comply with occupational exposure
	limits (refer to Guidance Note EH40 - latest edition)
Storage	Store in dry area

8. <u>Exposure Control/Personal protective Equipment</u>

Engineering controls	Adequate ventilation should be provided so that Occupational Exposure Limits are not exceeded. Local Exhaust Ventilation is normally recommended
Personal protective equipment	Where LEV is not practicable and exposure is likely to be excessive, approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls are recommended for prolonged contact.

9. <u>Physical & Chemical properties</u>

Appearance & Odour	Off-white powder, odourless
Flash point (°C)	Not applicable
Flammability	Not applicable
Explosive properties	Non-explosive
Oxidising properties	None
Specific gravity	3-5
pH value	7 (insoluble in water)
Melting point (°C)	Not available

10. <u>Stability & Reactivity</u>

Chemical stability	The material is stable
Conditions/materials to avoid	None known
Hazardous decomposition	None known
products	
Hazardous polymerisation	None known
products	
products	

11. <u>Toxicology Information</u>

Acute toxicology	LD ₅₀ Oral LD ₅₀ Dermal	>2000 mg/kg Not known
Health effects	LD ₅₀ Inhalation Prolonged or repo may cause fibrosi	Not known eated exposure above Occupational Exposure Standards is of the lungs.

12. <u>Ecological information</u>

Ecotoxicity	Not known.
Persistence	Not known.

13. <u>Disposal</u>

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1980). Landfill is the most appropriate method.

14. <u>Transport Information</u>

UN/SI No. UN Class Packing group		Not classified Not classified Not classified
Road	UK	Not classified
ADR		Not classified
Sea	IMO	Not classified
Air	ICAO	Not classified

15. <u>Regulatory information</u>

EC Supply Labelling R-Phrases S-Phrases	None required by directive 88/379/EEC None Optional for dusty powders:			
	S20/21 When us			
UK Occupational exposures limits* Dusts: Total inhalable	Mg/m ³ 8 hr TWA	% in product		
respirable	5			

* Refer to HSE Guidance note EH40

In accordance with the H.S.E. Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. <u>Other information</u>

General industrial hygiene practices are recommended when handling and using this product.

H.S.C. Approved Code of Practice for the Control of Substances Hazardous to Health
Regulations 1994.
Chemicals (Hazard Information and Packaging for Supply) Regulations 1996.
H.S.C. Approved Code of Practice for Saftey Data Sheets in accordance with regulation 6 of the CHIP regulations.
HSE Guidance note EH40 on Occupational Exposure Limits, to be used in conjunction with the COSHH regulations.

The information contained in this safety data sheet has been prepared using the best available information. However, in view of technical developments this may alter.

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Due to the many factors outside our control when using this product we cannot accept liability for any injury, accident, loss or damage caused through its use.

April 1999-04-21