

SAFETY DATA SHEET P4182 Lilac/Deep Purple Glaze Stain

SECTION 1: Identification of the substance/mixture and of the company/undertaking

 1.1. Product identifier Product name Product number CAS No. 1.2. Relevant identified uses of the 	Lilac/Deep Purple Glaze Stain Powder P4182 68187-53-1 he substance or mixture and uses advised against		
1.3. Details of the supplier of the Supplier	safety data sheet Potterycrafts Ltd., Campbell Road. Stoke-on-Trent, Staffordshire, UK ST4 4ET Tel. 44(O)1782 745000 sales@potterycrafts.co.uk		
1.4. Emergency telephone numbe Emergency Telephone			
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture			
Classification Physical hazards	Not Classified		
Health hazards	Not Classified		
Environmental hazards	Not Classified		
2.2. Label elements			
Hazard statements	NC : Not Classified		
2.3. Other hazards			
SECTION 3: Composition/information	ation on ingredients		
3.1 Composition	This product is a lead free borosilicate glass, coloured by inorganic igments which are the		
	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s). This product is not classified as dangerous in accordance with EU Directives. Chemical Type : $(SnCr)O_2$ Inorganic pigment.		
SECTION 4: First aid measures	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s). This product is not classified as dangerous in accordance with EU Directives.		
	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s). This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment.		
SECTION 4: First aid measures 4.1. Description of first aid measures	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s). This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment.		
SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s).This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment. ures Unlikely route of exposure as the product does not contain volatile substances. Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of		
SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation Ingestion	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s).This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment.		
SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation Ingestion Skin contact Eye contact	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s).This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment. ures Unlikely route of exposure as the product does not contain volatile substances. Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues. Wash skin thoroughly with soap and water.		
SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation Ingestion Skin contact Eye contact	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s).This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment. ures Unlikely route of exposure as the product does not contain volatile substances. Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues. Wash skin thoroughly with soap and water. Rinse with water.		
SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation Ingestion Skin contact Eye contact 4.2. Most important symptoms ar Skin contact	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s).This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment. ures Unlikely route of exposure as the product does not contain volatile substances. Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues. Wash skin thoroughly with soap and water. Rinse with water. hd effects, both acute and delayed		
SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation Ingestion Skin contact Eye contact 4.2. Most important symptoms ar Skin contact	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s).This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment. ures Unlikely route of exposure as the product does not contain volatile substances. Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues. Wash skin thoroughly with soap and water. Rinse with water. nd effects, both acute and delayed Prolonged skin contact may cause redness and irritation.		
SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation Ingestion Skin contact Eye contact 4.2. Most important symptoms ar Skin contact 4.3. Indication of any immediate of	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s).This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment. ures Unlikely route of exposure as the product does not contain volatile substances. Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues. Wash skin thoroughly with soap and water. Rinse with water. nd effects, both acute and delayed Prolonged skin contact may cause redness and irritation.		
SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation Ingestion Skin contact Eye contact 4.2. Most important symptoms ar Skin contact 4.3. Indication of any immediate of SECTION 5: Firefighting measures	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s).This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment. ures Unlikely route of exposure as the product does not contain volatile substances. Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues. Wash skin thoroughly with soap and water. Rinse with water. nd effects, both acute and delayed Prolonged skin contact may cause redness and irritation.		
SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation Ingestion Skin contact Eye contact 4.2. Most important symptoms an Skin contact 4.3. Indication of any immediate of SECTION 5: Firefighting measures 5.1. Extinguishing media	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s). This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment. ures Unlikely route of exposure as the product does not contain volatile substances. Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues. Wash skin thoroughly with soap and water. Rinse with water. nd effects, both acute and delayed Prolonged skin contact may cause redness and irritation. medical attention and special treatment needed Use fire-extinguishing media suitable for the surrounding fire.		
SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation Ingestion Skin contact Eye contact 4.2. Most important symptoms ar Skin contact 4.3. Indication of any immediate of SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from Specific hazards	reaction of high temperature calcination in which various metallic oxides in varying amounts are homogeneously and ionically inter-diffused to form a crystalline matrix of spinel(s). This product is not classified as dangerous in accordance with EU Directives. Chemical Type : (SnCr)O ₂ Inorganic pigment. ures Unlikely route of exposure as the product does not contain volatile substances. Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues. Wash skin thoroughly with soap and water. Rinse with water. nd effects, both acute and delayed Prolonged skin contact may cause redness and irritation. medical attention and special treatment needed Use fire-extinguishing media suitable for the surrounding fire.		



5.3. Advice for firefighters Special protective equipment Use protective equipment appropriate for surrounding materials for firefighters

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
- 6.2. Environmental precautions
 - Avoid spreading dust or contaminated materials.
- 6.3. Methods and material for containment and cleaning up Collect spillage for reclamation or absorb in vermiculite or similar material.
- 6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

8.2. Exposure controls **Protective equipment**



SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Deep Lilac, odourless Coloured Powder.
Solubility	Insoluble.
9.2. Other information	

SECTION 10: Stability and reactivity

10.1. Reactivity Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability Stability


No particular stability concerns.

10.3. Possibility of hazardous reactions		
10.4. Conditions to avoid	None known.	
10.5. Incompatible materials	None known.	
10.6. Hazardous decomposition	products None known.	

SECTION 11: Toxicological information

11.1. Information on toxicological effects				
Acute toxicity	LD ₅₀ Oral (rat) LD ₅₀ Dermal LD ₅₀ Inhalation	>5000mg/kg Not known Not known		
Health Effects	Prolonged or repeated exposure Occupational Exposure Limits may cause fibrosis of the lungs.			

Campbell Road - Stoke on Trent, ST4 4ET - United Kingdom Tel: +44 (0)1782 745000 - Fax: +44 (0)1782 746000 - Web: www.potterycrafts.co.uk ;



This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.