Article Print c Versic	date 15.02.2017	SIMPLY OIL COLOURS Revision date 15.02.2017 EN Issue date 19.07.2016 Page 1 / 6			
1.	Identification of the sub	stance/mixture and of the company/undertaking			
1.1.	Product identifiers Article No. (manufacturer/su Identification of the substar				
1.2.	Relevant identified uses of	f the substance or mixture and uses advised against			
	Relevant identified uses: Artists supply and hobby pr Coatings and paints, thinne	s, paint removers			
1.3.	Details of the supplier of the	-			
	Supplier (manufacturer/in Daler-Rowney Ltd Peacock Lane Bracknell, RG12 8SS	porter/downstream user/distributor): Telephone: +44 (0) 1344 461083 Telefax: +44 (0) 1344 486511			
	ENGLAND				
	Dept. responsible for info	mation:			
	E-mail	Philip.Gray@daler-rowney.com			
1.4.	Emergency telephone nur Emergency telephone:	nber +44 (0) 1344 461000			
2.	Hazards identification				
2.2.		d labelled according to EC directives or corresponding national laws. gulation (EC) No. 1272/2008 [CLP]			
	Hazard statements				
	Precautionary statements P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. contains:				
	n.a. Supplemental Hazard info	rmation (EU)			
	n.a.				
2.3.	Other hazards				
	Materials such as cleanin spontaneously self-ignite so	g rags, paper wipes and protective clothing, which are contaminated with the product may me hours later.			
3.	Composition / Informat	on on ingredients			
3.2.	Mixtures				
	Product description / che	nical characterization			
	Description oil pa	int			
	Hazardous ingredients				
	EC No. REA CAS No. Che	o Regulation (EC) No. 1272/2008 [CLP] CH No. nical name Wt % sification: Remark			

Article No.:	118XXXXXX	SIMPLY OIL COLOURS	
Print date	15.02.2017	Revision date 15.02.2017	EN
Version	1.0	Issue date 19.07.2016	Page 2 / 6

n.a.

Additional information

Full text of classification: see section 16

4. First-aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage. Vapours form explosive mixtures with air.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous. Cool closed containers that are near the source of the fire.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Vapours form explosive mixtures with air.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

7. Handling and storage

7.1. Precautions for safe handling

Article No.:	118XXXXXX	SIMPLY OIL COLOURS	
Print date	15.02.2017	Revision date 15.02.2017	EN
Version	1.0	Issue date 19.07.2016	Page 3 / 6

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to chapter 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (BGR 132)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

8. Exposure controls / Personal protection

8.1. Control parameters

Occupational exposure limit values:

n.a.

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

Article No.:	118XXXXXX	SIMPLY OIL COLOURS		
Print date	15.02.2017	Revision date 15.02.2017	EN	
Version	1.0	Issue date 19.07.2016	Page 4 / 6	

9. Physical and chemical properties

9.1.	Information on basic physical an Appearance:	liquid			
	Physical state	liquid			
	Colour	refer to label			
	Odour	characteristic			
	Safety relevant basis data		Unit	Method	Remark
	Flash point:	> 100	°C	DIN 53213	
	Ignition temperature in °C:	n.a.			
	Lower explosion limit	n.a.			
	Upper explosion limit	n.a.			
	Vapour pressure at 20 °C:	0,80	mbar		
	Density at 20 °C:	1,00	g/cm³		
	Water solubility (g/L)	insoluble			
	pH at 20 °C:	-			
	Viscosity at 20 °C	> 60	mPa·s		
	Solvent separation test (%)	< 3	%		
	boiling point in °C at 101,3 kPa	350	°C		
.2.	Other information:				

10. Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. Vapours form explosive mixtures with air.

10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

11. Toxicological information

Classification according to Regulation (EC) No. 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitisation

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are:

Article No.:	118XXXXXX	SIMPLY OIL COLOURS		
Print date	15.02.2017	Revision date 15.02.2017	EN	
Version	1.0	Issue date 19.07.2016	Page 5 / 6	

headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself .

Ecological information

overall evaluation

Classification according to Regulation (EC) No. 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

12.

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. **Bioaccumulative potential** Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

13. Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 080111

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. Send to a collecting point for used paints.

14. Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number

14.2. UN proper shipping name

n.a.

14.3. Transport hazard class(es)

		n.a.
14.4.	Packing group	
		n.a.
14.5.	Environmental hazards	
	Land transport (ADR/RID)	n.a.

- Marine pollutant n.a.
- 14.6. Special precautions for user

Article Print d Versio	ate	118XXXXXX 15.02.2017 1.0	SIMPLY OIL COLOURS Revision date 15.02.2017 Issue date 19.07.2016	EN Page 6 / 6		
	case of an	always in closed, u accident or leakag safe handling: see	e.	that persons transporting the product know	w what to do in	
	Additional	information				
	Land trans	port (ADR/RID)				
	tunnel restr		-			
	Sea transp	ort (IMDG)				
	EmS-No.		n.a.			
14.7.	Transport in bulk according to Annex II of MARPOL and the IBC Code					
	not applica	ble				
	SECTION 15: Regulatory information					
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture					
	EU legislation					
	VOC-value	n according to 19 (in g/L) ISO 1189 (in g/L) ASTM D 2	0-2: 0	ons of volatile organic compounds (VO	C-guideline).	
	National re	gulations				
	Observe er	Restrictions of occupation Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).				
	Other regulations, restrictions and prohibition regulations					

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

16. Other information

Full text of classification in section 3:

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Additional information

Classification according to Regulation (EC) No. 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.