

**THE MILLIPUT COMPANY  
MATERIAL SAFETY DATA SHEET**

**1. Identification of the substance/mixture and of the company/undertaking**

**Name of product:**

**Standard Milliput Epoxy Putty  
Terracotta Milliput Epoxy Putty  
Silver Grey Milliput Epoxy Putty  
Black Milliput Epoxy Putty  
Superfine White Milliput Epoxy Putty**

Chemical Nature

Low molecular weight liquid epoxy resin  
Polyamide curing agent  
Titanium Dioxide (Superfine White Milliput only)  
China clay  
Norwegian talc

Company

The Milliput Company  
Unit 8 The Marian Industrial Estate  
Dolgellau, Gwynedd, UK, LL40 1UU.  
Tel. & Fax. 01341 422562  
E-mail [info@milliput.demon.co.uk](mailto:info@milliput.demon.co.uk)

## 2. **Hazard identification**



H315 May cause an allergic skin reaction

## 3 **Composition/Information of Ingredients**

Contains **Polyaminoamide** epoxy curing agent

Dimer/Tofa Reaction products with Teta CAS No 68082-29-1 Content 60 – 100%

Triethylenetetramine EC No 203-950-6 CAS-No 112-24-3 Content 1-5%

Classification C;R34 Xn;R21 R43 R52/53

H317 May cause an allergic skin reaction

### **Epoxy Resin**

CAS No 25068-38-6

EC No 500-033-5

Content 60-100%

Classification R43 Xi;R36/38 N;R51/53

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

**Titanium Dioxide**

(CAS NO 13463-67-7)

EINECS Number: 236-675-5 Standard classification (ISO 591;DIN 55912, Part 1)

**China Clay**

Consists mainly of kaolinite with minor quantities of mica and feldspar.

(CAS No 1332-58-7)

**4. First Aid Measures****Skin Contact**

Wash with plenty of soap and water. Persons with known sensitivity to epoxy compounds should not be allowed to work with the product. If skin irritation occurs seek medical advice.

**Eye Contact**

Rinse immediately with water for at least 15 minutes and get medical attention immediately.

**Inhalation**

Move affected person to fresh air. In case of irritation to respiratory system or mucous membranes, or if you feel unwell or in case of prolonged exposure, get medical attention.

**Ingestion**

Immediately rinse the mouth with water. If swallowing has occurred drink plenty of water. Do not induce vomiting. Seek medical attention promptly.

## 5. **Fire Fighting Measures**

Non flammable.

## 6. **Accidental Release Measures**

### Personal Precautions

Avoid contact with skin, eyes and clothing. Wear suitable protective clothing. Open enclosed spaces to atmosphere.

### Environmental Precautions

No special measures required

### Methods for Cleaning

Take up with absorbent, inert material and place in suitable and closable container for disposal.

### Additional Information

No dangerous materials are released.

## 7. **Handling and Storage**

### Handling

Ensure good ventilation/exhaustion at the workplace. When mixing the two components it is advisable to use rubber gloves or throw away polythene gloves. When rubber gloves have been used wash them immediately after use. We also advise use of a barrier cream.

### Storage

Keep away from food and drink. Store in cool, dry conditions. Reseal polythene bags after use. Providing it is stored correctly the product should remain workable for approximately 2 years.

## 8. **Exposure Control/Personal Protection**

### Technical Protective Measures

When working with the cured Milliput i.e. drilling, sanding, filing, sawing etc. a dust extractor is recommended.

### Respiratory Protection

Dust mask should be worn.

### Eye Protection

Wear suitable goggles or face protection.

### Exposure Control Limited

None in current legislation.

### Hand Protection

Wear suitable gloves.

## 9. **Physical and Chemical Properties**

Appearance                      A two part, cold setting, non shrinking epoxy putty. Each stick weighing 56.7gm

## 10. **Stability and Reactivity**

Thermal decomposition                      < 200 C  
Hazardous Decomposition Prods.      Thermal decomposition or burning may release oxides or carbon and other toxic gases or vapours.

## 11. **Toxicological Information**

Ingestion                      Irritates digestive tract.  
Skin Contact                      Irritation, may cause sensitisation.  
Inhalation                      Irritates nose, throat and air passages  
Eyes                      Irritation, pain, redness  
\*Product not actually tested - expected results

## 12. **Ecological Information**

Non hazardous.

## 13. **Disposal Consideration**

Contact Local Authorities for advice. Packaging material should be treated as household waste or as recycling material.

#### 14. **Transport Information**

No transport warning sign required.

RID/ADR	Not classified	UN	Not classified	PG	Not classified
IMDG Code	Not classified	IMDG	Not classified	IATA	Not classified
Flashpoint	Non flammable				

#### 15. **Regulatory information**

Irritant

May cause sensitisation by skin contact

Keep out of reach of young children.

Wear suitable gloves and eye protection.

#### 16. **Other information**

Users of this product supplied by The Milliput Company should take appropriate measures to ensure working practices are in accordance with the Control of Substances Hazardous to Health (COSHH).

These data are based on our present knowledge. Users should always carry tests to establish the suitability of our product for its intended applications.

August 2015