

# HAY X LIBERTY MATIN PENDANT

PRODUCT FACT SHEET



**HAY**

## HAY X LIBERTY MATIN PENDANT


DESIGN BY INGA SEMPÉ, 2024

Featuring Liberty's distinctive floral print on the Matin Shade's classic pleated construction, the Liberty Matin Pendant brings together two iconic designs in a poetic and timeless expression. The elegant shade is combined with a ceiling-mounted canopy and cotton braided cord to create a pendant lamp. The lamp brings an inviting atmosphere to most rooms in the home and comes in different sizes and selected Liberty prints.

### HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- A family of contemporary table, ceiling, wall, and floor lamps.
- Featuring Liberty's distinctive floral print on the pleated Matin Shade.
- Shares the same shades as the table lamp variants and can easily be changed.
- Includes a black cord set attached to the shade.
- CE approved.
- Designed for use with a replaceable standard retro fit LED dimmable bulb.
- Available in two sizes and suitable for both private and office environments.

### DIMENSIONS



### MATERIALS

#### SHADE

Cotton fabric laminated with a PVC sheet.

#### CAP AND CANOPY






Canopy, top screw and cap in injection moulded ABS.

#### CORD

Braided fabric with silicone insulation.

### COLOUR & FINISH

Please note that the colour codes are indicative.

SHADE COLOUR	SIZE	SIZE	
		MATIN PENDANT Ø300	MATIN PENDANT Ø380
LIBERTY MITSU		●	●
LIBERTY BETSY ANN		●	●
LIBERTY ED		●	●
LIBERTY ROS		●	
LIBERTY CHERRY DROP		●	

## TECHNICAL SPECIFICATIONS

### RECOMMENDED LIGHT SOURCE\*

LED GX53 3-8W, 300-1500lm, 2700-3000K Warm White GX53

### DIMMABLE

Yes\*

### POWER SUPPLY

220-240V AC at 50/60Hz

### IP

20

### CORD LENGTH

400 cm

### SWITCH

No

\*Bulb not included

## TEST SPECIFICATIONS\*

### FLUX (LUMENS)

150lm

### CCT (KELVIN)


2800K, warm white

### CRI (1-100)

85

\*Photometrics and the specification shown is taken using the integrated LED bulb fitted in the production luminaire.


## PHOTOMETRICS



## CERTIFICATES

### CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN IEC 60598-2-1:2021
- EN IEC 60598-1:2021+A11:2022

## COUNTRY OF ORIGIN

China

## DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)