Pavilion AV9 & AV10 Anderssen & Voll 2018









Pavilion AV9 Anderssen & Voll 2018

Product category

Bar chair

Environment

Indoor

Materia

Steel tubes and formpressed veneer.

Production process

The chair is made from bend steel tubes and formpressed veneer. The veneer back and are finished with a PU lacquer.

Dimensions

H: 95cm/37.4in, D: 50cm/19.7in, W: 52cm/20.5in, Seat height: 75cm/29.5in

Package dimensions

H: 97cm/38.2in, D: 51cm/20.1in, L: 55cm/21.7in

Colli quantity

1 pc

Weight

Product: 5.0 kg / Incl.packaging: 7.5 kg

Base finishes

Black powder coated steel (RAL 9005 gloss 35)

Colours

Lacquered Oak, Black Lacquered Oak and Lacquered Walnut.

Gliders

Plastic gliders installed as standard. Felt gliders available upon request (6-8 weeks lead time).

Fittings

Black fittings for the front side of the back rest installed as standard. Brass fittings available upon request (6-8 weeks lead time).


Strength, Durability and Safety Testing

The chair is tested for strength, durability and safety according to; EN 16139 Level 2 – Extreme use.

Cleaning Instructions

Please download our Material Care & Cleaning Instructions through www.andtradition.com

Related products











Lacquered oak

Lacquered walnut

Black lacquered oak

&Tradition®



Pavilion AV10 Anderssen & Voll 2018

Product category

Bar chair

Environment

Indoor

Materia

Steel tubes and formpressed veneer.

Production process

The Pavilion bar chair is made from bend steel tubes and formpressed veneer. The veneer back are finished with a PU lacquer. The seat is coverd in CMHR foam for comfort with a fabric or leather upholstery.

Dimensions

H: 95cm/37.4in, D: 50cm/19.7in, W: 52cm/20.5in, Seat height: 75cm/29.5in

Package dimensions

H: 97cm/38.2in, D: 51cm/20.1in, L: 55cm/21.7in

${\sf Weight}$

Product: 5.3 kg / Incl.packaging: 7.5 kg

Base finishes

Black powder coated steel (RAL 9005 gloss 35)

Colours

Lacquered Oak, Black Lacquered Oak and Lacquered Walnut. Available in variety of fabrics and leather.

Gliders

Plastic gliders installed as standard. Felt gliders available upon request (6-8 weeks lead time).

Fittings

Black fittings for the front side of the back rest installed as standard. Brass fittings available upon request (6-8 weeks lead time).

COM - Material Consumption

Fabric usage: 60×60cm for one seat. COM must be approved by &Tradition to ensure suitability for upholstery on the chair.


Strength, Durability and Safety Testing

The chair is tested for strength, durability and safety according to; EN 16139 Level 2 – Extreme use.

Cleaning Instructions

Please download our Material Care & Cleaning Instructions through www.andtradition.com

Related products











Lacquered oak

Lacquered walnut

Black lacquered oak

&Tradition®