



CHROME OIL FILTERS

When good looks are important, Moroso's Chrome Oil Filters are the way to go! Outside is a triple process chrome plated steel housing that's hand polished and rack nickled before chroming to insure the highest luster possible. Inside is a heat cured, resin impregnated filter element that has been engineered to exceed OEM specifications for filtration efficiency.

ENGINEERED FOR HIGH FILTRATION EFFICIENCY!



With Moroso Chrome Oil Filters, harmful particles are trapped within the high performance filter pleating configuration, resulting in cleaner oil for your engine.



WARNING Prop. 65
This product contains a chemical known to the state of California to cause cancer, birth defects, or reproductive harm - www.P65Warnings.ca.gov

PART #	DESCRIPTION
22300	Chrome Oil Filter, Chevy type, Short Design (4- ⁹ / ₃₂ " high), ¹³ / ₁₆ " -16UNF thread
22305	Chrome Oil Filter, GM LS Series, 1997-2006, ¹³ / ₁₆ " -16UNF thread
22320	Chrome Oil Filter, Chevy type, Long Design (5- ¹ / ₄ " high), ¹³ / ₁₆ " -16UNF thread
22400	Chrome Oil Filter, Ford/Chrysler type, Long Design (5- ¹ / ₄ " high), ³ / ₄ " -16UNF thread

CHROME OIL FILTER CROSS REFERENCE

MOROSO	FRAM	PUROLATOR	MOTORCRAFT	WIX	AC	GM	LEE	HASTINGS	CHRYSLER	FORD	STP
22300	PH30	L20049	FL10	51069	PF25	6438261	LF25, LF25HP	LF225			S-025
22305	PH3506	L14006	FL330	51042	PF46	25010251 6439857	LF44	LF232	L321		S-3506
22320	PH13 HP4	L30040	FL12	51061	PF35	6438384 6437946 6435679	LF29, LF29HP	LF24, LF224			S-029
22400	PH8A HP1	L30001	FL1A	51515	PF2		LF1, LF1HP	LF15, LF115	185658	C1AZ-6731A D9AZ-6731A	S-01A

Performance Wholesale Australia Pty Ltd
6 Cronulla Court, Slacks Creek, Brisbane QLD


RACING OIL FILTERS

After many years of designing and testing racing oil systems and related components, we've determined what's most important to oil filtration. Many filter manufacturers stress the importance of filtering the smallest particles out of your engine's oil, with references to "micron ratings" of 10 or less for a filter's efficiency.


With the help of research performed by filtration technology experts, Moroso engineers have determined that particles smaller than 20 microns in diameter are not large enough to produce engine wear. Furthermore, we've found that filters with extremely low micron ratings create an excessive pressure drop across the filter. They can be so restrictive that the filter by-pass valve can open. With the by-pass valve open, unknown to you—NO FILTRATION will occur!

To maximize filter performance, Moroso Racing Oil Filters have a rating of 27 microns, which produces a maximum initial restriction of only 2.5 psi when tested to SAE J806! The result is less pressure drop, more flow, less oil by-pass and maximum filtration performance important in severe racing conditions.

ENGINEERED FOR HIGH FILTRATION EFFICIENCY!



Moroso's Oil Filter design insures full filtration with minimal restriction under the most severe operating conditions!



PART #	DESCRIPTION
22459	Racing Oil Filter, Chevy and others, $\frac{13}{16}$ " -16 UNF thread, short design ($4\frac{9}{32}$ " high), burst strength: 350 psi (max.)
22460	Racing Oil Filter, Chevy and others, $\frac{13}{16}$ " -16 UNF thread, long design ($5\frac{1}{4}$ " high), burst strength: 350 psi (max.)
22461	Racing Oil Filter, Chevy and others where space allows, 2 quart capacity, $\frac{13}{16}$ " -16 UNF thread, extra long design (8" high), burst strength: 350 psi (max.)
22462	Racing Oil Filter, GM LS Series, 1997-2006 with $\frac{13}{16}$ " -16 UNF thread, short design ($3\frac{1}{2}$ " high), burst strength: 300 psi (max.), 140 sq. in. of filter area
22463	Racing Oil Filter, Ford 4.6/5.4, GM LS Series 2007 & up, 22 mm-1.5 thread, short design ($3\frac{1}{2}$ " high), burst strength: 280 psi (max.) 170 sq. in. of filter area
22470	Racing Oil Filter, Ford and Chrysler, $\frac{3}{4}$ " -16 UNF thread, long design ($5\frac{1}{4}$ " high), burst strength: 500 psi (max.)

RACING OIL FILTER CROSS REFERENCE

MOROSO	FRAM	PUROLATOR	MOTORCRAFT	WIX	AC	GM	K&N	HASTINGS	CHRYSLER	FORD	STP
22459	PH30 TG30	L20049	FL10	51069	PF25	6438261	HP-2002	LF225			S-025
22460	PH13 TG13 HP4	L30040	FL12	51061	PF35	6438384 6437946 6435679	HP-3002	LF24, LF224			S-029
22461	PH373	L40084	FL308	51794	PF932	6439034	HP-6002	LF226			
22462	PH3506	L14006	FL330	51042	PF46	25010251 6439857	HP-1007	LF232	L321		S3506
22463	PH2 PH10060	L1222 L24651	FL820S	57060 51372	PF48 PF1250	19160693 89017524	HP-2010	LF110 LF636	4884899AB 4892339A	FL820 F1AZ6731A	S2 S10060
22470	PH8A TG8A	L30001	FL1A	51515	PF2		HP-3001	LF15, LF115	185658	C1AZ-6731A D9AZ-6731A	S-01A

OIL FILTER APPLICATION CHART

MAKE YEAR	MODEL	CHROME FILTER	RACING FILTER	MAKE YEAR	MODEL	CHROME FILTER	RACING FILTER
AMC				FORD continued			
1990-1971	All 4.2L/258/V-8	22305	22462	1983-1978	All 4 cyl. engs. (exc. Fiesta, Escort, Exp)	22400	22470
BUICK				1977-1974	All 4 cyl. engs.	22400	22470
1980	5.0L 305 cid	22300	22459	1973-1971	2.0L engs.	22400	22470
1979-1978	305, 350(L)	22300	22459	FORD TRUCK			
1977	305, 350 Century, Regal	22300	22459	2014-1997	Excursion, Expedition 4.6, 5.0, 5.4, 6.8L engs.		22463
1975	All 6 cyl. engs. (exc. V6)	22300	22459	2010-1996	Explorer 4.6, 5.0L engs.	22306	22463
1974-1969	All 6 cyl. engs.	22300	22459	2014-1994	150, 250, 350, 450 4.6, 5.0, 5.4, 6.8L engs.	22306	22463
1968	All 6 cyl. engs.	22320*	22460*	1998-1983	All V8 engs. (exc. Diesel) 5.8 (R), 1996-94 5.8 (H)	22400	22470
CADILLAC				1982-1960	All V8 engs. with spin-on filter	22400	22470
2014-2007	CTS/CTS/STS 6.0, 6.2L engs.		22463	1998-1983	All 6 cyl. engs. (exc. Diesel, 3.0(U) w/Fuel Inj.)	22400	22470
2006-2009	CTS/CTS/STS 5.7, 6.0L engs.	22305	22462	1982-1960	All 6 cyl. engs. with spin-on filter	22400	22470
2014-2007	Escalade 6.2L engs.		22463	1996-1983	All 4 cyl. engs. (exc. Diesel)	22400	22470
2006-2003	Escalade 5.3, 6.0L engs.	22305	22462	GMC - See Chevrolet Truck			
2005-2009	XLR 4.6L	22305	22462	HUMMER			
CHEVROLET				2006-2003	H2 6.0 L	22305	22462
2015-2010	Camaro 6.2, COPO		22463	JEEP			
2002-1998	Camaro 5.7	22305	22462	2015-2008	Commander, Gr. Cherokee 4.7, 5.7, 6.1L engs.	22305	22462
1997-1994	Camaro LT1, 5.7(P)	22300	22459	1986-1982	CJ, All 4.2L/258		
2015-2007	Corvette Z06 6.0, 6.2, 7.0L engs.		22463	LINCOLN			
2006-1997	Corvette Z06 5.7, 6.0L engs.	22305	22462	1990-1957	All 8 cyl. engs. with spin-on filter	22400	22470
1993-1992	All V8 engs. (exc. Corvette)	22300	22459	MERCURY			
1991	All V8 engs. (exc. 5.7(J))	22300	22459	1993-1992	5.0(T) w/Fuel Inj.	22400	22470
1990-1989	All V8 engs. (exc. 5.0(Y), 5.7(J),(7)), 5.7(7) Police w/o oil cooler only	22300	22459	1991	All V8 engs. (exc. 5.8(G) 2 bbl. Police)	22400	22470
1988-1986	All V8 engs. (exc. 5.0(Y), 5.7(6) Police) 5.7(6) Police w/o oil cooler only	22300	22459	1990-1988	5.0(F) w/Fuel Inj.	22400	22470
1985-1982	All V8 engs. (exc. Diesel, 5.7(6),(L) Police) 5.7(6),(L) Police w/o oil cooler only	22300	22459	1987-1986	All V8 engs. w/o oil cooler	22400	22470
1981-1969	All V8 engs. (exc. Diesel)	22300	22459	1985-1984	All V8 engs. w/o oil cooler (exc. 5.0L H.O., 5.8(G))	22400	22470
1968	All V8 engs.	22320*	22460*	1983-1980	All V8 engs. w/o oil cooler	22400	22470
1967-1964	All Chevy II, Nova	22320*	22460*	1979-1957	All V8 engs. with spin-on filter	22400	22470
1979-1969	All 6 cyl. engs. (exc. V6)	22300	22459	1987-1986	All 6 cyl. engs. (exc. Sable)	22400	22470
1968-1963	All 6 cyl. engs. (exc. Corvair)	22320*	22460*	1985-1980	All 6 cyl. engs.	22400	22470
1978-1971	All Vega, Monza	22300	22459	1979	All 6 cyl. engs. (exc. Bobcat)	22400	22470
1968-1962	All Chevy II	22300	22459	1978-1977	All 6 cyl. engs. (exc. V6)	22400	22470
CHEVROLET TRUCK / GMC TRUCK				1976	Comet, Monarch w/6 cyl. engs.	22400	22470
2015-2007	1500/2500/3500 4.8, 5.3, 6.2, 6.0L engs.		22463	1975-1974	All 6 cyl. engs. (exc. V6)	22400	22470
2006-2003	1500/2500/3500 4.8, 5.3, 6.0L engs.	22305	22462	1973-1957	All 6 cyl. engs. with spin-on filter	22400	22470
1990-1988	All V8 engs. (exc. K Series)	22320*	22460*	1991-1989	Topaz only	22400	22470
1987-1977	All V8 engs. (exc. El Camino, Caballero) El Camino, Caballero only	22320*	22460*	1988-1987	2.3(S),(X)	22400	22470
1976	All V8 engs. (exc. El Camino, Sprint, & 2 bbl. Blazer)	22320*	22460*	1986	2.3(A),(R),(S)	22400	22470
	El Camino, Sprint & 2 bbl. Blazer only	22300	22459	1985	2.3(A),(S),(X)	22400	22470
1975-1969	All V8 engs. (exc. El Camino, Sprint) El Camino, Sprint only	22320*	22460*	1984-1983	2.3L w/1 bbl. carb	22400	22470
1968	All V8 engs. with spin-on filter	22300	22459	1982-1981	All 4 cyl. engs. (exc. Lynx, LN-7)	22400	22470
1989-1985	4.8(T) 1 bbl.	22300	22459	1980-1973	All 4 cyl. engs.	22400	22470
1984-1970	4.1L 250 2 bbl., 4.8L 292 1 bbl.	22300	22459	1972-1971	2.0L engs.	22400	22470
1969-1963	All 6 cyl. engs. with spin-on filter	22300	22459	OLDSMOBILE			
CHRYSLER				1992	5.0(E), 5.7(7)	22300	22459
2015-2008	300C 5.7, 6.1/6.4L engs.		22463	1991	5.0(E) Custom Cruiser	22300	22459
1972-1959	All V8 engs. with spin-on filter	22400	22470	1987-1986	5.0(H) Cutlass Supreme (Canada only)	22300	22459
DODGE				1980	5.0L Cutlass	22300	22459
2014-2008	Viper 8.4L eng.		22463	1979-1977	305, 350(L)	22300	22459
2015-2008	Challenger, Charger, Magnum 5.7, 6.1/6.4L engs.		22463	1976-1966	All 6 cyl. engs. (exc. V6)	22300	22459
1972-1963	All V8 engs. with spin-on filter	22400	22470	1978-1976	All 4 cyl. engs.	22300	22459
1962-1961	All "B" Series engs.	22400	22470	PLYMOUTH			
1972-1960	All 6 cyl. engs. with spin-on filter	22400	22470	1972	All V8 engs. (exc. 318 cid)	22400	22470
DODGE TRUCK				1971-1965	All V8 engs. with spin-on filter	22400	22470
2011-2008	Dakota, Durango 4.7, 5.7L engs.		22463	1964-1963	All "A", "B" Series engs. (exc. Fleet cars)	22400	22470
2015-2008	Ram 1500, 2500, 3500 4.7, 5.7L engs.		22463	1962	All V8 engs. w/4 bbl. carb.	22400	22470
1974-1964	All V8 engs. with spin-on filter	22400	22470	1961-1958	All "B" Series engs.	22400	22470
1974-1965	All V6 engs. with spin-on filter (exc. cartridge type spin-on)	22400	22470	1972-1960	All 6 cyl. engs. with spin-on filter	22400	22470
FORD				PONTIAC			
2010-1992	Crown Victoria 4.6L eng.		22463	2010-2008	G8 6.0, 6.2L engs.		22463
2015-1996	Mustang 4.6L/5.0L/5.4L engs.		22463	2006-2004	GTO 5.7, 6.0L engs.	22305	22462
1995-1994	Mustang 5.0L eng.	22400	22470	2002-1998	Firebird 5.7L eng.	22305	22462
1993-1992	All V8 engs. (exc. Crown Victoria, LTD)	22400	22470	1997-1990	All V8 engs.	22300	22459
1991-1989	All V8 engs. (exc. 5.8(G) 2 bbl. Police)	22400	22470	1989-1986	All V8 engs. (exc. 5.0(Y))	22300	22459
1988-1986	All V8 engs. w/o oil cooler	22400	22470	1985-1982	All V8 engs. (exc. Diesel)	22300	22459
1985-1984	All V8 engs. w/o oil cooler (exc. 5.0L H.O.)	22400	22470	1981-1980	5.0(H) 4 bbl.	22300	22459
1983-1980	All V8 engs. (exc. 5.8L 2 bbl. w/oil cooler)	22400	22470	1979-1978	5.0L, 5.7L engs.	22300	22459
1979-1975	All V8 engs. (exc. Mustang II)	22400	22470	1972-1971	307 cid only	22300	22459
1974-1957	All V8 engs. with spin-on filter	22400	22470	1976-1970	All 6 cyl. engs.	22300	22459
1985-1980	All 6 cyl. engs.	22400	22470	1964	All 6 cyl. engs.	22320*	22460*
1979-1975	All 6 cyl. engs. (exc. Pinto & Mustang II)	22400	22470	1978-1976	All 4 cyl. engs.	22300	22459
1974-1957	All 6 cyl. engs. with spin-on filter	22400	22470	*NOTE: The shorter Nos. 22300 and 22459 filters may be used in this application, if desired. For maximum filtration performance, always use the largest filter possible.			
1993-1992	2.3(M)	22400	22470				
1991	2.3(M),(X)	22400	22470				
1990-1985	2.3(A),(S),(X)	22400	22470				
1984	2.3L w/1 bbl. carb	22400	22470				