

### 1. Identification

**Product Identifier Encap Pro Series** 

Other means of identification

Product code VJI-3110

Recommended use Encapsulating carpet cleaner.

**Recommended restrictions** 

Manufacturer information

Company name Victory Janitorial Inc.

**Address** 5804 US-8

Rhinelander, WI 54501

Telephone (715) 369-2000

**Emergency phone number PERS** (800) 633-8253

(800) 633-8253 24-hour Emergency

## 2. Hazard(s) Identification

**Physical hazards** Not classified.

**Health hazards** Skin Irritant Category 3

Eye Irritant Category 2A

**Environmental hazards** Not classified. **OSHA** defined hazards Not listed.

**Label elements** 



Signal word WARNING

**Hazard statement** Causes mild skin irritation.

Causes serious eye irritation.

**Precautionary statement** 

Prevention Wash hands and exposed skin thoroughly after handling. Wear eye protection/face

protection.

Response If skin irritation occurs: Get medical advice/attention.

> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Storage No prescriptive instruction No prescriptive instruction Disposal

Hazard(s) not otherwise

classified (HNOC)

None.

**Supplemental information** None.

## 3. Composition/information on ingredients

Mixtures Component(s)			
Chemical name	CAS number	%	
2-butoxyethanol	111-76-2	2-5	
Anionic Polymers	Proprietary	2-5	
Other components below reportable levels		90-95	



#### 4. First-aid measures

**Inhalation** Move to fresh air if irritated.

**Skin contact** Rinse with water.

**Eye contact** Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Get medical attention if irritation persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.

Dermatitis. Rash. May cause an allergic skin reaction.

Most important

Indication of immediate

special treatment needed

symptoms/effects, acute and

delayed

Provide general support measures and treat symptomatically. Keep victim under

medical attention and observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

Special protective equipment

and precautions for

firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of

fire.

Fire-fighting

Specific methods

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face

protection.

Methods and materials for containment and cleaning up

Caution - spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent

entry into waterways, sewer, basements or confined areas.

Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface

thoroughly with water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS.

**Environmental precautions** Avoid discharge into surface drainage paths and other areas not consistent with package

labeling.



### 7. Handling and storage

Precautions for safe handling 
Avoid contact with eye. Avoid prolonged exposure. Observe good industrial hygiene

practices.

Conditions for safe storage,

including any incompatibilities

Store in original tightly closed container. Do not store in extreme conditions.

### 8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValue2-butoxyethanolPEL50 ppm

**US ACGIH Threshold Limit Values** 

ComponentsTypeValue2-butoxyethanolSTEL20 ppm

**Biological limit values** 

**ACGIH Biological Exposure Indices** 

ComponentsValueDeterminantSpeciesSampling Time2-butoxyethanol200 mg/gCreatinineUrineEnd of shift.

Appropriate engineering

controls

Emergency eye wash stations and showers should be readily accessible.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes.

Skin protection

**Hand protection** None prescribed for routine use of this product

Other None.

**Respiratory protection** Respiratory protection not required for prescribed use of this product

Thermal hazards None

**General hygiene**considerations
When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or

medalica

smoking.

### 9. Physical and chemical properties

**Appearance** 

Physical State Liquid
Color Colorless
Odor Pleasant/herbal
Odor threshold Not available.

**pH** 6-7

Melting/freezing point Not available.
Initial boiling point and >212°F (100°C)

boiling range

Flash point >385°F (196°C)

Material Name: Encap Pro Series Page 3 of 6 SDS US



Evaporation rate Not available.
Flammability Not available.

**Flammability Limits** 

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1)1.04Solubility in waterSoluble.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperature Not available.

**Decomposition temperature** Decomposes on heating.

Viscosity Not available.

## 10. Stability and reactivity

**Reactivity** This product is stable and non-reactive under normal conditions of use.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

**Conditions to avoid** Heat, flames can cause product to decompose.

Incompatible materials None

**Hazardous decomposition** Carbon dioxide, carbon monoxide.

products

## 11. Toxicological information

Information on likely routes

of exposure

IngestionExpected to be a low ingestion hazard.InhalationExpected to be a low inhalation hazard.Skin contactProlonged skin contact causes irritation.

**Eye contact** Repeated and/or prolonged eye contact causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Dermatitis. Rash. May cause an allergic skin reaction.

Acute toxicity Not established.

Product Encap Pro Series (CAS mixture)			
Exposure Classification	Route and Species	LD <sub>50</sub> /LC <sub>50</sub>	
Acute	Oral, rat	>5,200 mg/kg (estimated)	
*Estimates for product may be based on additional component data not shown			

Skin corrosion/irritationCauses mild skin irritation.Serious eye damage/ irritationCauses serious eye irritation.

Respiratory sensitizationNot classified.Skin sensitizationNot classified.



Germ cell mutagenicity Not classified.

**Carcinogenicity** Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed.

Reproductive toxicityNot classified.Specific target organ toxicity – single exposureNot classified.Specific target organ toxicity – repeated exposureNot classified.

Aspiration hazard Not considered an aspiration hazard.

## 12. Ecological information

Ecotoxicity				
Product Encap Pro Series (CAS mixture)				
Aquatic Receptor	Species	Test Thresholds		
Fish	Oncorhynchus mykiss (rainbow trout)	LC <sub>50</sub> (96-hr): 32,000 mg/L (estimated)		
Crustacea	Daphnia (water flea)	EC <sub>50</sub> ( 48-hr): 33,500 mg/L (estimated)		
*Estimates for product may be based on additional component data not shown				

Persistence and Not available. Chemicals of this class are not expected to be persistent in an open, aerobic

degradability environment

**Bioaccumulative potential** Potential to bioaccumulate is low.

Mobility in soil Not available. Chemicals of these classes are highly water soluble and are expected to

exhibit moderate to high mobility in saturated and semi-saturated soils

Other adverse effects Not available.

### 13. Disposal considerations

**Disposal instructions** Dispose of in accordance with local regulations. As packaged, this product is not believed

to meet criteria defining RCRA hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been

properly assessed and, as necessary, tested to confirm regulatory status.

Local disposal regulations None.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain

some product residues. This material and its container must be disposed of in a safe

manner. (see: Disposal instructions).

**Contaminated packaging** Empty containers should be rinsed with water and recycled.

### 14. Transport information

**DOT** Not regulated as dangerous goods.

## 15. Regulatory information

**US federal regulations** 

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed

SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard – No

Material Name: Encap Pro Series Page 5 of 6 SDS US



Fire Hazard – No Pressure Hazard – No Reactivity Hazard – No

SARA 313 (TRI reporting)
California Proposition 65

2-butoxyethanol (Glycol Ether Category)

California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (12/2021)

### 16. Other information, including date of preparation or last revision

**Issue date** 2/18/2022

**Revision date** 

Version # 1

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0



NFPA ratings Health: 1

Flammability: 0 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

**Revision information** First issue