

# PROFESSIONAL CLEANING SOLUTIONS

## Full Line Catalog 2023

AUTOMATIC SCRUBBERS  
VACUUM SWEEPERS  
PROFESSIONAL VACUUMS  
WINDOW CLEANING  
MICROFIBER  
FLOOR MACHINES  
EXTRACTORS



**IPC**  
EAGLE

---

## IPC EAGLE SUMMARY

### **ONE OF THE LARGEST MANUFACTURERS OF PROFESSIONAL CLEANING EQUIPMENT**

IPC knows every detail of cleaning equipment, with five renown and dedicated factories, it is an undisputed world leader.

---

## INNOVATIONS

### **INNOVATION THAT DELIVERS PRODUCTIVITY**

IPC's large R&D team works as a group of experts in cleaning innovation to deliver tangible productivity benefits at a fast pace.

---

## KEY VALUES

### **CLIENT-CENTRIC**

IPC's tremendous depth of expertise and know-how are focused on delivering to customers specific solutions, addressing effectively emerging cleaning needs together.

---

## KEY VALUES

### **COMMITTED TO SUSTAINABILITY**

IPC's sustainable technologies contribute every year to always higher standards of energy savings, water savings, and recycling of materials.

---

## NETWORK

### **GLOBAL DISTRIBUTION**

IPC has a global commercial network covering over 120 countries, with wide and complete service in reference markets.

---

## PRODUCTS

### **COMPLETE PORTFOLIO**

IPC provides a complete range of professional equipment including: automatic scrubbers, sweepers, professional vacuum cleaners, window cleaning, microfiber and many more.



**CT5**

P. 13



**CT15**

P. 14



**CT30**

P. 15



**CT45**

P. 16



**CT46**

P. 17



**CT40**

P. 18



**CT70**

P. 19



**CT51**

P. 20



**CT71**

P. 21



**CT51XP**

P. 22



**CT71XP**

3 P. 23



**CT90**

P. 24



**CT105** P. 25



**CT80** P. 26



**CT110** P. 27



**CT160** P. 28



**CT230** P. 29



**510M** P. 31



**SMARTVAC 464** P. 32



**SMARTVAC 664** P. 33



**512** P. 34



**712** P. 35



**512 RIDER** P. 36



**1050** P. 37



**1280** P. 38



**1404** P. 39



**FM 17/20** P. 40



**B1500** P. 41



**PROPANE BURNISHER** P. 42



**BB2000** P. 43



**BX2** P. 44



**SC4/SC7/SC12** P. 45



**BX12** P. 46



**JOB EXTRACTOR** P. 47



**LP** P. 49



**13 GAL POLYETHYLENE** P. 50



**IPC**  
EAGLE



**24 GAL POLYETHYLENE** P. 51



**CHROMED STEEL** P. 52



**TIP & POUR** P. 53



**PUMP OUT** P. 54



**HOSPITAL** P. 55



**GP 127** P. 56



**BACKPACK** P. 57



**BARREL VAC** P. 58



**HYDRO CART COMPACT** P. 59



**HYDRO CART** P. 60



**HYDRO STATION** P. 61



**SCREENWASHER** P. 62



**CLEANO** P. 63



**SPEED BRUSH** P. 64



**SQUEEGEES** P. 65



**PULEX** P. 66



**BLACK IS GREEN** P. 68



**MICROFIBER** P. 69



**MICROFIBER TOOLS** P. 71

## IPC EAGLE

IPC is a leading manufacturer of cleaning equipment and tools throughout the world. As a whole, IPC includes 15 specialized segments focused on providing superior cleaning products. Each IPC segment is relatively small in scale, allowing faster, more innovative development of products, but with the resources of a larger company to achieve fast turnaround times and serve a global audience.

### PRODUCT RANGE

## AUTOMATIC SCRUBBERS

WALK BEHIND

CT15



CT105

RIDER

CT80



CT110



CT230

WALK BEHIND

## SWEEPERS

464



510M



712

RIDER

512 Rider



1280



1404

### HIGH QUALITY MAINTENANCE

EFFICIENT COMPONENTS CONTROL - HIGH QUALITY ASSEMBLY AND PRODUCTION STANDARDS

### EFFICIENT SERVICE

SHARED MACHINE PLATFORMS - EFFECTIVE AND USER FRIENDLY SERVICE MANUALS - TECHNICAL INFORMATION AVAILABLE ONLINE

### EFFICIENT AND FAST SPARE PARTS DISPATCH SERVICE

COMPONENTS OPTIMIZATION - FAST SPARE PARTS DELIVERY - HIGHER EFFICIENCY IN WAREHOUSE MANAGEMENT



## **FLEXIBLE AND MARKET- RESPONSIVE PRODUCTION**

With many years of experience, IPC has developed not only a solid and reliable organization, but also an extremely flexible and market- responsive production system. Constant internal research & development ensure specific solutions to satisfy different market needs.

---



---

## **CUSTOMIZED SOLUTIONS**

ECO-FRIENDLY SOLUTIONS - SPECIFIC APPLICATION NEEDS - AESTHETIC CUSTOMIZATION REQUESTS

---

## **RAPID ASSISTANCE**

QUICK AND EFFECTIVE TECHNICAL STUDIES - EFFICIENT PROTOTYPES AND COMPONENT TESTS - ACCURATE TECHNICAL DOCUMENTATION

---

## **PRODUCTION FLEXIBILITY**

FAST PRODUCTION - CUSTOMIZED TESTS - VERY HIGH PRODUCTION STANDARDS

---

## **INDUSTRIALIZED ANSWERS**

HIGH QUALITY PRACTICAL DECISIONS - PROFESSIONAL TECHNICAL DOCUMENTATION - SPARE PARTS AS STANDARD PRODUCTS

---




## ECO SELECT



Maintenance Costs

SAVE UP TO 20%

# +20%



Eco Select permits to decrease energy consumption and increase running time by 20% in every day cleaning operations. Noise level is down to 62Db allowing cleaning operations even in sensitive areas. Programmed maintenance is longer with consequent cost reduction.




## MEMORY CARD



Full control of your machine with service assistance management. The Memory card allows the download the machine's working parameters onto a PC, tablet and mobile device. A dedicated software will easily identify the most important data, such as: battery chargers cycles, brush motor consumption, working hours and error messages.



## SERVICE MENU




The system allows the constant management of scheduled maintenance.

## 4 INTERCHANGEABLE BRUSH HEADS



## TELEMATICS GPS

**MANAGE YOUR FLEET REMOTELY**  
Complete range of dashboards to control  
all the machine parameters



## SLSTM™ SELF LEVELING SYSTEM




**MECHANICAL SYSTEM** Brush pressure by weight



**ELECTRONIC SYSTEM** Set and constant brush pressure



## ANC™ ADVANCED NOISE CONTROL





**APC™**  
 ADVANCED  
 PRODUCTIVITY CONTROL


**DOUBLE PRODUCTIVITY WITH  
 THE SAME AMOUNT OF WATER**

APC doubles the productivity of the machine, obtains a constant cleaning quality and gives the user full control of the working cycle by displaying the remaining gallons, minutes and the available square feet to be cleaned.

APC™  
 WITHOUT APC™


Water  
 Reduction

UP TO  
 2x



**ECS™**  
 ECO COST  
 CLEANING SOLUTION  
 600 RPM

ECS transforms a drop of water into a powerful cleaning system.



**UDC™**  
 ULTIMATE  
 DRYING COMBO

CT46 ensures high drying performances on all surfaces thanks to the perfect technological combo of a standard three-stage suction vacuum, a V squeegee assembly and a mixture of blades made of different materials.





**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT5

The CT5 is one of the smallest and lightest automatic scrubbers on the market and is extremely portable with its lightweight design weighing only 44 pounds, including the battery and brush. The machine can be carried from room-to-room, or transported on a cleaning cart such as the Brix, making it perfect for cleaning restrooms, picking up spills, and cleaning wet and slippery entryways. Its small, compact size allows it to squeeze into many tight spaces, such as aisles or between tables, making it perfect for the retail sector and restaurants as well.

**MOST FREQUENT USE**



<b>PRODUCTIVITY (70% OF MAX)</b>	<b>BATTERIES RUNNING TIME</b>	<b>KEY SPECS</b>
7,300 ft <sup>2</sup> /h	50/ 75 min	1.3 gal
		11" brush drive



FOLDABLE HANDLE FOR STORAGE AND TRANSPORTING



LITHIUM-ION BATTERY



REVERSE DRYING SYSTEM

**INNOVATIONS**

-  SLSTM SELF LEVELING SYSTEM
-  CFS CENTRAL FLOW SYSTEM
-  REVERSE DRY SYSTEM
-  YELLOW TOUCH POINTS
-  ECO SELECT

**CT5B28**

Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup>	6,300 ft <sup>2</sup> / 580m <sup>2</sup>
Cleaning path	in/mm	11in / 280 mm
Water tank capacity	Gal/ l	1.3 gal/ 5 l
Max running time	min	50/75
Voltage	V-Ah	36
Installed power	W	220
Max Speed		1.9 mph/ 3 kmh
Brush pressure	lbs/ kg	26 lbs/ 12 kg
Weight	lbs/ kg	44 lbs/ 19.8 kg
Dimensions	in	30 x 15 x 15 in




**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT15

The CT15 is one of the top selling compact scrubbers on the market. It has a uniquely compact design that allows it to fit in spaces that other scrubbers could not. It can be used to clean hallways, restroom stalls, entryways and many other smaller areas without a decrease in maneuverability nor productivity. It features an adjustable handle that can be tilted down to the operator's height as well as the ability to be pushed down enough to fit easily under lower spaces, such as tables, desks and chairs.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

13,500 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

60/ 70 min

**KEY SPECS**

4/5 gal

14" brush drive



FOLDABLE HANDLE



THREE STAGE VACUUM



PRESET WORK PROGRAMS



BATTERIES AND ONBOARD CHARGER INCLUDED

**INNOVATIONS**



SLS™  
SELF  
LEVELLING  
SYSTEM



ECO  
SELECT

		CT15 B35 BATTERY DISC	CT15 C35 ELECTRIC DISC
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	13,500 ft <sup>2</sup> / 1,250 m <sup>2</sup>	13,500 ft <sup>2</sup> / 1,250 m <sup>2</sup>
Cleaning path	in / mm	14"/ 350 mm	14"/ 350 mm
Water tank capacity (solution recovery)	gal/ l	4/5 gal - 16/19 l	4/5 gal - 16/19 l
Max running time	min	70	Unlimited
Voltage	V	24 (2x12) AGM	110V
Installed power	W	550	400
Squeegee width	in/ mm	18 in/ 450 mm	18 in/ 450 mm
Max speed	mph/ kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph
Weight (w/ batteries)	lbs/ kg	104 lbs/ 47 kg	79 lbs/ 36 kg
Noise Level	dB	68 dB	68 dB
Dimensions (l x w x h)	in/ mm	37 x 18 x 47 in	37 x 18 x 47 in




**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT30

The CT30, part of the compact series, is a step above the CT15 in size for when greater productivity is needed. It has the same ability to fit into tight spaces such as hallways, entryways, restroom stalls as well as the adjustable handle that allows it to fold over and reach under tables and desks with ease.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

15,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

2.0 h

**KEY SPECS**

8/9 gal

18" brush drive



FOLDABLE HANDLE



THREE STAGE VACUUM



PATENTED TRANSPORT WHEEL



BATTERIES AND ONBOARD CHARGER INCLUDED

**INNOVATIONS**



SLS™  
SELF  
LEVELLING  
SYSTEM



ECO  
SELECT

		CT30B BATTERY DISC
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	15,000 ft <sup>2</sup> / 1,670 m <sup>2</sup>
Cleaning path	in / mm	18" / 460 mm
Water tank capacity (solution recovery)	gal/ l	8/9 gal - 28/30 l
Max running time	min	120
Voltage	V	24 (2x12) AGM
Installed power	W	550
Squeegee width	in/ mm	22 in/550 mm
Max speed	mph/ kph	2.2 mph/ 3.5 kph
Weight (w/ batteries)	lbs/ kg	205 lbs/ 93 kg
Dimensions (l x w x h)	in/ mm	38 x 22 x 48 in




**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT45

The CT45 (along with the CT46) is tied in size for being the largest scrubber within IPC Eagle's compact series, offering greater productivity with rates up to 17,000 square feet an hour. It has all of the same features with the maneuverability to squeeze into tight spaces such as entryways and restroom stalls and the adjustable handle that allows it to scrub below desks and tables easily.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

17,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

2.0 h

**KEY SPECS**

11/12 gal

20" brush drive



FOLDABLE HANDLE



THREE STAGE VACUUM



PATENTED TRANSPORT WHEEL



**BATTERIES AND ONBOARD CHARGER INCLUDED**

**INNOVATIONS**



SLS™  
SELF  
LEVELLING  
SYSTEM



ECO  
SELECT



UDCT™  
ULTIMATE  
DRYING COMBO

**CT45 BRUSH DRIVE**

Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	17,000 ft <sup>2</sup> / 1,750 m <sup>2</sup>
Cleaning path	in / mm	20"/500 mm
Water tank capacity (solution recovery)	gal/ l	11/12 gal - 40/ 45 l
Max running time	min	120
Voltage	V	24 (2 x 12) AGM
Installed power	W	550
Squeegee width	in/ mm	28 in/ 730 mm
Max speed	mph/ kph	2.2 mph/ 3.5 kph
Weight (w/ batteries)	lbs/ kg	220 lbs/ 100 kg
Dimensions (l x w x h)	in/ mm	39 x 23 x 48 in
Noise Level	dB	70 dB






**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT46

The CT46, like the CT45, is tied in size for being the largest scrubber in the compact series with productivity rates reaching up to 17,000 square feet an hour. It can fit in tight spaces as well as reaching beneath tables and desks. The differentiator between the CT45 and the CT46 is the battery package options available.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

17,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

2.0 - 3.5 h

**KEY SPECS**

11/12 gal

20" brush drive



FOLDABLE HANDLE



LARGE BATTERY BOX



PATENTED TRANSPORT WHEEL

ONBOARD CHARGER INCLUDED

**INNOVATIONS**



SLST<sup>SM</sup>  
SELF  
LEVELLING  
SYSTEM



UDC<sup>TM</sup>  
ULTIMATE  
DRYING COMBO



ECO  
SELECT

**CT46 BRUSH DRIVE**

Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	17,000 ft <sup>2</sup> / 1,750 m <sup>2</sup>
Cleaning path	in / mm	20"/500 mm
Water tank capacity (solution recovery)	gal/ l	11/12 gal - 40/ 46 l
Max running time	min	120
Voltage	V	24 [2 x 12] AGM
Installed power	W	550
Squeegee width	in/ mm	28 in/ 730 mm
Max speed	mph/ kph	2.2 mph/ 3.5 kph
Weight (w/o batteries)	lbs/ kg	132 lbs/ 60 kg
Dimensions (l x w x h)	in/ mm	42 x 23 x 50 in
Noise Level	dB	70 dB




**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT40

The CT40 is part of the basic series line, which is a line designed to offer machines that simply just scrub floors. Innovations and new features may be nice for some, but for others, they are not necessary. The basic line features simple, more manual designs and are extremely durable.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

17,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

2.0 - 3.5 h

**KEY SPECS**

10/13 gal  
20" brush and traction drive



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT DOSING SYSTEM (OPTIONAL)



ANTI-FOAM SYSTEM WITH SPECIAL ELECTROMECHANICAL SUCTION MOTOR PROTECTION



**ONBOARD CHARGER INCLUDED**

**INNOVATIONS**



SLST™  
SELF  
LEVELING  
SYSTEM



ECS™  
ECO COST  
CLEANING SOLUTION  
600 RPM

		CT40 B50	CT40 BT50
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	17,000 ft <sup>2</sup> / 1,670 m <sup>2</sup>	19, 000 ft <sup>2</sup> / 2,250 m <sup>2</sup>
Cleaning path	in / mm	20"/ 500 mm	20"/ 500 mm
Water tank capacity (solution recovery)	gal/ l	10/13 gal - 40/50 l	10/13 gal - 40/50 l
Max running time	min	210	200
Voltage	V	24 (2x12) V	24 (2x12) V
Installed power	W	550	400
Squeegee width	in/ mm	32 in/ 820 mm	32 in/ 820 mm
Max speed	mph/ kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph
Weight (w/o batteries)	lbs/ kg	148 lbs/ 67 kg	160 lbs/ 73 kg
Dimensions (L x w x h)	in/ mm	48 x 20 x 38 in	48 x 20 x 38 in
Noise level	dB	74 dB	74 dB




**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT70

The CT70 is part of the basic series line, which is a line designed to offer machines that simply just scrub floors. Innovations and new features may be nice for some, but for others, they are not necessary. The basic line features simple, more manual designs and are extremely durable.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

29,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

2.0 - 3.5 h

**KEY SPECS**

19/20 gal  
28" traction drive



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT DOSING SYSTEM (OPTIONAL)



ANTI-FOAM SYSTEM WITH SPECIAL ELECTROMECHANICAL SUCTION MOTOR PROTECTION



ONBOARD CHARGER INCLUDED

**INNOVATIONS**



SLSTM<sup>™</sup>  
SELF  
LEVELING  
SYSTEM



ECS<sup>™</sup>  
ECO COST  
CLEANING SOLUTION  
600 RPM

**CT70 BT70**

Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	29,000 ft <sup>2</sup> / 2695 m <sup>2</sup>
Cleaning path	in / mm	28 in/ 700 mm
Water tank capacity (solution recovery)	gal/ l	19/20 gal/ 75 l
Max running time	min	170
Voltage	V	24V (2x12)
Installed power	W	550
Squeegee width	in/ mm	24 in/ 600 mm
Max speed	mph/ kph	2.8 mph/ 4.5 kmh
Weight (w/o batteries)	lbs/ kg	194 lbs/ 88 kg
Dimensions (L x w x h)	in/ mm	48 x 27 x 38 in
Noise level	dB	74 dB




**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT51

The CT51 is the smaller scrubber in our CT51/ CT71 premium scrubber series, which features the newest and most innovations and technologies. These machines include an adjustable handle, easy to use dashboard with selector knob, advanced noise control to allow for quieter operations with no distractions, Eco Mode to reduce water being used as well as motor speed reduction. It offers a variety of battery packages that allow for long run-times and high productivity rates that allow you to clean up to 27,000 square feet an hour.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

17,000-27,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

1.8-3.5 h

**KEY SPECS**


13/14 gal  
20" brush drive  
20", 24" and 28" disc traction drive



ADJUSTABLE HANDLE FOR COMFORTABLE AND EASY USE



FULL MACHINE CONTROL DUE TO INTUITIVE CENTRAL DIAL



EASY ACCESS, NO TOOLS REQUIRED



**ONBOARD CHARGER INCLUDED**

**INNOVATIONS**

- SLSTM<sup>™</sup> SELF LEVELLING SYSTEM
- ANC<sup>™</sup> ADVANCED NOISE CONTROL
- TELEMATICS GPS
- APC<sup>™</sup> ADVANCED PRODUCTIVITY CONTROL
- ECS<sup>™</sup> ECO COST CLEANING SOLUTION 600 RPM
- MEMORY CARD
- SERVICE MENU

		CT51 B50 BRUSH DRIVE	CT51 BT50/ TRACTION	CT51 BT60/ TRACTION	CT51 BT70/ TRACTION
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	17,000 ft <sup>2</sup> / 1,570 m <sup>2</sup>	19,000 ft <sup>2</sup> / 1,765 m <sup>2</sup>	23,000 ft <sup>2</sup> / 2,135 m <sup>2</sup>	27,000 ft <sup>2</sup> / 2,510 m <sup>2</sup>
Cleaning path	in / mm	20"/ 500 mm	20"/ 500 mm	24"/ 600 mm	28"/ 700 mm
Water tank capacity	gal/ l	13/14 gal - 51/53 l	13/14 gal - 51/53 l	13/14 gal - 51/53 l	13/14 gal - 51/53 l
Max running time	min	210 min	210 min	210 min	210 min
Voltage	V	24 (2x12)	24 (2x12)	24 (2x12)	24 (2x12)
Installed power	W	780	980	1380	1380
Squeegee width	in/ mm	32 in/ 815 mm	32 in/ 815 mm	32 in/ 815 mm	33 in/ 840 mm
Max speed	mph/ kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph
Weight (w/o batteries)	lbs/ kg	198 lbs/ 90 kg	200 lbs/ 90.5 kg	218lbs/ 98.7 kg	217 lbs/ 97.5 kg
Dimensions (L x w x h)	in/ mm	54 x 22 x 41 in	54 x 22 x 41 in	50 x 27 x 41 in	54 x 29 x 41 in
Noise level	dB	58 dB	58 dB	58 dB	58 dB




**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT71

The CT71 is the larger scrubber in our CT51/ CT71 premium scrubber series, which features the newest and most innovations and technologies. These machines include an adjustable handle, easy to use dashboard with selector knob, advanced noise control to allow for quieter operations with no distractions, Eco Mode to reduce water being used as well as motor speed reduction. It offers a variety of battery packages that allow for long run-times and high productivity rates that allow you to clean up to 27,000 square feet an hour.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

17,000-27,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

2.0 3.5 h

**KEY SPECS**


19/20 gal  
20", 24", 28"  
disc traction drive



ADJUSTABLE HANDLE FOR COMFORTABLE AND EASY USE



FULL MACHINE CONTROL DUE TO INTUITIVE CENTRAL DIAL



EASY ACCESS, NO TOOLS REQUIRED

**ONBOARD CHARGER INCLUDED**

**INNOVATIONS**

- SLS™ SELF LEVELLING SYSTEM
- ANC™ ADVANCED NOISE CONTROL
- TELEMATICS GPS
- APC™ ADVANCED PRODUCTIVITY CONTROL
- ECS™ ECO COST CLEANING SOLUTION 600 RPM
- MEMORY CARD
- SERVICE MENU

		CT71 BT50 TRACTION	CT71 BT60/ TRACTION	CT71 BT70/ TRACTION
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	19,000 ft <sup>2</sup> / 1,765 m <sup>2</sup>	23,000 ft <sup>2</sup> / 2,135 m <sup>2</sup>	27,000 ft <sup>2</sup> / 2,510 m <sup>2</sup>
Cleaning path	in / mm	20"/ 500 mm	24"/ 600 mm	28"/ 700 mm
Water tank capacity	gal/ l	17/19 gal - 65/71 l	17/19 gal - 65/71 l	17/19 gal - 65/71 l
Max running time	min	210 min	210 min	210 min
Voltage	V	24 (2x12)	24 (2x12)	24 (2x12)
Installed power	W	980	1380	1380
Squeegee width	in/ mm	32 in/ 815 mm	32 in/ 815 mm	33 in/ 840 mm
Max speed	mph/ kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph
Weight (w/o batteries)	lbs/ kg	200 lbs/ 90.5 kg	220 lbs/ 99.9 kg	215 lbs/ 97.3 kg
Dimensions (l x w x h)	in/ mm	54 x 22 x 41 in	50 x 27 x 41 in	51 x 29 x 41 in
Noise level	dB	58 dB	58 dB	58 dB




**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT51XP

The CT51XP is a powerful, innovative machine with an actuator to assist in creating a perfect fit to the floor. It is available with a standard disc, a high speed version at 600 rpm to be able to polish and maintain floors, a cylindrical head floor to get into grouted surfaces and have a deeper clean as well as an orbital to assist in creating a shine in floors.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

19,000-  
27,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

1.8-3.5 h

**KEY SPECS**

13/14 gal  
20", 24", 28" disc  
20" orbital  
21" cylindrical  
20", 28" 600 RPM HS


All with actuated head;  
traction drive



ADJUSTABLE HANDLE FOR COMFORTABLE AND EASY USE



FULL MACHINE CONTROL DUE TO INTUITIVE CENTRAL DIAL



EASY ACCESS, NO TOOLS REQUIRED

**ONBOARD CHARGER INCLUDED**

**INNOVATIONS**



SLSTM  
SELF  
LEVELLING  
SYSTEM



ANC™  
ADVANCED  
NOISE CONTROL



TELEMATICS  
GPS



APC™  
ADVANCED  
PRODUCTIVITY  
CONTROL



ECS™  
ECO COST  
CLEANING SOLUTION  
600 RPM



MEMORY  
CARD



SERVICE  
MENU

		CT51XP50/ CT51XP50HS	CT51XP60	CT51XP70/ CT51XP70HS	CT51ORB50	CT51XP55R
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	19,000 ft <sup>2</sup> / 1,570 m <sup>2</sup>	23,000 ft <sup>2</sup> / 2,135 m <sup>2</sup>	27,000 ft <sup>2</sup> / 2,510 m <sup>2</sup>	19,000 ft <sup>2</sup> / 1,570 m <sup>2</sup>	20,000 ft <sup>2</sup> / 1,860 m <sup>2</sup>
Cleaning path	in / mm	20"/ 500 mm	24"/ 600 mm	28"/ 700 mm	20"/ 500 mm	21"/ 550 mm
Water tank capacity (solution recovery)	gal/ l	13/14 gal - 51/53 l	13/14 gal - 51/53 l	13/14 gal - 51/53 l	13/14 gal - 51/53 l	13/14 gal - 51/53 l
Max running time	min	210	210 min	210	210	210
Voltage	V	24 (2x12)	24 (2x12)	24 (2x12)	24 (2x12)	24 (2x12)
Installed power	W	1550	1380	1550	1030	1550
Noise Level	DB	58 dB	32 in/ 815 mm	58 dB	58 dB	58 dB
Squeegee width	In/ mm	32 in/ 815 mm	2.2 mph/ 3.5 kph	33 in/ 840 mm	32 in/ 815 mm	32 in/ 815 mm
Max speed	Mph/ kph	2.2 mph/ 3.5 kph	218lbs/ 98.7 kg	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph
Weight (w/o batteries)	Lbs/ kg	200 lbs/ 90.5 kg	50 x 27 x 41 in	217 lbs/ 97.5 kg	200 lbs/ 90.5 kg	203 lbs/ 92 kg
Dimensions (l x w x h)	in	54 x 22 x 41 in	58 dB	54 x 29 x 41 in	54 x 22 x 41 in	54 x 29 x 41 in




**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT71XP

The CT71XP is a powerful, innovative machine with an actuator to assist in creating a perfect fit to the floor. It is available with a standard disc, a high speed version at 600 rpm to be able to polish and maintain floors, a cylindrical head floor to get into grouted surfaces and have a deeper clean as well as an orbital to assist in creating a shine in floors.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

19,000-27,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

2.0 3.5 h

**KEY SPECS**

19/20 gal  
 20", 24", 28" disc  
 20" orbital  
 21" cylindrical  
 20", 28" 600 RPM HS


All with actuated head; traction drive



ADJUSTABLE HANDLE FOR COMFORTABLE AND EASY USE



FULL MACHINE CONTROL DUE TO INTUITIVE CENTRAL DIAL



EASY ACCESS, NO TOOLS REQUIRED

**ONBOARD CHARGER INCLUDED**

**INNOVATIONS**

- SLS™ SELF LEVELLING SYSTEM
- ANC™ ADVANCED NOISE CONTROL
- TELEMATICS GPS
- APC™ ADVANCED PRODUCTIVITY CONTROL
- ECS™ ECO COST CLEANING SOLUTION 600 RPM
- MEMORY CARD
- SERVICE MENU

		CT71XP50/ CT71XP50HS	CT71 XP60	CT71XP70/ CT71XP70HS	CT71ORB50	CT71XP55R
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	19,000 ft <sup>2</sup> / 1,570 m <sup>2</sup>	23,000 ft <sup>2</sup> / 2,135 m <sup>2</sup>	27,000 ft <sup>2</sup> / 2,510 m <sup>2</sup>	19,000 ft <sup>2</sup> / 1,570 m <sup>2</sup>	20,000 ft <sup>2</sup> / 1,860 m <sup>2</sup>
Cleaning path	in / mm	20"/ 500 mm	24"/ 600 mm	28"/ 700 mm	20"/ 500 mm	21"/ 550 mm
Water tank capacity (solution recovery)	gal/ l	19/20 gal - 71/73 l	17/19 gal - 65/71 l	19/20 gal - 71/73 l	19/20 gal - 71/73 l	19/20 gal - 71/73 l
Max running time	min	210	210 min	210	210	210
Voltage	v	24 [2x12]	24 [2x12]	24 [2x12]	24 [2x12]	24 [2x12]
Installed power	W	1550	1380	1550	1550	1030
Noise Level	DB	58 dB	32 in/ 815 mm	58 dB	58 dB	58 dB
Squeegee width	In/ mm	32 in/ 815 mm	2.2 mph/ 3.5 kph	33 in/ 840 mm	32 in/ 815 mm	32 in/ 815 mm
Max speed	Mph/ kph	2.2 mph/ 3.5 kph	220 lbs/ 99.9 kg	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph
Weight (w/o batteries)	Lbs/ kg	200 lbs/ 90.5 kg	50 x 27 x 41 in	1215 lbs/ 97.3 kg	200 lbs/ 90.5 kg	203 lbs/ 92 kg
Dimensions (L x w x h)	in	54 x 22 x 41 in	58 dB	54 x 29 x 41 in	54 x 22 x 41 in	54 x 29 x 41 in




**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT90

The CT90, part of the basic line alongside the CT40 and CT70, is a high productivity machine that is designed to simply clean floors faster. It has manual controls, making the machine cost-effective and ideal for those not needing all of the new technologies that many new scrubbers have, and is designed to be extremely durable.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

27,000-31,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

3.0 - 3.7 h

**KEY SPECS**

24/25 gal  
28", 32" traction drive



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT DOSING SYSTEM (OPTIONAL)



"V" SHAPED SQUEEGEE



**INNOVATIONS**



		CT90 BT70 TRACTION	CT90 BT85 TRACTION
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	27,000 ft <sup>2</sup> / 3,150 m <sup>2</sup>	31,000 ft <sup>2</sup> / 3,825 m <sup>2</sup>
Cleaning path	in / mm	28"/ 700 mm	32"/ 850 mm
Water tank capacity (solution recovery)	gal/ l	24/25 gal - 90/94 l	24/25 gal - 90/94 l
Max running time	Min	220	220
Voltage	V	24 (4 x 6)	24 (4 x 6)
Installed power	W	480	480
Squeegee width	in/ mm	37 in/ 942 mm	37 in/ 942 mm
Max speed	mph/ kph	2.6 mph/ 4.2 kph	2.6 mph/ 4.2 kph
Weight (w/o batteries)	lbs/ kg	217 lbs/98.4 kg	229 lbs/ 104 kg
Dimensions (L x w x h)	in/ mm	52 x 27 x 40 in	57 x 35 x 40 in
Noise level	dB	71 dB	71 dB






**AUTOMATIC SCRUBBERS - WALK-BEHIND**

# CT105

The CT05 is recommended for medium to large spaces and has been designed to be very easy to use, while keeping electronics to a minimum. The CT105 features a constant flow technology for full control of water flow, a large brush head and an "oversized" opening to the recovery tank for easy clean out. The CT105 is the most reliable, productive and simple machine in its category.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

27,000 -  
31,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

3.7 - 5.0 h

**KEY SPECS**

26/27 gal  
28", 32" traction drive



NEW LARGE COVER



NEW ERGONOMIC HANDLE



HIGH QUALITY MOTOR GEAR



**INNOVATIONS**



**CT105 BT70 TRACTION**

**CT105 BT85 TRACTION**

		CT105 BT70 TRACTION	CT105 BT85 TRACTION
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	27,000 ft <sup>2</sup> / 3,150 m <sup>2</sup>	31,000 ft <sup>2</sup> / 3,825m <sup>2</sup>
Cleaning path	in / mm	28" / 700 mm	32" / 850 mm
Water tank capacity (solution recovery)	gal/ l	26/ 27 gal - 100/110 l	26/ 27gal - 100/110 l
Max running time	min	360	360
Voltage	V	24 (4 X 6)	24 (4 X 6)
Installed power	W	650	650
Squeegee width	in/ mm	37 in/ 942 mm	37 in/ 942 mm
Max speed	mph/ kph	2.8 mph/ 4.5 kph	2.8 mph/ 4.5 kph
Weight (w/o batteries)	lbs/ kg	375 lbs/ 170 kg	381 lbs/ 232 kg
Noise level	DB	71 dB	71 dB




**AUTOMATIC SCRUBBERS - RIDERS**

# CT80

The CT80 is one of the smallest rider scrubbers on the market and is able to fit through spaces that typical rider scrubbers cannot. It is able to drive through door frames, in smaller spaces such as hallways all while being able to be operated in a comfortable ride-on design.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**


19,000-27,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

3.7 h

**KEY SPECS**

21/22 gal  
21", 24" 28" rider



4 BATTERIES FOR LONG RUN-



PRESET WORKING PROGRAMS



CHEM DOSE OPTIONAL



**INNOVATIONS**



SLST<sup>SM</sup>  
SELF  
LEVELING  
SYSTEM



ECO  
SELECT

		CT80 BT55 RIDER	CT80 BT60 RIDER	CT80 BT70 RIDER
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	19,000 ft <sup>2</sup> / 1,765 m <sup>2</sup>	23,000 ft <sup>2</sup> / 2,136 m <sup>2</sup>	27,000 ft <sup>2</sup> / 2, 880 m <sup>2</sup>
Cleaning path	in / mm	21"/ 610 mm	24"/ 610 mm	28"/ 710 mm
Water tank capacity (solution recovery)	gal/ l	21/22 gal - 78/80 l	21/22 gal - 78/80 l	21/22 gal - 78/80 l
Max running time	min	240	240	240
Voltage	V	24 (4 x 6)	24 (4 x 6)	24 (4 x 6)
Installed power	W	480	480	480
Squeegee width	in/ mm	37 in/ 942 mm	37 in/ 942 mm	37 in/ 942 mm
Max speed	mph/ kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph	2.2 mph/ 3.5 kph
Weight (w/o batteries)	lbs/ kg	420 lbs/ 190 kg	437 lbs/ 198 kg	480 lbs/ 217 kg
Dimensions (L x w x h)	in/ mm	52 x 26 x 41 in	52 x 27 x 41 in	52 x 30 x 41 in
Noise level	dB	65 dB	65 dB	65 dB




**AUTOMATIC SCRUBBERS - RIDERS**

# CT110

The CT110 is a very compact rider, but with a 29/32 gallon tank, it offers much higher productivity than other rider scrubbers in its range. It is able to clean up to 45,000 square feet an hour, making larger jobs much more manageable. This unit is designed to offer high performance with very little training required.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

27,000 -  
45,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

3.0 h

**KEY SPECS**

29/ 32 gal  
28", 32" rider



INTUITIVE CONTROL PANEL



INTEGRATED CHEM DOSE



EASY MAINTENANCE

**INNOVATIONS**



SLST<sup>SM</sup>  
SELF  
LEVELING  
SYSTEM



ECS<sup>SM</sup>  
ECO COST  
CLEANING SOLUTION  
600 RPM

		CT110 BT70 RIDER	CT110 BT85 RIDER	CT110 BT85 ECS 600 RPM RIDER
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	27,000 ft <sup>2</sup> / 2,500 m <sup>2</sup>	45,000 ft <sup>2</sup> / 5,525 m <sup>2</sup>	45,000 ft <sup>2</sup> / 5,525 m <sup>2</sup>
Cleaning path	in / mm	28" / 700 mm	32" / 850 mm	32" / 850 mm
Water tank capacity (solution recovery)	gal/ l	29/30 gal - 80/85 l	29/30 gal - 80/85 l	29/30 gal - 80/85 l
Max running time	min	240	240	240
Voltage	V	24 (4 x 6)	24 (4 x 6)	24 (4 x 6)
Installed power	W	550	550	550
Squeegee width	in/ mm	37 in/ 940 mm	40 in/ 1010 mm	40 in/ 1010 mm
Max speed	Mph/ kph	4.0 mph/ 6.5 kph	4.0 mph/ 6.5 kph	4.0 mph/ 6.5 kph
Weight (w/o batteries)	lbs/ kg	472 lbs/ 214 kg	509 lbs/ 231 kg	509 lbs/ 231 kg
Dimensions (L x w x h)	in/ mm	59 x 30 x 47 in	59 x 36 x 47 in	59 x 36 x 47 in
Noise level	dB	75 dB	75 dB	75 dB



**AUTOMATIC SCRUBBERS - RIDERS**

# CT160

The CT160 rider scrubber is designed for commercial and warehouse cleaning applications and is one of the easiest riders to use on the market. Even the brushes are designed to connect and disconnect automatically. It is available in an optional cylindrical version, which works to pre-sweep while scrubbing, greatly reducing the time required for a job.

**MOST FREQUENT USE**

**RETAIL**



**HOSPITALITY**



**CLEANING CONTRACTORS**



**EDUCATION**



**MAX PRODUCTIVITY**

39,000-  
50,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

4.7 - 5.0 h

**KEY SPECS**

39/45 gal  
28", 32", 36"  
30" cylindrical rider



INTUITIVE CONTROL PANEL



PRE-SWEEP SYSTEM ON CYLINDRICAL MODEL



SEPARATE DETERGENT DOSING SYSTEM



**INNOVATIONS**



		CT160 BT70 RIDER	CT160 BT85 RIDER	CT160 BT95 RIDER	CT160 BT75R RIDER
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	38,980 ft <sup>2</sup> / 4,550 m <sup>2</sup>	44,550 t <sup>2</sup> / 5,525 m <sup>2</sup>	50,119 ft <sup>2</sup> / 6,175 m <sup>2</sup>	41,766 ft <sup>2</sup> / 4,875 m <sup>2</sup>
Cleaning path	in / mm	28"/ 700 mm	32"/ 850 mm0 mm	37"/ 950 mm	30"/750 mm
Water tank capacity (solution recovery)	gal/ l	39/45 gal -145/17 l	39/45 gal -145/17 l	39/45 gal -145/17 l	39/45 gal -145/17 l
Max running time	min	300	300	300	300
Voltage	V	36V	36V	36V	36V
Installed power	W	650	650	650	670
Squeegee width	in/ mm	33"/830 mm	40"/1010 mm	44"/1100 mm	40"/1010 mm
Max speed	mph/ kph	4.0 mph/ 6.5 kph	4.0 mph/ 6.5 kph	4.0 mph/ 6.5 kph	4.0 mph/ 6.5 kph
Weight (w/o batteries)	lbs/ kg	602 Lbs/ 273 Kg	639 Lbs/290 Kg	644 Lbs/ 292Kg	617 lbs/ 280 kg
Dimensions (l x w x h)	in/ mm	68 x 34 x 54 in	68 x 34 x 54 in	68 x 34 x 54 in	72 x 42 x 54 in
Noise level	dB	72 dB	72 dB	72 dB	72 dB




**AUTOMATIC SCRUBBERS - RIDERS**

# CT230

The CT230 is designed for commercial and industrial applications. The 36 volt battery system provides longer run times for large-area cleaning. Open spaces that had once been a huge task to clean now can be manageable. It is available in an optional cylindrical version, which works to pre-sweep while scrubbing, greatly reducing the time required for a job.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

58,000 ft<sup>2</sup>/h

**BATTERIES RUNNING TIME**

4.5 - 4.7 h

**KEY SPECS**

54/59 gal

42" disc rider

40" cylindrical rider



INTUITIVE PANEL



PRE-SWEEP SYSTEM ON CYLINDRICAL MODEL



EASY MAINTENANCE



**INNOVATIONS**




		CT230 BT85 RIDER	CT230 BT105 RIDER	CT230 BT100R SWEEP RIDER
Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	46,260 ft <sup>2</sup> / 4,300 m <sup>2</sup>	58,470 ft <sup>2</sup> / 6,825 m <sup>2</sup>	55, 688 ft <sup>2</sup> / 5,170 m <sup>2</sup>
Cleaning path	in / mm	32"/ 850 mm	42"/ 1050 mm	40"/ 1015 mm
Water tank capacity (solution recovery)	gal/ l	54/59 gal - 205/225 l	54/59 gal - 205/225 l	54/59 gal - 205/225 l
Max running time	min	280	280	280
Voltage	V	36V	36V	36V
Installed power	W	956	956	956
Squeegee width	in/ mm	50 in/ 1280 mm	50 in/ 1280 mm	50 in/ 1280 mm
Max speed	mph/ kph	4.0 mph/ 6.5 kph	4.0 mph/ 6.5 kph	4.0 mph/ 6.5 kph
Weight (w/o batteries)	lbs/ kg	772 lbs/ 350 kg	833 lbs/ 378 kg	833 lbs/ 378 kg
Dimensions (L x w x h)	in/ mm	77 x 46 x 58 in	77 x 46 x 58 in	77 x 46 x 58 in
Noise level	dB	70 dB	70 dB	70 dB




## SERVICE MENU

The machine is equipped with a service menu that warns to call when service is needed.



## SLS™ SELF-LEVELING SYSTEM



SLS™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.

Electronic or mechanical system that allows great cleaning performances with its constant pressure on the floor.



## SOFT SURFACE CLEANING






**SWEEPERS - WALK-BEHIND**

# 510M

The 510M manual sweeper is designed to be the easiest to use manual sweeper on the market. With a 2-stage hopper system, it provides a unique level of dust control for a manual sweeper and can sweep both forwards and backwards. The steel frame provides long term durability to withstand the harsh use in demanding environments.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

18,840 ft<sup>2</sup>/h

**CLEANING PATH**

27<sub>in</sub>

**VOLTAGE SYSTEM**

Manual



STEEL FRAME STRUCTURE



EASY ACCESS TO ALL COMPONENTS



ADJUSTABLE HANDLE



**510 M**

Max working width	in/ mm	27"/ 670 mm
Main brush width	in/ mm	20"/ 490 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	18,840 ft <sup>2</sup> / 1,750 m <sup>2</sup>
Dirt container volume	gal/ l	6 gal/ 24 l
Weight	lbs/ kg	53 lbs/ 24 kg
Dimensions	inches	52 x 37 x 37




SWEEPERS - WALK-BEHIND

# SMARTVAC™ 464

The SmartVac vacuum sweeper is a walk-behind sweeper that has many innovations that give it its "Smart" name, as well as making it the number one selling sweeper on the market. It is extremely productive and can clean carpeted floors 5x faster than a backpack vacuum and 10x faster than an upright. It can be used to clean hard floors as well, with an automatic brush adjustment for moving from hard floors to carpeted surfaces. It requires very minimal maintenance and even has the ability to clean its own filter. The SmartVac has two models - the 464 and 664 with the 464 being the smaller model.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

38,000 ft<sup>2</sup>/h

**RUN TIME**

2.5 h

**KEY SPECS**

24" cleaning path  
9 gal capacity



LARGE WASTE TRAY



INTUITIVE CONTROL PANEL



ADJUSTABLE HANDLE

BATTERIES AND ONBOARD CHARGER INCLUDED

**INNOVATIONS**



SLS™  
SELF-LEVELING  
SYSTEM



SOFT  
SURFACE  
CLEANING



SELF-CLEANING  
FILTER

**SMARTVAC 464**

Max working width	in/ mm	24"/ 625 mm
Main brush width	in/ mm	18"/ 460 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	38,000 ft <sup>2</sup> / 3,530 m <sup>2</sup>
Dirt container volume	gal	9 gal/ 35 l
Weight	lbs/ kg	91 lbs/ 51 kg
Run time	Min	150
Noise level	dB	55 dB
Filter surface	ft <sup>2</sup> / m <sup>2</sup>	10 ft <sup>2</sup> / 1m <sup>2</sup>
Electric filter shake		Automatic






**SWEEPERS - WALK-BEHIND**

# SMARTVAC™ 664

The SmartVac vacuum sweeper is a walk-behind sweeper that has many innovations that give it its "Smart" name, as well as making it the number one selling sweeper on the market. It is extremely productive and can clean carpeted floors 5x faster than a backpack vacuum and 10x faster than an upright. It can be used to clean hard floors as well, with an automatic brush adjustment for moving from hard floors to carpeted surfaces. It requires very minimal maintenance and even has the ability to clean its own filter. The SmartVac has two models - the 464 and 664 with the 664 being the larger model.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

51,000 ft<sup>2</sup>/h

**RUN TIME**

2.5 h

**KEY SPECS**

32" cleaning path  
13 gal capacity



LARGE WASTE TRAY



INTUITIVE CONTROL PANEL



ADJUSTABLE HANDLE



**BATTERIES AND ONBOARD CHARGER INCLUDED**

**INNOVATIONS**



SLSTM  
SELF-LEVELING  
SYSTEM



SOFT  
SURFACE  
CLEANING



SELF-CLEANING  
FILTER

		SMARTVAC 664
Max working width	in/ mm	32"/ 825 mm
Main brush width	in/ mm	24"/ 600 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	51,000 ft <sup>2</sup> / 4,738 m <sup>2</sup>
Dirt container volume	gal	13 gal/ 51 l
Weight	lbs/ kg	124 lbs/ 56 kg
Run time	Min	150
Noise level	dB	55 dB
Filter surface	ft <sup>2</sup> / m <sup>2</sup>	10 ft <sup>2</sup> / 1 m <sup>2</sup>
Electric filter shaker		Automatic




**SWEEPERS - WALK-BEHIND**

# 512

The 512 vacuum sweeper represents a revolution in the vacuum sweeping of carpets and hard surface floors. With built-in battery chargers, large debris litter gates and battery run times of up to 4.0 hours, it brings a new level of productivity to floor maintenance.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**


27,000 ft<sup>2</sup>/h

**RUN TIME**

2.8- 4.0 h

**KEY SPECS**

28" cleaning path  
13 gal capacity



ELECTRIC FILTER SHAKER



LARGE FRONTAL WASTE TRAY



EASY MAINTENANCE



BATTERIES AND ONBOARD CHARGER INCLUDED

**INNOVATIONS**



		512
Max working width	in/ mm	28"/700 mm
Main brush width	in/ mm	20"/ 500 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	27,117 ft <sup>2</sup> / 2,519 m <sup>2</sup>
Dirt container volume	gal	13 gal/ 50 l
Weight	lbs/ kg	172 lbs/ 78 kg
Dimensions	inches	48 x 30 x 36
Power supply	Voltage	12V
Max Seed	mph/ kph	2.2 mph/3.5 kph
Filter surface	ft <sup>2</sup> / m <sup>2</sup>	22 ft <sup>2</sup> / 2 m <sup>2</sup>
Filter shaker		standard
Noise level	dB	65 dB




**SWEEPERS - WALK-BEHIND**

# 712

The 712 vacuum sweeper is a very productive machine that is designed for medium-sized spaces. It can clean up to 35,000 square feet an hour, automatically adjust to any surface being cleaned and collect large amounts of debris with its large dirt container capacity.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**


35,000 ft<sup>2</sup>/h

**RUN TIME**

2.8 - 4.0 h

**KEY SPECS**

36" cleaning path  
17 gal capacity



ELECTRIC FILTER SHAKER



LARGE FRONTAL WASTE TRAY



EASY MAINTENANCE

BATTERIES AND ONBOARD CHARGER INCLUDED

**INNOVATIONS**



		<b>712</b>
Max working width	in/ mm	36"/ 900mm
Main brush width	in/ mm	28"/ 700 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	34,865 ft <sup>2</sup> / 3,239 m <sup>2</sup>
Dirt container volume	gal	17 gal/ 65 l
Weight	lbs/ kg	205 lbs/ 93 kg
Dimensions	inches	48 x 37 x 36
Power Supply	V	24 (2 x 12)
Max Speed	mph/ kph	2.2 mph/ 3.5 kph
Filter surface	ft <sup>2</sup> / m <sup>2</sup>	32 ft <sup>2</sup> / 3 m <sup>2</sup>
Filter shaker		standard
Noise level	dB	67 dB




**SWEEPERS - RIDER**

# 512 RIDER

The 512 vacuum sweeper rider offers a cleaning width of 28", is easy to maneuver around tighter spaces, comfortable to ride on and simple to maintain. It is one of the smallest rider sweepers on the market, making it a much more maneuverable machine that can fit into many spaces that were unreachable before by rider sweepers.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

40,000 ft<sup>2</sup>/h

**RUN TIME**

2.7- 4.0 h

**KEY SPECS**

28" cleaning path  
13 gal capacity



INTUITIVE CONTROL PANEL



FRONTAL WASTE TRAY



EASY MAINTENANCE



**BATTERIES AND ONBOARD CHARGER INCLUDED**

**INNOVATIONS**



SLST<sup>SM</sup>  
SELF  
LEVELING  
SYSTEM



SOFT  
SURFACE  
CLEANING

		512 RIDER
Max working width	in/ mm	28"/ 700 mm
Main brush width	in/ mm	20"/ 500 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	39,726 ft <sup>2</sup> / 3,691 m <sup>2</sup>
Dirt container volume	gal	13 gal/ 50 l
Weight	lbs/ kg	465 lbs/ 211 kg
Dimensions	inches	48 x 30 x 47
Max speed	mph/ kph	3.1 mph/5 kph
Filter surface	ft <sup>2</sup> / m <sup>2</sup>	22 ft <sup>2</sup> / 2 m <sup>2</sup>
Filter shaker		standard
Noise level	dB	64 dB




**SWEEPERS - RIDER**

# 1050

The 1050 sweeper is the perfect step up to higher productivity from walk-behind units. It is small enough to go through a 32" opening but large enough to clean a 42" path with ease. It can clean floors up to 55,000 square feet an hour, all while allowing the operator to sit comfortably in the ergonomic seat.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

55,000 ft<sup>2</sup>/h

**RUN TIME**

4.0 - 4.8 h

**KEY SPECS**

42" cleaning path  
19 gal capacity



INTUITIVE CONTROL PANEL



LARGE CAPACITY



BATTERY BOX

**BATTERIES INCLUDED**

**INNOVATIONS**



SLS™  
SELF  
LEVELLING  
SYSTEM



SOFT  
SURFACE  
CLEANING



SELF-CLEANING  
FILTER

		1050
Max working width	in/ mm	42"/ 1050 mm
Main brush width	in/ mm	26"/ 650 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	55,333 ft <sup>2</sup> / 5,140 m <sup>2</sup>
Dirt container volume	gal	19 gal/ 70 l
Weight	lbs/ kg	679 lbs/ 308 kg
Dimensions	inches	56 x 33 x 45
Power supply	V	24 v
Filter surface	ft <sup>2</sup> / m <sup>2</sup>	44 ft <sup>2</sup> / 4 m <sup>2</sup>
Electric filter shaker		Automatic
Noise level	dB	63 dB




**SWEEPERS - RIDER**

# 1280

The 1280 sweeper is a compact and maneuverable ride-on sweeper with a choice of three working programs to make cleaning large surfaces easy and efficient. With a battery life of up to 4 hours, the 1280 can clean up to 190,685 square feet in one charge. On uneven floors, the sweeper's brush can self-adjust to maintain constant pressure and collect all debris in its path. When the debris collection hopper is full, the release is very easy as the sweeper includes a high-dump lift hopper.


**MOST FREQUENT USE**



HIGH DUMP



CONTROL PANEL



BATTERY BOX

**MAX PRODUCTIVITY**

68,000 ft<sup>2</sup>/h

**RUN TIME**

4.0 h

**KEY SPECS**

48" cleaning path

28 gal capacity



**BATTERIES INCLUDED**



**SLS™  
SELF  
LEVELLING  
SYSTEM**



**SOFT  
SURFACE  
CLEANING**

		1280 RIDER
Max working width	in/ mm	47" / 1200 mm
Main brush width	in/ mm	26" / 680 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	68,000 ft <sup>2</sup> / 6,320m <sup>2</sup>
Dirt container volume	gal	28 gal/ 67 l
Max speed	Mph/ kph	4.0 mph/ 6.5 kph
Dimensions	inches	64 x 36 x 48
Power supply	V	24 V
Filtering surface	ft <sup>2</sup> / m <sup>2</sup>	22 ft <sup>2</sup> / 2 m <sup>2</sup>
Filter shaker		Electric motor
Noise level	dB	70 dB




**SWEEPERS - RIDER**

# 1404

The 1404 sweeper features a wide range of standard accessories. With a choice of 3 different work programs, the 1404 sweeper is equipped to tackle any cleaning challenge, regardless of size. This sweeper can clean up to 83,000 square feet in an hour and up to a 20% incline.

**MOST FREQUENT USE**



**MAX PRODUCTIVITY**

83,000 ft<sup>2</sup>/h

**RUN TIME**

4.5 - 4.7 h

**KEY SPECS**

58" cleaning path  
40 gal capacity



HIGH DUMP



BATTERY BOX



EASY TO USE CONTROLS

**BATTERIES INCLUDED**



**INNOVATIONS**  
SLS™  
SELF  
LEVELLING  
SYSTEM



**SOFT  
SURFACE  
CLEANING**

		1404	1404 DUAL POWER
Max working width	in/ mm	58" / 1450 mm	58" / 1450 mm
Main brush width	in/ mm	32" / 800 mm	32" / 800 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	82,290 ft <sup>2</sup> / 7,644 m <sup>2</sup>	82,290 ft <sup>2</sup> / 7,644 m <sup>2</sup>
Dirt container volume	gal	40 gal/ 50 l	40 gal/ 150 l
Weight	lbs/ kg	1,025 lbs/ 465 kg	1,025 lbs/ 465 kg
Dimensions	inches	63 x 43 x 51	63 x 43 x 51
Power supply		24 (4x6)	Dual Power
Filtering surface	ft <sup>2</sup> / m <sup>2</sup>	65 ft <sup>2</sup> / 6 m <sup>2</sup>	65 ft <sup>2</sup> / 6 m <sup>2</sup>
Electric filter shaker		Automatic	Automatic
Max dumping height	Inches/ mm	56" / 1430 mm	56" / 1430 mm
Noise level	dB	63 dB	82 dB




FLOOR MACHINES & BURNISHERS

# FM 17/20

With its all metal construction, stainless steel brush cover and steel triple planetary gear boxes, the FM17/FM20 can stand up to the heaviest of workloads, yet with its powerful 1.5 HP motor, the ride is surprisingly smooth and quiet. The FM 17/20 has quick and easy handle adjustment, an anti-fatigue design and a non-marking PVC bumper that prevents marks on walls and furniture.

**MOST FREQUENT USE**



**BRUSH SPEED**

175 rpm

**MOTOR**

1.5 hp

**ELECTRIC DRAW**

14.4 amps



ERGONOMIC HANDLE



EASILY TRANSPORTED



50' CORD



		FM17	FM20
Pad diameter	in/ mm	17"/ 432 mm	20"/ 508 mm
Motor	HP	1.5 HP	1.5 HP
Electric Draw	amps	13.2	14.4
Weight	lbs/ kg	95 lbs/ 43 kg	98 lbs/ 48 kg
Wheels	in/ mm	5 in/ 127 mm	5 in/ 127 mm
Power Cord	inches/ cm	50 ft/ 1524 cm	50 ft/ 1524 cm
Brush Speed	rpm	175	175






# B1500

The B1500 is a 20" battery burnisher that provides smooth, glossy results to any hard floor surface. It contains a cool running 1.5 HP high efficiency motor and a unique lockout system that prevents accidental startups, while allowing the machine to be activated with both hands on the grip.

## MOST FREQUENT USE



### BRUSH SPEED

1500 rpm

### MOTOR

1.5 hp

### ELECTRIC DRAW

15 amps



ERGONOMIC HANDLE



EASILY TRANSPORTED



75' CORD


		B1500
Pad diameter	in/ mm	20"/ 500 mm
Motor	HP	1.5 HP
Electric Draw	amps	15
Cord strain relief		Heavy-duty steel w/ spring guard
Brush cover		Stainless steel
Power Cord	inches/ cm	75 ft/ 2,286 cm
Brush Speed	rpm	1500



# EAGLE PRO BURNISHER

The Eagle Pro line of burnishers are designed with the perfect balance of performance and productivity. The offset body allows for easy access under racks and into corners. The unique pad angle eliminates side torque and increases pad pressure.

## MOST FREQUENT USE



### BRUSH SPEED

2000<sub>rpm</sub>

### MOTOR

Propane

### MAX PRODUCTIVITY

25,000 - 33,000



HEAVY DUTY MOTOR



EASY TO MANEUVER HANDLE



MADE OF HEAVY DUTY MATERIAL



		2100	2400	2700
Pad diameter	in/ mm	21 inches/ 533 mm	24 inches/ 610 mm	27 inches/ 686 mm
Motor	HP	18 HP	18 HP	18 HP
Max productivity	ft <sup>2</sup> /h m <sup>2</sup> /h	25,000 ft <sup>2</sup> /h/ 2,320 m <sup>2</sup>	28,000 ft <sup>2</sup> /h/ 2,600 m <sup>2</sup>	33,000 ft <sup>2</sup> /h/ 3,065 m <sup>2</sup>
Sound level	dB	80	80	80
System		LPG Carburetor	LPG Carburetor	LPG Carburetor
Pad speed	rpm	2092	1850	1700
Dust Control		Optional	Optional	Optional




FLOOR MACHINES & BURNISHERS

# BB2000

The BB2000 utilizes an automatic pad pressure adjustment system. This unique system allows the machine to maintain a constant pad pressure as the pad wears. This results in consistent and optimal burnishing results throughout the life of the pad. This feature, along with ease of access for changing the pad, separates the IPC Eagle BB2000 from the competition.

**MOST FREQUENT USE**



BRUSH SPEED	RPM	NOISE LEVEL
1500 rpm	2000	67 dBa



20" AND 24" PAD



CONTROL PANEL



SMART BATTERY CHARGER



		BB20 NON-TRACTION	BB20 TRACTION	BB24 TRACTION
Pad diameter	in/ mm	20 in/ 500 cm	20 in/ 500 cm	24 in/ 560 cm
Performance		26,400 ft <sup>2</sup> /hr (2,453 m <sup>2</sup> / hr)	26,400 ft <sup>2</sup> /hr (2,453 m <sup>2</sup> / hr)	31,200 ft <sup>2</sup> /hr (2,898 m <sup>2</sup> / hr)
Pad speed	rpm	2000	2000	1800
Noise level	DB	67	67	70
Dimensions	In/ mm	58 x 22 x 41.5	58 x 22 x 41.5	61 x 26 x 41.5
Weight	lbs/ kg	600 lbs/ 272 kg	600 lbs./ 272 kg	610 lbs/ 277 kg
Burnishing width	In/ mm	22 in/ 560 mm	22 in/ 560 mm	26 in/ 660 mm




**FASTRACT™ EXTRACTORS**

# BX2

The only small extractor truly designed to be a spotter. With a built-in transport handle, molded-in holders for spray bottles and a place to wrap the cord and hose, it is ready to clean difficult spots whenever you are.

**MOST FREQUENT USE**



**TANK CAPACITY**

3.5 gal

**VACUUM MOTOR**

2 stage

**SOLUTION PRESSURE**

55 psi



LARGE WHEELS FOR TRANSPORT



BUILT-IN SPRAY BOTTLE HOLDER



ERGONOMIC HANDLE



**BX2**

Cleaning width	inches/ mm	N/A
Solution Tank	gal/ l	2 gal/ 6 l
Recovery tank	gal/ l	3.5 gal/ 13 l
Solution Pressure	PSI	55 psi
Vacuum Motor		2 stage - 86" waterlift
Wheels	inches/ mm	2" x 6"/ 50 mm x 152 mm
Weight	lbs/ kg	17 lbs/ 7 kg
Dimensions	inches	20.5 x 15 x 13 in
Power Cord	feet/ cm	25'/ 762 cm




FASTRACT™ EXTRACTORS

# SC4/ SC7/ SC12

These 4, 7 and 12 gallon self-contained extractors offer portability, ease of operation and performance. With wide cleaning paths, high-speed brushes and dual vacuum motors, the Fastract Extractors can clean and dry carpets quickly and professionally.

**MOST FREQUENT USE**



**TANK CAPACITY**

4.5, 7 and 12 gal

**VACUUM MOTOR**

(1) 2 stage  
(2) 2 stage

**SOLUTION PRESSURE**


50 - 100 psi



CLEAR VIEW COVER



INTEGRATED CORD WRAP



EASY TO USE CONTROLS

		SC4	SC7	SC12
Cleaning width	inches/ mm	12"/ 305 mm	17"/ 432 mm	19"/ 483 mm
Solution Tank	gal/ l	4.5 gal/ 17 l	7 gal/ 26 l	12 gal/ 45 l
Recovery tank	Gal/ l	3 gal/ 11 l	7 gal/ 26 l	11 gal/ 42 l
Solution Pressure	PSI	50 psi	50 psi	100 psi
Vacuum Motor		2 stage - 107" waterlift	2 stage - 107" waterlift	2x2 stage - 150" waterlift
Cylindrical Brush		1/6 HP, 2500 rpm	1/6 HP, 2100 rpm	1/6 HP, 2100 rpm
Wheels	inches/ mm	2" x 7"/ 50 mm x mm	4" x 7"/ 100 x mm	4" x 8" / 100 x mm
Weight	lbs/ kg	40 lbs	78 lbs	106 lbs
Dimensions	Inches	24" x 23" x 12"	39" x 30" x 17"	38" x 48" x 25"
Power Cord	feet/ cm	25'	50'	50'
Circuit Breaker		250V AC	250V AC	250V AC
Airflow	cfm	112 cfm	112 cfm	200 cfm



# BX12

The BX12 extractor is designed to provide professional cleaning performance. With a standard 150 psi pump, dual vacuums and an optional in-line heater, the BX12 has the power to reclaim the dirtiest of carpets. It has a compact design at only 78 pounds and can open like a clam shell, allowing access to the motor compartment, guaranteeing fast, inexpensive service.

## MOST FREQUENT USE

### RETAIL



### HOSPITALITY



### CLEANING CONTRACTORS



### EDUCATION



## TANK CAPACITY

12 gal

## VACUUM MOTOR

2-2 stage

## SOLUTION PRESSURE

150 psi



STAIRCLIMBING HANDLE



LARGE WHEELS FOR TRANSPORT



OPTIONAL HEATER



## BX12


Cleaning width	inches/ mm	N/A
Solution Tank	gal/ l	12 gal/ 45 l
Recovery tank	gal/ l	11 gal/ 42 l
Solution Pressure	PSI	150 psi
Vacuum Motor		Dual 2 stage - 150" waterlift
Cylindrical Brush		N/A
Wheels	inches/ mm	2" x 4"/ 50 mm x 100 mm
Weight	lbs/ kg	78 lbs/ 35 kg
Dimensions	inches	35 x 31 x 18 in
Power Cord		2-50 (heat)
Circuit breaker		N/A



# JOB EXTRACTOR

The Job Extractor is the perfect tool for cleaning and spotting carpet, upholstery and hard surface floors.

## MOST FREQUENT USE



### TANK CAPACITY


3.5 gal

### VACUUM MOTOR

2 stage

### SOLUTION PRESSURE


40 psi



FITS INTO HARD TO REACH AREAS



CLEANS UPHOLSTERY



CLEANS CARPETS AND HARD SURFACES



## JOB EXTRACTOR

Fresh water	gal/ l	3 gal/ 11 l
Tank capacity	gal/ l	9 gal/ 34 l
Solution Pressure	PSI	40 psi
Vacuum Motor	HP	1.5 HP
Productivity	gpm	.4 gpm
Weight	lbs/ kg	24 lbs/ 11 kg
Dimensions	inches	16 x 26 in
Construction		Blow molded polyethylene
Waterlift	Inches/ mm	87"/ 2210 mm



AP TUBE  
ALUMINUM/  
PLASTIC TUBE



### LIGHT AND TOUGH

The AP Tube is an innovative solution to simplify the daily cleaning activities. The AP Tube is lightweight and at the same time extremely robust, consisting of an inner layer of aluminum covered with a recycled plastic layer. AP Tube is wear-resistant (Rust-proof), ergonomic and it ensures maximum maneuverability.



SANIFILTER™



### CERTIFIED ANTIBACTERIAL TREATMENT

The antibacterial treatment of the filters with silver ions (Ag<sup>+</sup> ions) destroys bacteria's membrane cell, fungus, viruses, microparasites and inhibits their proliferation.



EXCLUSIVE  
BUILT-IN  
SEALED  
GASKET




### MAXIMUM SEAL

The innovative head gasket is melted in the base through a special process that guarantees maximum resistance and durability even when vacuuming oily or chemical residues. Steel tank models include an integrated metal plate to avoid electrostatic discharges.



SCREWING  
CONNECTION




### EXTREMELY FLEXIBLE

The screwing connection of the flexible hose to the wand provides maximum safety and prevents the uncoupling of the hose.



HI-TECH  
LATCHES



### VACUUM ALWAYS SEALED

Unbreakable latches are extremely flexible and resistant to any type of torsion thanks to their special blend.






PROFESSIONAL VACUUMS

LP

The LP is the smallest vacuum in IPC Eagle's line and is very portable with its 13 pound, lightweight design. The vacuum features built-on bumpers, protecting from doors and walls, an integrated cord wrap, wheels designed to be used for a stair-step position, and a motor that can last up to 800 hours without loss of performance. The LP vacuums are now available with an optional H14 HEPA filter while the HEPA filter is standard on the LP 112 HEPA.

**MOST FREQUENT USE**



STAIR-STEP POSITION



OPTIONAL H14 HEPA FILTER



INTEGRATED CORD WRAP

**POWER**

800 w

**WATER LIFT**

113"

**AIRFLOW**

120 cfm



**INNOVATIONS**



EXCLUSIVE BUILT-IN SEALED GASKET



SCREWING CONNECTION



HI-TECH HOOKS

		LP 1/12 ECO	LP 1/12 HEPA UP	LP 1/12 LUX	LP 1/16 LUX
Tank capacity	gal/ l	3 gal/ 12 l	3 gal/ 12 l	3 gal/ 12 l	4 gal/ 16 l
Motor	W	800 w	800 w	800 w	800 w
Waterlift	Inches/ mm	95 in/ 2413 mm	95 in/ 2413 mm	95 in/ 2413 mm	95 in/ 2413 mm
Airflow	cfm	110 cfm	110 cfm	110 cfm	110 cfm
Weight	lbs/ kg	13 lbs/ 5.8 kg	13 lbs/ 5.8 kg	13 lbs/ 5.8 kg	18 lbs/ 8 kg
Max voltage	V	110 - 120 V	110 - 120 V	110 - 120 V	110 - 120 V
Noise level	DB (A)	63	63	63	63
Dimensions	Inches/ mm	16 x 16 x 13	16 x 16 x 13	16 x 16 x 13	15 x 15 x 20
Wand type		2x chrome	2x chrome	Telescopic	Telescopic
Variable speed		No	No	Yes	Yes
CRI Certification		Bronze, with optional high performance tool			




PROFESSIONAL VACUUMS

# 13 GALLON POLYETHYLENE

The 13 gallon polyethylene vacuums are rugged and powerful polyethylene wet/ dry units available in multiple configurations to fit your application.

**MOST FREQUENT USE**



**POWER**

1,000 w

**WATER LIFT**

87"

**AIRFLOW**

101 cfm



UNBREAKABLE CLAMPS



EASY TO TRANSPORT



OPTIONAL HEPA FILTRATION

**INNOVATIONS**

- 

AP TUBE  
ALUMINUM/  
PLASTIC TUBE
- 

SANIFILTER™
- 

EXCLUSIVE  
BUILT-IN  
SEALED  
GASKET
- 

SCREWING  
CONNECTION
- 

HI-TECH  
HOOKS

		<b>GC150</b>
Voltage		110 v/ 60 Hz
Motor		1
Airflow	cfm	101
Water lift	inches	87"
Watts	w	1000
Amps	amps	9
Tank size	gal	13 gal/ 50 l
Sound level	dB	72.7
Weight	lbs	25/ 11 kg
Dimensions	inches	15 x 15 x 28




PROFESSIONAL VACUUMS

# 24 GALLON POLYETHYLENE

The 24 gallon polyethylene vacuums are general purpose vacuums for wet or dry applications, including HEPA critical filtration. These vacuums can be used for general cleaning or to collect dust produced from grinding tools. The 24 gallon polyethylene vacuums are commonly used in schools, manufacturing, offices and construction environments.

**MOST FREQUENT USE**



POWER	WATER LIFT	AIRFLOW
1000 - 1600 w	87"	101-295 cfm
1, 2 or 3 motor		



OPTIONAL FRONT MOUNT SQUEEGEE



1, 2 OR 3 MOTORS



UNBREAKABLE CLAMPS

**INNOVATIONS**

- AP TUBE ALUMINUM/PLASTIC TUBE
- SANIFILTER™
- EXCLUSIVE BUILT-IN SEALED GASKET
- SCREWING CONNECTION
- HI-TECH HOOKS

		GC190/ GC190H	GC290/ GC290H	GC390/ GC390H
Voltage	v	110 v/ 60 Hz	110 v/ 60 Hz	110 v/ 60 Hz
Motor		1	2	3
Airflow	cfm	101	202	295
Water lift	inches	87"	87"	87"
Watts	w	1000	800 x 2	500 x 3
Amps	amps	9	15	15
Tank size	gal	24/ 90 l	24/ 90 l	24/ 90 l
Sound level	dB	72.7	n/a	n/a
Weight	lbs	45 lbs/ 20 kg	50 lbs/ 23 kg	55 lbs/ 25 kg
Dimensions	inches	22 x 18 x 36	22 x 18 x 36	22 x 18 x 36




PROFESSIONAL VACUUMS

# CHROMED STEEL VACUUMS

The chromed steel vacuums have heavy duty steel tanks that are rust, crack and chemical resistant. Their tanks can be removed for easy cleaning and they have two large rear wheels for easy rolling up stairs.

**MOST FREQUENT USE**



POWER	ELECTRIC DRAW	AIRFLOW
1000 - 1600 w	87"	101-202 cfm
1, 2 or 3 motor		



INTEGRATED DUMP HOSE



INTEGRATED ANTI-FOAM



ELECTRIC SOCKET ON SINGLE MOTOR VERSION

**INNOVATIONS**



AP TUBE ALUMINUM/ PLASTIC TUBE



EXCLUSIVE BUILT-IN SEALED GASKET



SCREWING CONNECTION



HI-TECH HOOKS

		GS 162/ GS 162H	GS 262/ GS 262H
Voltage		110 v/ 60 Hz	110 v/ 60 Hz
Motor		1	2
Airflow	cfm	101	202
Water lift	inches	87"	87"
Watts	w	1000	800 x 2
Amps	amps	9	15
Tank size	gal	17 gal/ 62 l	17 gal/ 62 l
Sound level	dB	72.7	N/a
Weight	lbs	45 lbs/ 20 kg	50 lbs/ 23 kg
Dimensions	inches	23 x 28 x 36 in	23 x 28 x 36 in




PROFESSIONAL VACUUMS

# TIP & POUR VACUUMS

The tip & pour series are wet and dry vacuums designed to allow the tipping and pouring out of contents. They are generally used to clean medium to large sized areas and are for general purposes or wet or dry applications.

**MOST FREQUENT USE**



POWER	WATER LIFT	AIRFLOW
1000 - 1600 w	87"	101 - 202 cfm



TIP & POUR



INTEGRATED ANTI-FOAM



ELECTRIC SOCKET ON BOARD



**INNOVATIONS**

- AP TUBE ALUMINUM/ PLASTIC TUBE
- SANIFILTER™
- EXCLUSIVE BUILT-IN SEALED GASKET
- SCREWING CONNECTION
- HI-TECH HOOKS

		GP 172/ GP 172H	GS 178/ GS 178H	GS 278/ GS 278H
Tank Material		Polyethylene	Chromed Steel	Chromed Steel
Voltage	v	110 v/ 60 Hz	110 v/ 60 Hz	110 v/ 60 Hz
Motor		1	1	2
Airflow	cfm	101	101	202
Water lift	Inches	87"	87"	87"
Watts	W	1000	1000	800 x 2
Amps	Amps	9	9	15
Tank size	Gal	19 gal/ 72 l	21 gal/ 78 l	21/ 78 l
Sound level	DB	72.7	72.7	N/A
Weight	Lbs	46 lbs/ 21 kg	49 lbs/ 22 kg	49 lbs/ 22 kg
Dimensions	Inches	22 x 24 x 41	24 x 27 x 45	24 x 27 x 45




PROFESSIONAL VACUUMS

# PUMP OUT VACUUMS

The pump out vacuums can pump out up to 39 gallons of water a minute. Excellent choice for flood recovery, large area water removal and concrete grinding. Available in 1 or 2 motor models.

**MOST FREQUENT USE**



**POWER**

1000 - 1600 w

**WATER LIFT**

87"

**AIRFLOW**

101 - 202 cfm



WATER FLOW VALVE



PROFESSIONAL SUBMERSIBLE PUMP



ELECTRIC SOCKET ON BOARD

**INNOVATIONS**

-  AP TUBE ALUMINUM/ PLASTIC TUBE
-  SANIFILTER™
-  EXCLUSIVE BUILT-IN SEALED GASKET
-  SCREWING CONNECTION
-  HI-TECH HOOKS

		GC 190-AD	GC 290-AD	GS 162-AD
Tank Material		Polyethylene	Polyethylene	Chromed Steel
Voltage	v	110 v/ 60 Hz	110 v/ 60 Hz	110 v/ 60 Hz
Motor		1	2	1
Airflow	cfm	101	202	101
Water lift	Inches	87"	87"	87"
Watts	W	1000	800 x 2	1000
Amps	Amps	9	17	9
Tank size	Gal	24 gal/	24 gal/ 90 l	16 gal/ 62 l
Max Discharge pump	HP/ amps	.33 HP/ 3 amps	.33 HP/ 3 amps	.33 HP/ 3 amps
Discharge Flow	gpm/ feet	48 gpm/ 25' rise	48 gpm/ 25' rise	48 gpm/ 25' rise
Dimensions	inches	21 x 18 x 36	22 x 18 x 36	18 x 27 x 36




PROFESSIONAL VACUUMS

# HOSPITAL AB VACUUM

The Hospital Antibacterial Vacuum is perfect for environments where keeping dust out of the air and in the vacuum is a requirement. This vacuum is specifically designed for vacuuming flooring, including carpet in hospitals and other medical facilities.

**MOST FREQUENT USE**



**POWER**

1000 w

**WATER LIFT**

105"

**AIRFLOW**


118 cfm



HEPA FILTER



MADE OF ANTIBACTERIAL MATERIAL



FOUR STAGE FILTRATION

**INNOVATIONS**



AP TUBE ALUMINUM/ PLASTIC TUBE



SANIFILTER™



EXCLUSIVE BUILT-IN SEALED GASKET



SCREWING CONNECTION



HI-TECH HOOKS

		HOSPITAL VAC
Voltage	v	110 v/ 60 Hz
Motor		1
Airflow	cfm	118
Water lift	Inches	105"
Watts	W	1000
Amps	Amps	9
Tank size	Gal	6 gal/ 23 l
Sound Level	dB	64
Weight	lbs	20 lbs/ 9 kg
Dimensions	Inches	15 x 15 x 31




PROFESSIONAL VACUUMS

# GP 127 Wet/Dry HEPA

The GP 127, with HEPA filtration, is a general purpose canister vacuum for cleaning floors, including carpeting and dust control applications for use with sanding and cutting tools. It can clean up debris without causing distractions, due to its quietness, making it ideal for schools and hospitals.

**MOST FREQUENT USE**



POWER	WATER LIFT	AIRFLOW
1000 w	105"	118 cfm



FLEXIBLE HOOKS



BUILT-IN CORD WRAP



FLEXIBLE HOSE

**INNOVATIONS**

-  AP TUBE  
ALUMINUM/  
PLASTIC TUBE
-  SANIFILTER™
-  EXCLUSIVE  
BUILT-IN  
SEALED  
GASKET
-  SCREWING  
CONNECTION
-  HI-TECH  
HOOKS

		GP 127
Voltage	v	110 v/ 60 Hz
Motor		1
Airflow	cfm	118
Water lift	Inches	105"
Watts	W	1000
Amps	Amps	9
Tank size	Gal	5 gal/ 19 l
Sound Level	dB	64
Weight	lbs	17 lbs/ 8 kg
Dimensions	Inches	14 x 14 x 24





PROFESSIONAL VACUUMS

# BACKPACK VACUUM

The backpack vacuum unit is a general purpose vacuum for cleaning all types of environments. Applications include education, healthcare and office building facilities.

**MOST FREQUENT USE**



**POWER**

1265/ 1287 w

**WATER LIFT**

98"/ 111"

**AIRFLOW**

136/ 150 cfm



OPTIONAL HEPA FILTER



ERGONOMIC HARNESS



EASY TO ACCESS CONTROLS



		BP 6	BP 10
Voltage	v	110 v/ 60 Hz	110 v/ 60 Hz
Motor		1	1
Airflow	cfm	136	150
Water lift	Inches	98"	111"
Watts	W	1265	1287
Amps	Amps	11.5	11.7
Tank size	Quarts	6 qt/ 6 l	10 qt/ 9 l
Sound Level	DB	65	65
Weight	Lbs	11 lbs	12 lbs
Dimensions	Inches	8 x 9 x 25	10 x 10 x 25




PROFESSIONAL VACUUMS

# BARREL VACUUM

Large capacity wet/dry vacuum for manufacturing, construction or situations where large amounts of debris needs to be collected. It is available with a 55 gallon drum and in 1, 2 or 3 motor models.

**MOST FREQUENT USE**



**POWER**  
1000 - 1600 w  
1, 2 or 3 motor

**WATER LIFT**  
87"

**AIRFLOW**  
101 - 295 cfm



OPTIONAL TROLLEY



FITS ANY STANDARD 55 GAL DRUM



1, 2 OR 3 MOTORS



		BV 190	BV 290	BV 390
Voltage	v	110 v/ 60 Hz	110 v/ 60 Hz	110 v/ 60 Hz
Motor		1	2	3
Airflow	cfm	101	202	295
Water lift	Inches	87"	87"	87"
Watts	W	1000	800 x 2	500 x 3
Amps	Amps	9	15	15
Adapter Material		steel	steel	steel
Sound Level	DB	72.7	N/a	N/a
Weight	Lbs	40 lbs/ 18 kg	42 lbs/ 219 kg	50 lbs/ 23 kg
Dimensions	Inches	30 x 30 x30	30 x30 x 30	30 x 30 x 30




PURE WATER SYSTEM

# HYDROCARD COMPACT

The HydroCart™ Compact is a lighter, more compact version of our IPC Eagle HydroCart. It is designed for commercial pure water cleaning applications where it is not typically used daily. Perfect for 1-5 floor buildings such as schools, apartments, hotels, hospitals, clinics, other facilities. A great entry level system for Window Cleaners and BSC's. Available with electric and gas engine Eco-Boost pump modules.

**MOST FREQUENT USE**



**MAX PRODUCTION**

1/2 - 1 1/4 gpm

**NUMBER OF USERS**

1-2

**CLEANING HEIGHT**

1-3 stories HCC Only  
 1-4 stories electric  
 1-5 stories gas engine



ELECTRIC ECOBOOST



GAS ECOBOOST



TDS METER



**HYDROCARD COMPACT  
TAP PRESSURE**

**BOOST PUMP MODULAR  
ELECTRIC\***

**BOOST PUMP  
MODULAR GAS\***

Part Number		HCC	EB-HCC	GB-HCC
Power		No Pump	Electric x5.2 Amps	Honda Gas
Dimensions	Inches	50.5" X 14.5" X 15.25"	18" x 11" x 10"	18" x 11" x 10"
Packaged Dimensions	Inches	52.5" X 18.5" X 13.5"	15" x 13" x 11"	15" x 13" x 11"
Packaged Weight	lbs.	70 lbs.	28 lbs.	28 lbs.
Pure Water Flow	gpm	.5 gpm	.75-1.25 gpm	.75-1.25 gpm
Cleaning Height	Floors	1-3 Floors	1-4 Floors	1-5 Floors
Working Hose Length	feet/cm	50'/1524 cm		
Filtration	Stages	3	3	3
DI and Carbon Filters	Inches	3" X 10"		




ULTRA PURE WINDOW CLEANING

# HYDRO CART™ PRO

The Hydro Cart™ Pro is available with electric, battery or gas engine boost pump options (which can be added later) that are designed to increase productivity in low water pressure areas or where multiple pole cleaning is desired. The Hydro Cart™ Pro includes 100 feet of industrial-strength hose that allows mobility.

**MOST FREQUENT USE**



**MAX PRODUCTION**

.75 GPM - 4 GPM

**NUMBER OF USERS**

HC 1  
 HC Electric 1-3  
 HC Gas 1-4

**MAX CLEANING HEIGHT**

HC 1-3 stories  
 Electric 1-5+ Stories  
 Gas 1-5+ stories



BATTERY VERSION



ELECTRIC VERSION



GAS VERSION



Hydro Cart Pro/  
Hydro Cart 2X

Hydro Cart Battery  
Boost Pump

Hydro Cart Electric  
Boost Pump/ Hydro  
Cart 2X Electric

Hydro Cart Gas Boost  
Pump/ Hydro Cart 2X  
Gas

Dimensions	Inches	20 x 21 x 50 / 21 x 32 x 50	20 x 21 x 50 / 21 x 32 x 50	20 x 21 x 50 / 21 x 32 x 50	20 x 21 x 50 / 21 x 32 x 50
Weight	Lbs/ kg	70 lbs/103 lbs	119lbs/ 152 lbs	122 lbs/ 155 lbs	127 lbs/ 160 lbs
Power		Tap pressure	12 volt DC 33 Ah	115 volt AC 60 Hz. 10 amp, 35 ft power cord	Honda gas powered industrial engine
Number of poles		1-2	1-2	1-3	1-4
Working hose length	Ft	50	50	50	50
Pure water flow	gpm	.4 - .75 gpm/ 1 - 1.5 gpm	.75 - 1.25 gpm	1.25 - 2.0 gpm/ 2.5-4 gpm	1.25 - 2.0 gpm/ 2.5-4 gpm
RO Membranes		4" dia x 40" length	4" dia x 40" length	4" dia x 40" length	4" dia x 40" length
Concentrate flow rate	gpm	.53 gpm/ 1.1 gpm	.53 gpm	.8 gpm/ 1.6 gpm	.8 gpm/1.6 gpm




ULTRA PURE WINDOW CLEANING

# HYDRO STATION™

The Hydro Station is a compact and portable pure water cleaning system that produces a high volume of pure water for multiple remote applications. This system includes a 4-stage filtration system which includes reverse osmosis. The deionization process produces mineral free water that results in spot free windows.

**MOST FREQUENT USE**



**MAX PRODUCTION**

HS1 1-2 GPM  
 HS2 2 - 4 GPM  
 HS3 3-6 GPM

**NUMBER OF USERS**

HS1 1-2  
 HS2 2 -3  
 HS3 3-4

**CLEANING HEIGHT**


5+ stories



EASILY TRANSPORTED 325 OR 525 GALLON TANK TRAILER



SOLAR PANEL CLEANING



CLEANS 5+ STORIES



		HYDRO STATION 1	HYDRO STATION II	HYDRO STATION III
R0 membranes		(1) 4 x 40	(2) 4 x 40	(3) 4 x 40
Pure water flow	gpm	2 gpm	4 gpm	6 gpm
R0 feed water pressure	Psi	160 psi	160 psi	160 psi
R0 feed water flow	gpm	4 gpm	10 gpm	12.2 gpm
Waste water flow	gpm	1 gpm	2 gpm	3 gpm
Pump suction hose	inches	1" ID	1 1/2" ID	1 1/2" ID
Tank feed required		No	Yes	Yes
Gas engine		GX160 (5.5 HP)	GX290 (9 HP)	GX290 (9 HP)
Pressure cleaning	Psi	3.5 gpm/ 1750 psi	8.7 gpm/ 1500 psi	10.8 gpm/ 1100 psi
Weight	Lbs/ kg	185 lbs/ 84 kg	279 lbs/ 127 kg	315 lbs/ 143 kg



WINDOW CLEANING

# SCREEN WASHER

An efficient tool for screen cleaning, simply connect the Screen Washer to a garden hose to clean both sides of a screen simultaneously.

## MOST FREQUENT USE

RETAIL



HOSPITALITY



CLEANING CONTRACTORS



EDUCATION



ON AND OFF FOOT VALVE



EASILY TRANSPORTED



CLEANS BOTH SIDES OF SCREEN SIMULTANEOUSLY






INDOOR SURFACE CLEANING

# CLEANO

The Cleano is a lightweight indoor window and smooth surfaces cleaning system that provides endless cleaning possibilities. Its innovative, versatile design makes it easy to reach surfaces without the hassle of moving furniture. The Cleano is equipped with chemical resistant Viton Seals to be used with sanitizer or disinfectant when required.

**MOST FREQUENT USE**



MICRO-SPRAY



TELESCOPIC POLES



REMOVABLE SOLUTION GLOBE



	LENGTH	CLEANING HEIGHT
CLEANO 1	1'	7'
CLEANO 2	2'	8'
CLEANO 5 TELESCOPIC	5'	11'
CLEANO 10 TELESCOPIC	10'	16'
CLEANO 25 TELESCOPIC	25'	31'
CLEANO 35 QUICK LOCK	35'	41'



# SPEED & SLIDE BRUSH, TELESCOPIC & SECTIONAL WATER FED POLE

## MOST FREQUENT USE



Designed to glide on glass with less effort exerted, the speed brush allows you to clean longer, increase productivity and clean faster, all while achieving the same level of great performance. The brush's bristles are specifically engineered to "flare out" to glide on the window and ensure that all corners and edges are cleaned without causing any damage to the window frame. The telescopic poles are constructed of fiber glass, carbon fiber composite and pure carbon fiber. They use flip locks for fast extension and are available in 25', 35' and 45'.



BRISTLES FLARE OUT, ALLOWING SMOOTHER MOVEMENT



BACK SCRUBBER FOR DEEP SCRUB



EASILY GLIDES ON GLASS AND INTO CORNERS

**Speed Brush**



**Slide Brush**







# SQUEEGEES AND WASHERS



## UNIHANDLE

The innovative Pulex Unihandle is an ergonomic handle, completely versatile and made with high quality materials. Matched with three different accessories, this handle is the answer to each window cleaning need.



## BRASS SQUEEGEE

The brass squeegee is a classic tool used by window cleaners. The rubber blade is secured in the channel by two clips at either end, enabling the adjustment of the tension of the rubber blade and keeps it stiff at the ends.



## TECHNOLITE SERIES

Technolite combines the classic qualities of easy handling and smooth movement with new features that improve performance in all conditions. The ergonomic grip, made of a uniquely blended material, makes it comfortable for all jobs.



## STAINLESS STEEL SQUEEGEE

The stainless steel squeegee can be disassembled into three components: the supporting channel, rubber blade and the handle with a securing spring. The handle is versatile enough to be used as a scraper.



## MICROFIBER SLEEVE

The microfiber sleeve by IPC Pulex is made up of a highly efficient blue and white fabric that removed dirt effortlessly with a tiny amount of cleaning fluid.



## MICROTIGER SLEEVE

The Microtiger is designed to remove dirt easily using a small amount of detergent (or none at all). The microfibers can penetrate right into the microscopic pores in an apparently flat, compact pane of glass, removing all dirt quickly and easily.



## PLASTIC SQUEEGEE

IPC Pulex's top quality plastic squeegee is easy to use and is relatively inexpensive. The plastic squeegee is used by window cleaners globally.



## ALUMINUM SQUEEGEE

The aluminum squeegee has been improved and enhanced for window cleaners seeking a lightweight tool that replicates the continuous swirling S-patterns required for cleaning windows smoothly and spot-free.



## ALUMAX SQUEEGEE

This extra long squeegee comes with a high-impact, aircraft-grade extruded aluminum alloy channel and a professional swivel handle.



## SQUEEGEETECH

This Squeegetech is complete with a 360 degree swivel and is equipped with a microfiber pad that allows for easy application. The squeegetech handle is universal with all telescopic poles.

# PULEX PRODUCTS

---



## TUBEX HOLSTER

The Tubex Holster offers a convenient way to keep tools, such as those from IPC Pulex’s commercial window cleaning equipment line, handy and easy to access.

---



## BUCKETS

The Window Cleaning Buckets are six gallons plastic/nylon buckets with optional casters, making the buckets easy to transport. Available in 5 colors.

---



## SCRAPERS AND BLADES

IPC Eagle’s Scrapers and Blades come in various lengths for scraping windows as well as floors.

---



## MUSTIK FLOOR SQUEEGEE

The Mustik Floor Squeegee is made of a heavy duty plastic and comes in three versions: black for general use, red for oils and white for food service.

---



## NIPPER REACHERS

Nipper reachers, part of IPC Eagle’s Pulex commercial cleaning supplies line, assist in grabbing and disposing of objects without contact.

---



## STICKER RODS

The Sticker Rod, part of IPC Pulex’s commercial cleaning supplies line, can pick up rubbish and waste without contact.

---

RECYCLED PLASTIC

> 75%  
OF RECYCLED PLASTIC



IPC  
BRIX

MAIN COMPETITOR

< 35%

"The declaration of recycling percentage (Polypropylene 20/25 Black) is a consistent consequence of transparent documentation of supply chain, quality processes, management requirements, quality structure and well organized supporting processes."

TÜV NORD CERT GMBH

#### INNOVATIONS

- Black is Green products uses **RECYCLED PLASTIC > 75%**
- **THE IPC MATERIALS TECHNOLOGY DOUBLES THE RECYCLABILITY INDEX** than traditional recycled materials in an environmentally responsible manner
- Ideal for public communities, industries and horeca



BLACK  
IS GREEN™



CLEANING CARTS

# BLACK IS GREEN™

## BRIX CART & DUAL MOP BUCKET SYSTEMS

**MOST FREQUENT USE**

**RETAIL**



**HOSPITALITY**



**CLEANING CONTRACTORS**



**EDUCATION**



The Brix cart is an innovative, customizable cart equipped for professional cleaning utilizing an IPC exclusive technology to create a high quality recycled plastic, promoting environmental protection and sustainable development.

The Dual mop bucket system features dual buckets that allow the operator to store clean water in one bucket while rinsing out the dirty water into the other to provide cleaner floors.



Brix w/ Double Bucket



Brix w/Pre-Treat



Base Brix Cart



Dual Mop Bucket



Double Bucket Trolley



## MICROFIBER MOPS

# MICROFIBER




### LOOP MICROFIBER MOP

The loop mop features loop structures to hold and extract more amounts of soil than traditional pads, offering high performance cleaning on all surfaces - wet or dry.



### SPOT MICROFIBER MOP

The spot mop can clean with higher scrubbing power along with more absorbency than traditional mops.



### LOOP STRIPE MICROFIBER MOP

The Loop Stripe Mop uses a perfect blend of microfiber, polyester and cotton to create an extremely efficient mop.




### SOFT WHITE MICROFIBER MOP

The white pads are ideal for cleaning tables, desks, doors, white boards as well as most washable surfaces.



### GLASS & SHINE CLOTH

Glass and Shine Microfiber Cloths are ideal for cleaning surfaces like windows, mirrors, stainless steel, tile and other glossy surfaces.



### GLASS PAD

The Glass Microfiber Pad works with IPC Eagle's Cleano as well as the Techno Pad.



### MICROFIBER CLOTHS

IPC Eagle's microfiber cloths are heavyweight, premium cloths that can last through 500 washings, 10x more than traditional cotton cloths.



### MICROTIGER

The Microtiger is made of some of the most dense, most plush microfiber on the market. Because of its density, it is perfect for not only wiping, but washing as well. Its denser amount of fibers increase its absorbency, making it able to hold significantly more soil from any type of surface.

### MPAD

The Mpad is made of melamine foam which is a micro-porous substance with a fine, very hard inner structure that works as a micro-abrasive. It can physically clean surfaces without the damage of normal abrasives.



MICROFIBER

# MICROFIBER



## MICROFIBER POCKET MOP

The IPC Eagle microfiber pocket mop is an 18" innovation. The mop, along with IPC's unique cleaning frames and carts provide the ultimate no-touch system to control cross-contamination.

True polyester/ polyamide microfiber blend cleans better than competitor's "100% polyester" products. The microfiber pocket mop covers more square footage than short pile threads. The pocket mop is available in four colors for color coding systems

## HI-TECH BLENDING

Designed to extract and hold the highest amount of soil within the large loop structures, it offers high performance cleaning on both wet and dry surfaces.

## MICROFIBER TUBE STRING MOP

The microfiber tube string mop is made of 100% microfiber fabric sewn into tubes to form the "yarn" of a mop. Because microfiber has millions of microscopic fibers, it can pick up dirt and absorb liquids far better than traditional mop yarn. The wide headband is made of a rough scrubber cloth that can be used to remove dried-on dirt and is offered in a three color coding system to prevent cross-contamination.

All of the microfiber is in a tubed end design and is more absorbent and can dry twice as fast as traditional mops.

The mop won't get tangled and the design ensures even coverage during use of the laundering process.

The mop is great for spills and leaving a dry surface behind. It is great for restaurants, including fast food, grocery stores or convenience stores, or any locations where spills are common.

The mop is machine washable, which helps to save money over time when compared to traditional cotton mops that wear after several launderings. The microfiber tube string mop can last





MICROFIBER

# MICROFIBER TOOLS



## ONE FRAME

The ONE frame, part of a microfiber mop system, fits all 18" mops on the market with flaps. The mop can be released with a foot releasing button and has plastic tab color coding options to prevent cross-contamination.



## NO TOUCH FRAME

The No Touch Frame allows the disposal of dirty mops without contact. The releasing of the mop can be done over a laundry bag, meaning the mop is not handled at all and a fresh mop then can be dropped to the floor and ready to use.



## SLIDE FRAME

The Slide frame works well with a microfiber mop system and uses a central joint that allows the handle so slide and be able to reach difficult surfaces.



## STICKY PAD

Disposable polyester cloth with a special adhesive treatment that works to use its stickiness to trap dust and particles.



## MULTI-PURPOSE BUCKETS

The Pulex multi-purpose rectangular buckets are designed for many uses. They can be fitted with casters, single hooks, double hooks or a stainless steel drain sieve. They come in four colors with the option of matching lids, which fit tightly, preventing spills.



## COLOR-CODED HANDLES

The color-coded handles, part of a color-coded cleaning system, feature 3 to 7 aluminum telescopic handles.



## HIGH DUSTER

The high duster comes in two sizes: 12" and 24". It allows the higher reaching of surfaces due to its lengthy design and unlike traditional dusters, can capture all dust particles with the microfiber's tiny fibers.



## BUCKET WAXING KIT

The bucket waxing kits provides all of the tools necessary to wax floors. The kit includes: a 6 gallon bucket with lid and casters, finish applicator kit, 5' aluminum handle, 18" value frame and 12 waxing mops.

