

SAFETY BOOTS // TECHNICAL SPECIFICATIONS

CURVE  
GEAR 

23.57.01 // ENGINEERED FOR THE EVERYDAY 00.1

## PRODUCT NAME: BRAWN

## PRODUCT DESCRIPTION: SAFETY BOOT



### PROTECTIVE SOLE

Anti penetration & Impact absorption sole



### GRIP SOLE

Slip, crack & oil resistant sole



### WATER RESISTANCE

Prevents liquid penetration



### ZIP

Easy access zip function



### STEEL TOE

200J resistant steel toe cap



### ANTISTATIC

Shock absorption

## PRODUCT SPECIFICATIONS

### INFORMATION

COLOUR	TAN   DARK BROWN
SIZE RANGE	UK SIZES 4 - 13 (UNISEX)
ISO 20345 CLASSIFICATION	ENGINEERED TO ISO COMPLIANT S2 STANDARD

### MATERIALS

UPPER	WATER RESISTANT NUBUCK LEATHER   PADDED COLLAR AND TONGUE
SOLE	ANTISTATIC POLYURETHANE (PU) MIDSOLE   THERMOPLASTIC URETHANE (TPU) OUTSOLE
TOE CAP	200J STEEL TOE CAP
INNER LINING	FULLY LINED COMFORTABLE FABRIC WITH COOLMAX® TECHNOLOGY

### SPECIAL FEATURES

UPPER	YKK® ZIPPER
SOLE	ANTI-PENETRATION COMFORT IMPACT ABSORBING SYSTEM

## PRODUCT NAME: PIONEER

## PRODUCT DESCRIPTION: CHELSEA SAFETY BOOT



### PROTECTIVE SOLE

Anti penetration & Impact absorption sole



### GRIP SOLE

Slip, crack & oil resistant sole



### WATER RESISTANCE

Prevents liquid penetration



### PULL TAGS

Durable slip on pull tags for easy access



### STEEL TOE

200J resistant steel toe cap



### ANTISTATIC

Shock absorption

## PRODUCT SPECIFICATIONS

### INFORMATION

COLOUR	BLACK
SIZE RANGE	UK SIZES 4 - 13 (UNISEX)
ISO 20345 CLASSIFICATION	ENGINEERED TO ISO COMPLIANT S2 STANDARD

### MATERIALS

UPPER	WATER RESISTANT SMOOTH LEATHER   ANKLE-HEIGHT ELASTIC SIDED
SOLE	ANTISTATIC POLYURETHANE (PU) MIDSOLE   THERMOPLASTIC URETHANE (TPU) OUTSOLE
TOE CAP	200J STEEL TOE CAP
INNER LINING	FULLY LINED COMFORTABLE FABRIC WITH COOLMAX® TECHNOLOGY

### SPECIAL FEATURES

UPPER	DURABLE SLIP ON PULL TAGS
SOLE	ANTI-PENETRATION COMFORT IMPACT ABSORBING SYSTEM

## PRODUCT NAME: RENEGADE

## PRODUCT DESCRIPTION: SAFETY BOOT



### PROTECTIVE SOLE

Anti penetration & Impact absorption sole



### GRIP SOLE

Slip, crack & oil resistant sole



### WATER RESISTANCE

Prevents liquid penetration



### STEEL PLATE

Anti penetration steel plate



### STEEL TOE

200J resistant steel toe cap



### ANTISTATIC

Shock absorption

## PRODUCT SPECIFICATIONS

### INFORMATION

COLOUR	BROWN / RED / BLACK
SIZE RANGE	UK SIZES 5 - 13 (UNISEX)
ISO 20345 CLASSIFICATION	ENGINEERED TO ISO COMPLIANT S2 STANDARD

### MATERIALS

UPPER	1.8 - 2MM NUBUCK LEATHER
SOLE	RUBBER & ETHYLENE-VINYL ACETATE [EVA] SOLE   REMOVABLE POLIYOU® FOOTBED
TOE CAP	200J STEEL TOE CAP
INNER LINING	BREATHABLE & DURABLE MESH

### SPECIAL FEATURES

UPPER	CHEMICAL RESISTANT & SWEAT ABSORPTION
SOLE	ANTI-PENETRATION STEEL PLATE

## PRODUCT NAME: BRUTE

## PRODUCT DESCRIPTION: SAFETY BOOT



### PROTECTIVE SOLE

Anti penetration & Impact absorption sole



### GRIP SOLE

Slip, crack & oil resistant sole



### WATER RESISTANCE

Prevents liquid penetration



### STEEL PLATE

Anti penetration steel plate



### STEEL TOE

200J resistant steel toe cap



### ANTISTATIC

Shock absorption

## PRODUCT SPECIFICATIONS

### INFORMATION

COLOUR	RED / BLACK
SIZE RANGE	UK SIZES 5 - 13 (UNISEX)
ISO 20345 CLASSIFICATION	ENGINEERED TO ISO COMPLIANT S2 STANDARD

### MATERIALS

UPPER	1.6 -1.8MM SMOOTH COW LEATHER
SOLE	DUAL DENSITY POLYURETHANE (PU)   REMOVABLE POLIYOU® FOOTBED
TOE CAP	200J STEEL TOE CAP
INNER LINING	BREATHABLE & DURABLE MESH

### SPECIAL FEATURES

UPPER	SWEAT ABSORPTION
SOLE	ANTI-PENETRATION STEEL PLATE

## PRODUCT NAME: TITAN

## PRODUCT DESCRIPTION: SAFETY BOOT



### PROTECTIVE SOLE

Anti penetration & Impact absorption sole



### GRIP SOLE

Slip, crack & oil resistant sole



### WATER RESISTANCE

Prevents liquid penetration



### STEEL PLATE

Anti penetration steel plate



### STEEL TOE

200J resistant steel toe cap



### BREATHABLE ANKLE SUPPORT

Breathable & durable mesh

## PRODUCT SPECIFICATIONS

### INFORMATION

COLOUR	WALNUT BROWN / BLACK
SIZE RANGE	UK SIZES 5 - 14 (UNISEX)
ISO 20345 CLASSIFICATION	ENGINEERED TO ISO COMPLIANT S2 STANDARD

### MATERIALS


UPPER	1.6 -1.8MM SMOOTH COW LEATHER
SOLE	DUAL DENSITY POLYURETHANE (PU)   REMOVABLE POLIYOU® FOOTBED
TOE CAP	200J STEEL TOE CAP
INNER LINING	BREATHABLE & DURABLE MESH

### SPECIAL FEATURES

UPPER	SWEAT ABSORPTION
SOLE	ANTI-PENETRATION STEEL PLATE



## STEEL TOE SPECIFICATIONS



**STANDARD: EN 12568**

STEEL TOE SIZE	B	H	T	L
<b>6#</b>	81.5 ± 0.8 mm	42 ± 0.8 mm	1.7 ± 0.3	45 ± 0.8 mm
<b>7#</b>	83 ± 0.8 mm	43.8 ± 0.8 mm	1.7 ± 0.3	45.5 ± 0.8 mm
<b>8#</b>	86.4 ± 0.8 mm	44.6 ± 0.8 mm	1.7 ± 0.3	46.6 ± 0.8 mm
<b>9#</b>	89 ± 0.8 mm	46 ± 0.8 mm	1.7 ± 0.3	47.5 ± 0.8 mm
<b>10#</b>	90 ± 0.8 mm	47 ± 0.8 mm	1.7 ± 0.3	48.5 ± 0.8 mm
<b>11#</b>	94 ± 0.8 mm	48 ± 0.8 mm	1.7 ± 0.3	49.5 ± 0.8 mm



# CURVEGEAR

We aim to supply hard wearing ISO compliant safety boots, high quality South African vellies and 100% genuine leather essentials. Our products are made from premium materials that are designed to last, Gearing your business for the Grind.

Our brand ethos is to provide hard working South Africans with gear that will not only perform on site, but keep you comfortable, safe and productive, while ensuring you look good no matter what you do.

---

For bulk orders please contact:

**BYRON STREBEL**

☎ 082 341 5654

✉ [byron@pumpab.co.za](mailto:byron@pumpab.co.za)

✉ [orders@cuvregear.co.za](mailto:orders@cuvregear.co.za)



[CURVEGEAR.COM](http://CURVEGEAR.COM)