

# **Elektromarla**

minibar  
hotel safes  
wine coolers



minibar  
hotel safes  
wine  
coolers



Since 1954, ELEKTROMARLA has been the first "minibar factory" and the first company that exported minibars.

Elektromarla has been a pioneer in the industry since its foundation and specialized in the field of absorption system in more than 60 years which is the solution partner for hotels, hospitals, yachts and caravans.

Our company serves customers under Elektromarla guarantee, spare parts and service guarantee in Turkey's distinguished hotels and hospitals.

ELEKTROMARLA, which has been carved in memory with its product variety and quality in the hotel equipments sector, always works with customer satisfaction oriented focus during its production. Elektromarla, which is preferred by the hotels and hospitals of the highest quality in the sector, develops itself on an international vision by minibar design and production.

Elektromarla's R&D department follows all the innovations and always works to present you the best.

Main product groups of Elektromarla are;

- Minibars
- Wine Coolers
- Hotel safes

which are manufactured in its 10.200 m<sup>2</sup> closed factory.

We are pleased and proud to have become a world brand with the our customer satisfaction, innovative design and high quality production as Elektromarla.

The most important elements in reaching this success are our expert engineers, our knowledge and gained experience through our customers.

 **Elektromarla**



LED İÇ AYDINLATMA  
LED INTERIOR LIGHTNING  
OPSİYONEL



DOĞA DOSTU  
ECO FRIENDLY



LED İÇ AYDINLATMA  
LED INTERIOR LIGHTNING  
OPSİYONEL



DOĞA DOSTU  
ECO FRIENDLY



Model	DR 40 Eko
Ebat [GxDxY] Dimensions [WxDxH]	406 x 410 x 530 mm
Ağırlık Weight	15 Kg
Kapasite Capacity	40 Lt
Voltaj Voltage	220 - 240 Volt
Güç Electric Rating	65 Watt
Elektrik Tüketimi Energy Consumption	1.0 kWh / 24 h
Soğutucu Refrigerant	NH <sub>3</sub>
Ses Düzeyi Noise Level	0 dB
Soğutucu Tipi Type of Cooling	Absorbe Absorption



Model	DRC 40 Eko
Ebat [GxDxY] Dimensions [WxDxH]	406 x 420 x 540 mm
Ağırlık Weight	15 Kg
Kapasite Capacity	40 Lt
Voltaj Voltage	220 - 240 Volt
Güç Electric Rating	65 Watt
Elektrik Tüketimi Energy Consumption	1.0 kWh / 24 h
Soğutucu Refrigerant	NH <sub>3</sub>
Ses Düzeyi Noise Level	0 dB
Soğutucu Tipi Type of Cooling	Absorbe Absorption



LED İÇ AYDINLATMA  
LED INTERIOR LIGHTNING  
OPSİYONEL



DOĞA DOSTU  
ECO FRIENDLY



AYARLANABİLİR RAF  
ADJUSTABLE SHELVES



LED İÇ AYDINLATMA  
LED INTERIOR LIGHTNING  
OPSİYONEL



DOĞA DOSTU  
ECO FRIENDLY



AYARLANABİLİR RAF  
ADJUSTABLE SHELVES



Model	DR 35 S
Ebat [GxDxY] Dimensions [WxDxH]	390 x 430 x 535 mm
Ağırlık Weight	14 Kg
Kapasite Capacity	35 Lt
Voltaj Voltage	220 - 240 Volt
Güç Electric Rating	65 Watt
Elektrik Tüketimi Energy Consumption	1.0 kWh / 24 h
Soğutucu Refrigerant	NH <sub>3</sub>
Ses Düzeyi Noise Level	0 dB
Soğutucu Tipi Type of Cooling	Absorbe Absorption



Model	DRC 35 S
Ebat [GxDxY] Dimensions [WxDxH]	390 x 430 x 545 mm
Ağırlık Weight	14 Kg
Kapasite Capacity	35 Lt
Voltaj Voltage	220 - 240 Volt
Güç Electric Rating	65 Watt
Elektrik Tüketimi Energy Consumption	1.0 kWh / 24 h
Soğutucu Refrigerant	NH <sub>3</sub>
Ses Düzeyi Noise Level	0 dB
Soğutucu Tipi Type of Cooling	Absorbe Absorption



LED İÇ AYDINLATMA  
LED INTERIOR LIGHTNING  
OPSİYONEL



DOĞA DOSTU  
ECO FRIENDLY



AYARLANABİLİR RAF  
ADJUSTABLE SHELVES



LED İÇ AYDINLATMA  
LED INTERIOR LIGHTNING  
OPSİYONEL



DOĞA DOSTU  
ECO FRIENDLY



AYARLANABİLİR RAF  
ADJUSTABLE SHELVES



Model	DR 45 S
Ebat [GxDxY] Dimensions [WxDxH]	405 x 470 x 565 mm
Ağırlık Weight	16 Kg
Kapasite Capacity	45 Lt
Voltaj Voltage	220 - 240 Volt
Güç Electric Rating	65 Watt
Elektrik Tüketimi Energy Consumption	1.1 kWh / 24 h
Soğutucu Refrigerant	NH <sub>3</sub>
Ses Düzeyi Noise Level	0 dB
Soğutucu Tipi Type of Cooling	Absorbe Absorption



Model	DRC 45 S
Ebat [GxDxY] Dimensions [WxDxH]	405 x 475 x 570 mm
Ağırlık Weight	16 Kg
Kapasite Capacity	45 Lt
Voltaj Voltage	220 - 240 Volt
Güç Electric Rating	65 Watt
Elektrik Tüketimi Energy Consumption	1.1 kWh / 24 h
Soğutucu Refrigerant	NH <sub>3</sub>
Ses Düzeyi Noise Level	0 dB
Soğutucu Tipi Type of Cooling	Absorbe Absorption





LED İÇ AYDINLATMA  
LED INTERIOR LIGHTNING  
OPSİYONEL



DOĞA DOSTU  
ECO FRIENDLY



AYARLANABİLİR RAF  
ADJUSTABLE SHELVES



Model

DRCS 45 S

Ebat [GxDxY]  
Dimensions [WxDxH]

405 x 470 x 565 mm

Ağırlık  
Weight

16 Kg

Kapasite  
Capacity

45 Lt

Voltaj  
Voltage

220 - 240 Volt

Güç  
Electric Rating

65 Watt

Elektrik Tüketimi  
Energy Consumption

1.1 kWh / 24 h

Soğutucu  
Refrigerant

NH<sub>3</sub>

Ses Düzeyi  
Noise Level

0 dB

Soğutucu Tipi  
Type of Cooling

Absorbe  
Absorption

# Optio tionals



**Led İç Aydınlatma**  
*Interior Led Lightning*



**Ayarlanabilir Raflar**  
*Adjustable Shelves*



**Mobilya Kapı Sürgüsü**  
*Sliding Hinge For Furniture*



**Renk Seçenekleri**  
*Optinol Colors*



# İnsta tal la ti om

## Doğru Yerleşim

Tüm miniBar - miniBuzdolapları mobilya içine monte edilebilir.

Dikkat edilmesi gereken nokta havalandırmanın doğru yapılmasıdır. Hava girişi ve çıkışı açıklıkları(herbiri) en az 300 cm<sup>2</sup> olmalıdır. Kullanım esnasında havalandırma deliklerinin kapatılmamasına dikkat edilmelidir.

**ÖNEMLİ:** Absorbe sistem miniBar, miniBuzdolapları oda ısısının 32° C 'den yüksek olduğu ortamlarda verimli çalışmaz. İdeal oda ısısı 20° C - 25° C arasında olmalıdır.


## Perfect Installation

All miniBar - miniRefrigerators can be integrated into suitable furniture. But it is important to provide appropriate ventilation. The air intake and exhaust openings must be at least 300 cm<sup>2</sup> each. It is essential to make sure that the ventilation screen cannot be closed or covered.

**IMPORTANT:** Absorption system miniBars do not function optimally if the room temperature is over 32° C. The ideal room temperature is between 20° - 25° C.

Broşürde yer alan ölçü ve özellikler üretici tarafından değiştirilebilir.

All details given in this brochure are subject to alteration without notice.



si  
lent  
and  
com  
fort



### Absorbe Sistem

Üstün Teknik Sessiz Konfor  
Absorbe sistem soğutucu ünitelerle donatılmış olan Elektromarla miniBar-miniBuzdolapları otelinize prestij ve kazanç, konuklarınıza huzur sunar. Otel müşterieriniz absorbe sistem sayesinde sessiz, titreşimsiz, huzurlu bir konfor ortamı yaşarlar. Bakım masrafı yoktur ve üstün mühendislik teknolojisi sayesinde hem çevre hem enerji dostudur.

Üstün teknoloji ile üretilen Elektromarla miniBar - miniBuzdolapları 24 ay fabrikamız garantisinde olup 70'li yıllardan beri kaliteye önem veren otellerin tercihidir.

### Absorption System

Comfort of Silence  
Absorption system Elektromarla miniBar-miniRefrigerators do not disturb your hotel guest through unpleasant sounds. Elektromarla miniBars offer your guests the luxury besides prestige and profit to you hotel. It is maintenance free and eco-friendly due to its advanced engineering technology.

Elektromarla miniBar-miniRefrigerators, which are produced with advanced technology, have been chosen by leading hotels since 1970's and they are guaranteed for 24 months.

# hotel safes



## 1219 Elektronik Kasa Serisi 1219 Elektronic Safe Series

Model Model	Özellik Features	Dış Ebatlar Outer Dimensions	İç Ebatlar Inner Dimensions	Ağırlık Weight
DR1219M	Mini Ebat Elektronik Kasa	200 x 310 x 200 mm	168 x 306 x 145 mm	7 Kg
DR1219	Standart Ebat Elektronik Kasa	225 x 360 x 250 mm	192 x 356 x 195 mm	10 Kg
DR1219-L15	15" Laptop Ebat Elektronik Kasa	225 x 400 x 435 mm	192 x 396 x 375 mm	14 Kg
DR1219-L17	17" Laptop Ebat Elektronik Kasa	225 x 400 x 470 mm	192 x 396 x 410 mm	16 Kg

### Özellikler

3-6 rakamlı müşteri kodu ile kilitleme ve açma.  
6 haneli master kod ile açma imkânı.  
Pil bittiğinde, acil açma aparatı (CEU) veya mekanik pas anahtarı ile dışarıdan müdahale ederek açılabilir.  
Pil seviyesini dijital ekranda görebilir.  
4 Hatalı işlemde sonra 15 dk. kendini bloke etme,  
Ceza süresini 15, 30, 45, 60 dakika olarak ayarlama imkânı.  
Servo motor sayesinde düşük pil tüketimi.  
4 Adet 1,5 V alkaline kalem pil ile çalışır.  
Manyetik izin anahtarı ile kasayı ücretli kullandırma imkânı(Opsiyonel).  
Laptop ebatında kasa içine konulan priz ve kablo bağlantısı(Opsiyonel).  
Kasa içinde hareket sensörlü aydınlatma sistemi(Opsiyonel).  
Uzun ömürlü ve dayanıklı elektrostatik toz boya ve renk seçenekleri.  
Gizli menteşe sistemi.  
Nikel kaplı bolt sistemi.  
Güçlü dübellere ile kasa içinden montaj imkânı.

### Features

Locking and unlocking with 3-6 digit customer code.  
Possibility of opening the safe with 6 digits master code.  
When the batteries run out, possible to open the safe with emergency unit (CEU) or with mechanical passkey from the outside.  
Digital to see battery level.  
15 min. self-blocking after 4 wrong operation  
(Fine mode can be disabled).  
Fine mode can be adjusted as 15,30,45 and 60 minutes.  
Low battery consumption with servo motor.  
Works with 4 x 1,5 V alkaline battery.  
Possibility of hiring out the safe with a magnetic switch(Optional).  
Optional plug and cable connection inside the safe  
(Especially for laptop size safes).  
Motion-sensor lighting system is available inside the safe(Optional).  
Electrostatic powder paint with different color options.  
Hidden hinge system.  
Nickel covered bolt system.  
Possibility of mounting inside the safe with the strong screws.



## 1220 Elektronik Kasa Serisi 1220 Elektronic Safe Series

Model <i>Model</i>	Özellik <i>Features</i>	Dış Ebatlar <i>Outer Dimensions</i>	İç Ebatlar <i>Inner Dimensions</i>	Ağırlık <i>Weight</i>
DR1220	Standart Ebat Elektronik Kasa	225 x 360 x 250 mm	192 x 356 x 195 mm	10 Kg
DR1220-L15	15" Laptop Ebat Elektronik Kasa	225 x 400 x 435 mm	192 x 396 x 375 mm	14 Kg
DR1220-L17	17" Laptop Ebat Elektronik Kasa	225 x 400 x 470 mm	192 x 396 x 410 mm	16 Kg

### Özellikler

3-6 Haneli kullanıcı şifresi,  
6 haneli master kod ile açma imkânı.  
Pil bittiğinde, acil açma aparatı (CEU) veya mekanik pas anahtarı ile dışarıdan müdahale ederek açabilme imkanı.  
Pil seviyesini, tarihi ve saati dijital ekranda görebilme.  
4 Hatalı işlemde sonra 15 dk. kendini bloke etme  
Ceza süresini 15, 30, 45, 60 dakika olarak ayarlama imkanı.  
Servo motor sayesinde düşük pil tüketimi.  
4 adet 1.5 V orta boy alkalin pil ile çalışır.  
Bilgisayar destekli kasayı kiraya verebilme imkanı (Oteller için),  
Son 100 açma operasyonunun dökümü.  
Laptop ebatında kasa içine konulan priz ve kablo bağlantısı (Opsiyonel)  
Kasa içinde hareket sensörlü aydınlatma sistemi (Opsiyonel)  
Uzun ömürlü ve dayanıklı elektrostatik toz boya ve renk seçenekleri.  
Gizli menteşe sistemi.  
Nikel kaplı bolt sistemi.  
Güçlü dübellere ile kasa içinden montaj imkânı.

### Features

Locking and unlocking with 3-6 digit customer code.  
Possibility of opening the safe with 6 digits master code.  
When the batteries run out, possible to open the safe with emergency unit (CEU) or with mechanical passkey from the outside.  
Digital to see battery level, date and time.  
15 min. self-blocking after 4 wrong operation(Fine mode can be disabled).  
Fine mode can be adjusted as 15, 30, 45 and 60 minutes.  
Low battery consumption with servo motor.  
Works with 4 x 1,5 V alkaline battery.  
Possibility of hiring out the safe which is computer supported(For Hotels).  
The last 100 on operation can be printed out (process, time, date, password).  
Optional plug and cable connection inside the safe  
Motion-sensor lighting system is available inside the safe(Optional).  
Electrostatic powder paint with different color options  
Hidden hinge system.  
Nickel covered bolt system.  
Possibility of mounting inside the safe with the strong screws.



## 1218 Elektronik Kasa Serisi 1218 Elektronic Safe Series

Model <i>Model</i>	Özellik <i>Features</i>	Dış Ebatlar <i>Outer Dimensions</i>	İç Ebatlar <i>Inner Dimensions</i>	Ağırlık <i>Weight</i>
DR1218-L15V	15" Laptop Ebat Elektronik Kasa	225 x 400 x 440 mm	192 x 396 x 375 mm	14 Kg
DR1218-L15H	15" Laptop Ebat Elektronik Kasa	225 x 450 x 370 mm	192 x 446 x 310 mm	14 Kg
DR1218-L17	17" Laptop Ebat Elektronik Kasa	225 x 400 x 475 mm	192 x 396 x 410 mm	16 Kg

### Özellikler

3-6 Haneli kullanıcı şifresi,  
6 haneli master kod ile açma imkânı.  
Pil bittiğinde, acil açma aparatı (CEU) veya mekanik pas anahtarı ile dışarıdan müdahale ederek açabilme imkanı.  
Pil seviyesini, tarihi ve saati dijital ekranda görebilme.  
4 Hatalı işlemde sonra 15 dk. kendini bloke etme  
Ceza süresini 15, 30, 45, 60 dakika olarak ayarlama imkanı.  
Servo motor sayesinde düşük pil tüketimi.  
4 adet 1.5 V orta boy alkalin pil ile çalışır.  
Bilgisayar destekli kasayı kiraya verebilme imkanı(Oteller için),  
Son 1000 açma operasyonunun dökümü  
Laptop ebatında kasa içine konulan priz ve kablo bağlantısı(Opsiyonel)  
Kasa içinde hareket sensörlü aydınlatma sistemi halı kaplı zemin  
Uzun ömürlü ve dayanıklı elektrostatik toz boya ve renk seçenekleri.  
Gizli menteşe sistemi.  
Nikel kaplı bolt sistemi.  
Güçlü dübellere ile kasa içinden montaj imkânı.

### Features

Locking and unlocking with 3-6 digit customer code  
Possibility of opening the safe with 6 digits master code.  
When the batteries run out, possible to open the safe with emergency unit (CEU) or with mechanical passkey from the outside.  
Digital to see battery level, date and time.  
15 min. self-blocking after 4 wrong operation. (fine mode can be disabled)  
Fine mode can be adjusted as 15,30,45 and 60 minutes.  
Low battery consumption with servo motor.  
Works with 4 x 1,5 V alkaline battery.  
Possibility of hiring out the safe which is computer supported.(for hotels)  
The last 1000 on operation can be printed out (process, time, date, password)  
Optional plug and cable connection inside the safe  
Motion-sensor lighting system is available inside the safe carpeted floor  
Electrostatic powder paint with different color options.  
Hidden hinge system.  
Nickel covered bolt system  
Possibility of mounting inside the safe with the strong screws



## 1225 Çekmece Tipi Elektronik Kasa Serisi 1225 Drawer Type Elektronik Safe Series

Model <i>Model</i>	Özellik <i>Features</i>	Dış Ebatlar <i>Outer Dimensions</i>	İç Ebatlar <i>Inner Dimensions</i>	Ağırlık <i>Weight</i>
DR1225	Dijital Elektronik Çekmece Kasası	120 x 400 x 350 mm	70 x 396 x 346 mm	12 Kg
DR1225E	Dijital Elektronik Çekmece Kasası	120 x 400 x 350 mm	70 x 396 x 346 mm	12 Kg

### Özellikler

Çekmece içine monte edilebilme ve amortisörlü kapak,  
4-6 Haneli kullanıcı şifresi,  
6 haneli master kod ile açma imkânı.  
Pil bittiğinde, acil açma aparatı (CEU) veya mekanik pas anahtarı ile dışarıdan müdahale ederek açabilme imkanı.  
Pil seviyesini, tarihi ve saati dijital ekranda görebilme.  
4 Hatalı işlemden sonra 15 dk. kendini bloke etme.  
Uzun ömürlü ve dayanıklı elektrostatik toz boya ve renk seçenekleri.  
Gizli menteşe sistemi.  
Nikel kaplı bolt sistemi.  
Güçlü dübellere ile kasa içinden montaj imkânı.

### Features

Installed into a drawer with a damper lid.  
Able to work with 4-6 digit user code.  
Possibility of opening the safe with 6 digits master password.  
When the batteries run out, possible to open the safe mechanical passkey from the outside.  
Digital to see battery level, date and time.  
15 min. self-blocking after 4 wrong operation (fine mode can be disabled).  
Fine mode can be adjusted as 15, 30, 45 and 60 minutes.  
Low battery consumption with servo motor.  
Works with 4 x 1,5 V alkaline battery.  
Possibility of hiring out the safe which is computer supported (for DS1225E).  
The last 100 on operation can be printed out (process, time, date, password)(for DS1225E).  
Electrostatic powder paint with different color options.  
Hidden hinge system.  
Nickel covered bolt system  
Possibility of mounting inside the safe with the strong screws.



# wine coolers



Model	<b>WINE CUBE F</b>
Ebat [GxDxY] Dimensions [WxDxH]	600 x 600 x 590 mm
Ağırlık Weight	25 Kg
Kapasite Capacity	18 Şişe / Bottles
Voltaj Voltage	220 - 240 V
Güç Power	80 W
Elektrik Tüketimi Energy Consumption	1,5 kWh / 24 h
Soğutucu Refrigerant	NH <sub>3</sub>
Ses Düzeyi Noise Level	0 dB
Soğutucu Tipi Type of Cooling	Absorbe Absorption



Model	<b>WINE CUBE S</b>
Ebat [GxDxY] Dimensions [WxDxH]	575 x 590 x 430 mm
Ağırlık Weight	20 Kg
Kapasite Capacity	18 Şişe / Bottles
Voltaj Voltage	220 - 240 V
Güç Electric Rating	80 W
Elektrik Tüketimi Energy Consumption	1,5 kWh / 24 h
Soğutucu Refrigerant	NH <sub>3</sub>
Ses Düzeyi Noise Level	0 dB
Soğutucu Tipi Type of Cooling	Absorbe Absorption

re  
fe  
ren  
ces



*Holiday Inn*



SOHO HOUSE



THE MARMARA  
HOTELS & RESIDENCES



DEDEMAN  
Hotel & Convention Center



*Radisson* SAS  
HOTELS & RESORTS



CROWNE PLAZA®  
HOTELS & RESORTS



RAMADA®  
HOTEL & RESORT

MEDICALPARK

divan



INTERCONTINENTAL®  
HOTELS & RESORTS



POLAT  
RENAISSANCE® ISTANBUL HOTEL  
ISTANBUL, TURKEY



GOLDEN TULIP  
HOTELS • INNS • RESORTS

*Mercure*  
HOTELS

*FN* GROUP  
FLORENCE NIGHTINGALE

*Limak*

AMERIKAN  
HASTANESI



Sheraton  
HOTELS & RESORTS

 **Elektromarlarla**

Marla Turizm İnşaat Tekstil Sanayi ve Ticaret A.Ş.

Uluyol Siteler Cd. No: 6/A 34150 Rami, İstanbul / Türkiye

P: +90 212 545 79 80 / 4 Hat

F: +90 212 578 12 80

[info@elektromarlarla.com](mailto:info@elektromarlarla.com)

[www.elektromarlarla.com](http://www.elektromarlarla.com)

CE