

TETRIX OBLIQUE 62 IP55 LED GE

We had a bit of a game in mind when we designed our recessed spot, Tetrrix. Playing with pieces, fitting them together in all kinds of intricate ways. Easy to play with, and for everyone. Tetrrix invites you to give it your personal touch with design options and accessories. It's versatile, fits everywhere, and is a breeze to install.


Art. Nr. 13512138

SPECIFICATIONS

| | | |
|-----------------|----------------------|---------------|
| Lamp | 1x LED Array | |
| Gear / Transfo | LED gear not incl. | |
| Cut-out size | Ø 62 | |
| Weight | 0.15kg | |
| Min. distance | 0.1 m | |
| IP | IP55 | |
| Glow wire test | 650° | |
| Lifetime | L80 B20 @ 50.000 hrs | |
| CRI | 90 | |
| CIE flux code | 98/99/100/100/100 | |
| Power supply | 350mA | 500mA |
| | 14.2 | 14.4 |
| Connected load | 5W | 7.2W |
| Luminaire power | 7.2W | |
| Lumen | 509lm | 688lm |
| Efficacy | 102lm/W | 96lm/W |
| UGR | 16.2 | 17.2 |
| Adjustability | Not Applicable | |

Available label
<http://supemodular.com/assets/TYPE2.pdf>

| | WARM WHITE 2700K / CRI 90+ | | WARM WHITE 3000K / CRI 90+ | | NEUTRAL WHITE 4000K / CRI 90+ | |
|------------|-------------------------------|-----------------|-------------------------------|----------|----------------------------------|----------|
| | MEDIUM | FLOOD | MEDIUM | FLOOD | MEDIUM | FLOOD |
| black matt | 13512083 | 13512183 | 13512283 | 13512383 | 13512483 | 13512583 |
| white matt | 13512038 | 13512138 | 13512238 | 13512338 | 13512438 | 13512538 |



TETRIX OBLIQUE 62 IP55 LED GE

ACCESSORIES

HUE-BRIDGE

| | |
|----------|---------------|
| 70000616 | HUE BRIDGE EU |
| 70000617 | HUE BRIDGE UK |

HUE-MODULE

| | |
|----------|---|
| 13190130 | HUE DIM CIRCUIT MODULE 150-300W 0/1-10V |
|----------|---|

CASAMBI

| | |
|----------|----------------------------|
| 13470109 | CASAMBI SWITCH WHITE |
| 13470101 | CASAMBI DIM MODULE TRE DIM |
| 13470102 | CASAMBI DIM MODULE DALI |
| 13470100 | CASAMBI DIM MODULE 1-10V |

HUE-DEVICE

| | |
|----------|--|
| 70000054 | HUE SENSOR |
| 70000152 | HUE DIMMER SWITCH |
| 70000155 | NIKO PURE SWITCH FOR HUE - BLACK STEEL |
| 70000154 | NIKO PURE SWITCH FOR HUE - WHITE STEEL |

ANTIGLARE





| | |
|----------|---------------------------------|
| 13515232 | LC Ø44MM BLACK STRUC |
| 13515132 | HONEYCOMB Ø33MM BLACK STRUCTURE |
| 13515032 | SNOOT Ø32MM BLACK STRUCTURE |

DRIVER-LED

| | |
|----------|------------------------------------|
| 13470130 | CASAMBI LED GEAR 350-1050MA 25-60W |
| 13470030 | CASAMBI LED GEAR 300-1050MA 16-38W |

GYPKIT

| | |
|----------|---|
| 13515630 | CONCRETE RING Ø62 FOR STANDARD CONCRETE BOXES |
| 13515530 | CONCRETE KIT 150X150 - Ø62 |
| 12293330 | GYPKIT TRIMLESS 300X150 - 2X Ø62 |
| 12293230 | GYPKIT TRIMLESS 150X150 - Ø62 |



TETRIX OBLIQUE 62 IP55 LED GE

REQUIRED PARTS

RECESSED-FRAME

| | |
|----------|----------------------------------|
| 13510083 | TETRIX FRAME ROUND 74 BLACK MATT |
| 13515430 | RECESSED RING Ø62 |
| 13510038 | TETRIX FRAME ROUND 74 WHITE MATT |

