


AMISOL

design Daniel Ribakken




**LUCE
PLAN**

D91




D91



29* Amisol drivers are suitable for use with DALI - Push dimm



D91s
D91/1




a




b




x1




x1




x1



x1



x2




x1



x2

(3 m - 118")



x1



x4



x4



x2



x2




x1


kg 2.5 kg

lb 5.51 lb


D91s
D91/2




Min 300 cm / Max 420 cm
Min 118" / Max 165,3"




x1




x1




x1



x1



x2



x1




x2

(3 m - 118")



x1



x4



x4



x2






x2







x1

kg 3.05 kg **lb** 6.72 lb

1










2

1.




Ø 5mm
Ø 0,19"

2.






3





4




x 2 




x 2 






4.1




4.2




4.3




4.4



5





x 2




3


5.1





5.2





5.3



6




6.1



7



1D910/100020
1D910/100030
1D910/200020
1D910/200030




8

D91/0AAR +
D91s
D91/1
D91/2


D91/1
49 cm/19,3"

D91/2
75 cm/29,5"




D91/1
75 cm/29,5"

D91/2
108 cm/42,5"






➔ **3**

9





10




→ 1

→ 4.3







→ 1

→ 5.1



→6 | →6.1 | →7 |





www.luceplan.com

D910IA001