


# GIGANT | MACBETH LED


29-09-2015

<b>10.0</b>	
LED   42W   220-240VAC   50-60Hz   PCB 3-step   dali switch dim	
CE IP20 960°C 0,3m P	
white texture	213185W_
<b>LIGHT COLOUR</b>	
3000K   >85CRI   5000lm	4
4000K   >85CRI   5300lm	6
<b>OPTIONAL</b>	
suspension set 4.0m	90015114




<b>16.0</b>	
LED   83W   220-240VAC   50-60Hz   PCB 3-step   dali switch dim	
CE IP20 960°C 0,3m P	
white texture	213285W_
<b>LIGHT COLOUR</b>	
3000K   >85CRI   9900lm	4
4000K   >85CRI   10400lm	6
<b>OPTIONAL</b>	
suspension set 4.0m	90015114



### DIMENSIONS






### MOUNTING INSTRUCTION




# MACBETH | GIGANT LED

29-09-2015


<b>1.0</b>	
LED 42W   220-240VAC   50-60Hz   PCB 3-step   dali switch dim	
CE IP20 960° 0,5m P	
white texture	212185W
<b>LIGHT COLOUR</b>	
3000K   >85CRI   4500lm	4
4000K   >85CRI   4800lm	6
<b>OPTIONAL</b>	
suspension set 4.0m	90015114



## DIMENSIONS



## MOUNTING INSTRUCTION



# DIMMING


07-07-2015

**TALEXX CONVERTER** - ECO series  
 max. 55W | 900-1750mA | constant current | DIM 1-100%  
 DALI DEVICE type 6 | DSI | switchDIM  
 suitable for emergency lighting units (EN50172)

IP20 SELV         RoHS




## DIMENSIONS



## GIGANT 10.0 | MACBETH 1.0 DALI & SWITCH DIM

CIRCUIT DIAGRAM

220-240V  
 0-50-60Hz



## GIGANT 16.0 DALI & SWITCH DIM

CIRCUIT DIAGRAM

220-240V  
 0-50-60Hz

