

FEED PROGRAM															
All amounts per 1 gallon. Mix in order listed.	Clone		Vegetative				Flower								
	Pre Soak	Feed	W 1	W 2	W 3	W 4	W 1	W 2	W 3	W 4	W 5	W 6	W 7	W 8	W 9
<b>BASE</b>			18mL 1.3 EC	18mL 1.3 EC	18mL 1.3 EC	18mL 1.3 EC	18mL 1.3 EC	18mL 1.3 EC	18mL 1.3 EC	18mL 1.3 EC	18mL 1.3 EC	18mL 1.3 EC	18mL 1.3 EC	7mL .5 EC	
<b>GROW</b>			30mL 1.6 EC	30mL 1.6 EC	30mL 1.6 EC	30mL 1.6 EC									
<b>BLOOM</b>	30mL 1.6 EC						30mL 1.6 EC	30mL 1.6 EC	30mL 1.6 EC	30mL 1.6 EC	30mL 1.6 EC	45mL 1.6 EC	45mL 1.6 EC	10.5mL .8 EC	
<b>PROFILE</b>			5mL	5-10mL	5-10mL	5-10mL	10-15mL	10-15mL	10-15mL	10-15mL	10-15mL	5-10mL	5-10mL	5-10mL	
<b>Cleaner</b>	1.5mL		2.5-6.5mL	2.5-6.5mL	2.5-6.5mL	4-10mL	4-10mL	2.5-6.5mL	2.5-6.5mL	2.5-6.5mL	2.5-6.5mL	2.5-6.5mL	2.5-6.5mL	6.5-13.5mL	13.5mL

Use KALIX Ph Up and Ph Down Super concentrate as needed for best results.

THE FOLLOWING INSTRUCTIONS ARE MEANT ONLY AS A GUIDELINE. ADJUST DOSE RATES DEPENDING ON CULTIVAR AND LEAF TISSUE LAB RESULTS.

\* EC may vary by .1 to .2 Amounts without EC check show very little to non-existent

www.kalixcpn.com  
Phone: 541.858.3333

If unsure whether or not the mix is in solution or suspension, always perform a glass jar test by taking a sample of the mix with a glass jar when it's believed to be in solution and let set 24-48 hrs. If the product falls to the bottom the mix is NOT in solution and must be mixed longer or by adding hot water.

\* All values calculated using Reverse Osmosis water. Agitate center of container to avoid clumping.


\*\* Not responsible for clogged filters, emitters, or irrigation lines due to improper mixing.

\*\*\* For better results use a transfer pump with a filter to a new tank and always make sure to clean tanks and lines after every feeding.

# MIXING STOCK CONCENTRATE

**2** MIX RATE  
LBS/GAL

- 1 Fill container with 12.5 gallons of water.
- 2 Slowly empty entire contents of full 25lb bag .
- 3 Mix until fully dissolved.  
\*approximately 10-40 min
- 4 See Dosing Stock Concentrate reference table below.



**CAUTION: STOCK CONCENTRATE SHOULD NEVER BE FED DIRECTLY TO PLANTS OR MIXED WITH ANOTHER CONCENTRATE.**

## DOSING STOCK CONCENTRATE

2 LBS/GAL STOCK CONCENTRATE REFERENCE TABLE in mL / Gal		
Target EC	Base	Grow / Bloom
0.5	3 mL	4.9 mL
1	6.3 mL	10.4 mL
1.5	9 mL	15 mL
2	12.4 mL	20.9 mL
2.5	15 mL	25.2 mL
2.7	16.9 mL	27.9 mL
3	18 mL	30 mL
3.5	21.2 mL	35.2 mL
3.7	24 mL	40.1 mL

\* Results may fluctuate depending on water and meter that is being used.

CONCENTRATE  
FEED CHARTS



MIXING VIDEO



## THE SYSTEM



**DISCLAIMER:** This information is meant as a starting point. Any adjustments are at the growers discretion. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy oneself as to the suitability of such information for a particular use. Contact sales@kalixcpn.com or call +1.541.646.6042 for recommendations.