

FEED PROGRAM															
All amounts per 1 gallon. Mix in order listed.	Clone		Vegetative				Flower								
	Pre Soak	Feed	W 1	W 2	W 3	W 4	W 1	W 2	W 3	W 4	W 5	W 6	W 7	W 8	W 9
Silica	2mL		3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	
Cleaner	1mL		2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	5-10mL	10mL
Grow A			8mL	8mL	8mL	8mL									
Grow B			8mL	8mL	8mL	8mL									
Bloom A	9mL						10mL	10mL	10mL	10mL	8mL	7mL	4mL	3mL	
Bloom B	9mL						10mL	10mL	10mL	10mL	8mL	7mL	4mL	3mL	
CaMg			3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL		
PK 0-50-30									4mL	6mL	9mL	10mL	12mL	10mL	
Amino			0.6g	1.2g	1.2g	1.2g	1.2g	0.8g	0.8g	0.6g	0.6g	0.3g	0.3g		
Potassium										0.65g	0.9g	0.65g	0.5g	0.4g	0.4g

FOLIAR PROGRAM														
Application Intervals*	Mothers	Vegetative				Flower								
	1 X W	W 1	W 2	W 3	W 4	W 1	W 2	W 3	W 4	W 5	W 6	W 7	W 8	W 9
Fulltek	0.15g	0.15g	0.15g	0.15g	0.15g	0.15g	0.15g							
Kelp	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g							
Yucca	0.7g	0.7g	0.7g	0.7g	0.7g	0.7g	0.7g							

Use Ph Up and Ph Down Super concentrate as needed.

www.kalixcpn.com
 Phone: 541.858.3333
 sales@kalixcpn.com

The following instructions are meant only as a guideline. Adjust dose rates depending on cultivar and leaf tissue lab results.
 *Foliar mother plants three days before taking cuttings.