

FEED PROGRAM

All amounts per 1 gallon. Mix in order listed.	Clone		Vegetative				Flower								
	Pre Soak	Feed	W 1	W 2	W 3	W 4	W 1	W 2	W 3	W 4	W 5	W 6	W 7	W 8	W 9
Silica	2mL		3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	3.5mL	
Cleaner	1mL		2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	5-10mL	10mL
Grow A			10mL	10mL	10mL	10mL									
Grow B			10mL	10mL	10mL	10mL									
Bloom A	10mL						12mL	12mL	12mL	12mL	10mL	9mL	5mL	4mL	
Bloom B	10mL						12mL	12mL	12mL	12mL	10mL	9mL	5mL	4mL	
CaMg			3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL	3-5mL		
PK 0-50-30									4mL	6mL	9mL	10mL	12mL	10mL	
Amino			0.6g	1.2g	1.2g	1.2g	1.2g	0.8g	0.8g	0.6g	0.6g	0.3g	0.3g		
Potassium										0.65g	0.9g	0.65g	0.5g	0.4g	0.4g

FOLIAR PROGRAM

Application Intervals*	Mothers	Vegetative				Flower								
	1 X W	W 1	W 2	W 3	W 4	W 1	W 2	W 3	W 4	W 5	W 6	W 7	W 8	W 9
Fulltek	0.15g	0.15g	0.15g	0.15g	0.15g	0.15g	0.15g							
Kelp	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g							
Yucca	0.7g	0.7g	0.7g	0.7g	0.7g	0.7g	0.7g							

Use Ph Up and Ph Down Super concentrate as needed.

www.kalixcpn.com
 Phone: 541.646.6042
 sales@kalixcpn.com

The following instructions are meant only as a guideline. Adjust dose rates depending on cultivar and leaf tissue lab results.
 *Foliar mother plants three days before taking cuttings.