

### FEED PROGRAM

All amounts per 1 gallon. Mix in order listed.	Clone		Vegetative				Flower								
	Pre Soak	Feed	W 1	W 2	W 3	W 4	W 1	W 2	W 3	W 4	W 5	W 6	W 7	W 8	W 9
<b>K-Silicate</b>			0.25g	0.55g	0.55g	0.55g	0.55g	0.55g	0.55g	0.55g	0.55g	0.55g	0.55g		
<b>BASE</b>	3g		4.2g	4.2g	4.2g	4.2g	4.2g	4.2g	4.2g	4.2g	4.2g	4.2g	4.2g	1.5g	
<b>GROW</b>			7g	7g	7g	7g									
<b>BLOOM</b>	7g						7g	7g	7g	7g	7g	7g	7g	2.5g	
<b>Amino</b>			0.6g	1.2g	1.2g	1.2g									
<b>PROFILE</b>							2.2-3.4g	2.2-3.4g	2.2-3.4g	2.2-3.4g	2.2-3.4g	2.2-3.4g	1-2.2g	1-2.2g	
<b>PK 0-50-30</b>									0.5g	0.75g	1.25g	1g			
<b>Potassium</b>										0.65g	0.9g	0.65g	0.5g	0.4g	0.4g
<b>Cleaner</b>	1mL		2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	2-5mL	5-10mL	10mL

### FOLIAR PROGRAM

Application Intervals*	Mothers	Vegetative				Flower								
	1 X W	W 1	W 2	W 3	W 4	W 1	W 2	W 3	W 4	W 5	W 6	W 7	W 8	W 9
<b>Fulltek</b>	0.15g	0.15g	0.15g	0.15g	0.15g	0.15g	0.15g							
<b>Kelp</b>	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g							
<b>Yucca</b>	0.7g	0.7g	0.7g	0.7g	0.7g	0.7g	0.7g							

Use Ph Up and Ph Down Super concentrate as needed.

www.kalixcpn.com  
 Phone: 541.858.3333  
 sales@kalixcpn.com

The following instructions are meant only as a guideline. Adjust dose rates depending on cultivar and leaf tissue lab results.

\*Foliar mother plants three days before taking cuttings.