CLEARANCE

Block Snatch Steel, single, hook	337
Connecting Link, Pin & Sleeve	338
Coupling, Self Locking Hook	339
Hoist Ring, Spare Bolt & 'C' clip	340
Hook, clevis grab Gr 80	341
Hook, clevis, Self-Locking Gr100	342
Hook, Kit, Latch Kit for sliding choker hook	343
Hook, Kit, Self-Locking Trigger	345
Master Link Gr 80	346
Weld-on Hook, bucket	347
Chocks Stainless Steel 316	348







Description	Price / ea.	Part Number
Block Snatch Steel, single, hook, 3", 2 te (5/16"-3/8") Yoke	131.88	28-502-02
clock Snatch Steel, single, hook, 4-1/2", 4 te (3/8"-1/2") Yoke	285.03	28-502-04
lock Snatch Steel, single, hook, 6", 8 te (5/8"-3/4") Yoke	469.53	28-502-08
lock Snatch Steel, single, hook, 8", 8 te (5/8"-3/4") Yoke	496.88	28-502-0808
ock Snatch Steel, single, hook, 8", 20 te (1" 1-1/8") Yoke	1211.80	28-552-20
ock Snatch Steel, single, hook, 10", 12 te (3/4-7/8) Alloy	1347.45	28-562-1210
ock Snatch Steel, single, shackle, 3", 2 te (5/16"-3/8") Yoke	128.90	28-501-02
ock Snatch Steel, single, shackle, 6", 8 te (5/8"-3/4") Yoke	651.10	28-501-08
ock Snatch Steel, single, Tailboard, 3", 2 te (5/16"-3/8") Yoke	78.00	28-503-02
ock Snatch Steel, single, Tailboard, 4-1/2", 4 te (3/8"-1/2") Yoke	141.23	28-503-04
ock Snatch Steel, single, Tailboard, 6", 8 te (5/8"-3/4") Yoke	250.35	28-503-08
lock Snatch Steel, single, Tailboard, 8", 8 te (5/8"-3/4") Yoke	338.50	28-503-0808
lock Snatch Steel, single, Tailboard, 8", 20 ton (1:1-1/8) Yoke	762.50	28-553-20
onnecting Link, Gr 80, 7mm 9/32" Yoke	13.50	28-7-8CL
nnecting Link, Gr 80, 13mm 1/2" Yoke	26.38	28-13CL
nnecting Link, Gr 80, 16mm 5/8" Yoke	37.98	28-16CL
nnecting Link, Gr 80, 20mm 3/4" Yoke	73.68	28-18-20CL
nnecting Link, Gr 80, 22mm 7/8" Yoke	110.95	28-22CL
nnecting Link, Gr 80, 26mm 1" Yoke	193.43	28-26CL
nnecting Link, Gr 80, 32mm 1-1/4" Yoke	326.53	28-32CL
nnecting Link, Gr100, 07mm 9/32" Yoke	12.23	28-X-7-8CL
nnecting Link, Gr100, 10mm 3/8" Yoke	19.65	28-X-10CL
nnecting Link, Gr100, 13mm 1/2" Yoke	35.05	28-X-13CL
nnecting Link, Gr100, 16mm 5/8" Yoke	49.40	28-X-16CL
nnecting Link, Gr100, 20mm 3/4" Yoke	95.38	28-X-18-20CL
nnecting Link, Gr100, 26mm 1" Yoke	217.63	28-X-26CL
onnecting Link, Gr100, 32mm 1-1/4" Yoke	349.53	28-X-32CL
nnecting Link, Pin & Sleeve, Gr 80, 7mm Yoke 9/32"	3.10	28-7-8CLP
nnecting Link, Pin & Sleeve, Gr 80, 10mm Yoke 3/8"	3.25	28-10CLP
nnecting Link, Pin & Sleeve, Gr 80, 13mm Yoke 1/2"	6.23	28-13CLP
nnecting Link, Pin & Sleeve, Gr 80, 16mm Yoke 5/8"	7.45	28-16CLP
nnecting Link, Pin & Sleeve, Gr 80, 20mm Yoke 3/4"	15.18	28-18-20CLP
nnecting Link, Pin & Sleeve, Gr 80, 22mm Yoke 7/8"	20.30	28-22CLP
onnecting Link, Pin & Sleeve, Gr 80, 26mm Yoke 1"	36.20	28-26CLP
onnecting Link, Pin & Sleeve, Gr 80, 32mm Yoke 1-1/4"	52.28	28-32CLP



Description	Price / ea.	Part Number	
Connecting Link, Pin & Sleeve, Gr100, 7mm Yoke 9/32"	2.25	28-X-7-8CLP	
Connecting Link, Pin & Sleeve, Gr100, 10mm Yoke 3/8"	3.20	28-X-10CLP	
Connecting Link, Pin & Sleeve, Gr100, 13mm Yoke 1/2"	5.35	28-X-13CLP	
Connecting Link, Pin & Sleeve, Gr100, 16mm Yoke 5/8"	7.78	28-X-16CLP	
Connecting Link, Pin & Sleeve, Gr100, 20mm Yoke 3/4"	11.63	28-X-18-20CLP	
Connecting Link, Pin & Sleeve, Gr100, 22mm Yoke 7/8"	17.68	28-X-22CLP	1
Connecting Link, Pin & Sleeve, Gr100, 26mm Yoke 1"	33.73	28-X-26CLP	
Connecting Link, Pin & Sleeve, Gr100, 32 mm Yoke 1-1/4"	39.90	28-X-32CLP	
Connecting, Omega Link, Gr 80, 7-8mm Yoke	13.70	28-7-8MM0L	0-0
Connecting, Omega Link, Gr 80, 10mm 3/8" Yoke	16.50	28-10MM0L	
Connecting, Omega Link, Gr 80, 13mm 1/2" Yoke	44.93	28-13MM0L	
Connecting, Omega Link, Gr 80, 16mm 5/8" Yoke	52.85	28-16MM0L	
Coupling shank end 3/8" Yoke	42.13	28-10CS	
Coupling, Link Half, Gr 80, 7mm 9/32" Yoke	12.83	28-9/32CLH	
Coupling, Link Half, Gr 80, 10mm 3/8" Yoke	11.28	28-3/8CLH	
Coupling, Link Half, Gr 80, 13mm 1/2" Yoke	24.93	28-1/2CLH	Ų
Coupling, Link Half, Gr 80, 16mm 5/8" Yoke	28.85	28-5/8CLH	
Coupling, Link Half, Gr 80, 20mm 3/4" Yoke	56.55	28-3/4CLH	
Coupling, Master link, Gr 80, 7mm 9/32" Yoke	27.50	28-9/32MLC	Lat.
Coupling, Master link, Gr 80, 10mm 3/8" Yoke	45.85	28-3/8MLC	
Coupling, Master link, Gr 80, 13mm 1/2" Yoke	66.10	28-1/2MLC	
Coupling, Master link, Gr 80, 16mm 5/8" Yoke	84.60	28-5/8MLC	1 4
Coupling, Master link, Gr 80, 19mm 3/4" Yoke	176.25	28-3/4MLC	
Coupling, Round Sling c/w Half Link&Pin, Gr 80, 22mm 7/8" Yoke	265.13	28-016-22	
Coupling, Round Sling c/w Half Link&Pin, Gr 80, 26mm 1" Yoke	450.73	28-016-26	
Coupling, Round Sling c/w Half Link&Pin, Gr 80, 32mm 1-1/4" Yoke	866.35	28-016-32	
Coupling, Round Sling c/w Half Link&Pin, Gr100, 13mm 1/2" Yoke	77.78	28-X-016-13	
Coupling, Round Sling c/w Half Link&Pin, Gr100, 20mm 3/4" Yoke	192.70	28-X-016-20	
Coupling, Round Sling, Gr 80, 7mm 9/32" Yoke	20.80	28-9/32CRS	N_18_18_1
Coupling, Round Sling, Gr 80, 10mm 3/8" Yoke	21.78	28-3/8CRS	
Coupling, Round Sling, Gr 80, 13mm 1/2" Yoke	40.25	28-1/2CRS	
Coupling, Round Sling, Gr 80, 16mm 5/8" Yoke	58.55	28-5/8CRS	
Coupling, Round Sling, Gr 80, 18-20mm 3/4" Yoke	83.73	28-3/4CRS	

Description	Price / ea.	Part Number	
Coupling, Self Locking Hook, Gr 100, 7 mm 9/32" Yoke	40.33	28-X-023-07	9.9 B
Coupling, Self Locking Hook, Gr 100, 13 mm 1/2" Yoke	110.33	28-X-023-13	
Coupling, Self Locking Hook, Gr 100, 16 mm 5/8" Yoke	185.88	28-X-023-16	
Coupling, Self Locking Hook, Gr 80, 7mm 9/32" Yoke	61.63	28-9/32CSLH	
Coupling, Self Locking Hook, Gr 80, 16mm 5/8" Yoke	213.83	28-5/8CSLH	
Coupling, Self Locking Hook, Gr 80, 19mm 3/4" Yoke	465.45	28-3/4CSLH	
Coupling, Sling Hook w/latch 13mm 1/2" Yoke	62.30	28-055-13	
Coupling, Swivel Insulated Blank 10mm 3/8" Yoke	656.50	28-3/8BSI	<u> </u>
Coupling, Swivel Insulated Blank 13mm 1/2" Yoke	969.43	28-1/2BSI	
Coupling, Swivel Insulated Blank 16mm 5/8" Yoke	545.28	28-5/8BSI	111
Hoist Ring, Swivel, "METRIC" 0.45 te M10 - 1.50 x 60 Yoke	43.35	28-203-005L	
Hoist Ring, Swivel, "METRIC" 1.05 te M12 - 1.75 x 60 Yoke	73.05	28-203-010	
Hoist Ring, Swivel, "METRIC" 1.05 te M12 - 1.75 x 75 Yoke	81.35	28-203-010L	
Hoist Ring, Swivel, "METRIC" 1.90 te M16 - 2.0 x 80 Yoke	80.08	28-203-019L	
Hoist Ring, Swivel, "METRIC" 2.15 te M20 - 2.50 x 70 Yoke	80.08	28-203-021	
Hoist Ring, Swivel, "METRIC" 2.15 te M20 - 2.50 x 90 Yoke	85.15	28-203-021L	YOUE CO
Hoist Ring, Swivel, "METRIC" 3.00 te M20 - 2.50 x 100 Yoke	153.68	28-203-030L	VOME
Hoist Ring, Swivel, "METRIC" 3.00 te M20 - 2.50 x 80 Yoke	142.98	28-203-030	
Hoist Ring, Swivel, "METRIC" 4.20 te M24 - 3.00 x 105 Yoke	155.60	28-203-042L	
Hoist Ring, Swivel, "METRIC" 11.00 te M36 - 4.00 x 160 Yoke	597.33	28-203-110	E.F
Hoist Ring, Swivel, "METRIC" 12.50 te M42 - 4.50 x 175 Yoke	660.28	28-203-125	
Hoist Ring, Swivel, "METRIC" 13.50 te M48 - 5.00 x 190 Yoke	657.90	28-203-135	
Hoist Ring, Swivel, "UNC" 800 lbs 5/16"-18 thr x 2 Yoke	84.95	28-204-004	
Hoist Ring, Swivel, "UNC" 4000 lbs 5/8" - 11thr x 3.25 Yoke	73.05	28-204-019L	
Hoist Ring, Swivel, "UNC" 5000 lbs 3/4" - 10 thr x 3.25 Yoke	81.40	28-204-021L	
Hoist Ring, Swivel, "UNC" 7000 lbs $3/4$ " - 10 thr x 3.0 Yoke	143.40	28-204-030	ERT GOLD RAFE
Hoist Ring, Swivel, "UNC" 8000 lbs 7/8" - 9 thr x 4.25 Yoke	155.60	28-204-042L	YOME
Hoist Ring, Swivel, "UNC" 10000 lbs $$ 1" $$ - $$ 8 thr $$ x $$ 4.5 Yoke	172.95	28-204-045L	THE COUNTY
Hoist Ring, Swivel, "UNC" 24000 lbs 1-1/2" - 6 thr x 6.5 Yoke	579.33	28-204-125	
Hoist Ring, Swivel, "UNC" 30000 lbs 2" - 4.5 thr x 6.5 Yoke	594.48	28-204-135	•



Description	Price / ea.	Part Number	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M 8 - 1.25 x 50	5.45	28-P203-004	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M10 - 1.50 x 45	5.60	28-P203-005	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M10 - 1.50 x 45	5.60	28-P203-005L	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M12 - 1.75 x 60	9.10	28-P203-010	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M12 - 1.75 x 75	7.13	28-P203-010L	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M16 - 2.0 x 80	12.95	28-P203-019L	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M20 - 2.50 x 70	16.93	28-P203-021	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M20 - 2.50 x 80	18.25	28-P203-030	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M20 - 2.50 x 90	15.15	28-P203-021L	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M20 - 2.50 x 100	18.30	28-P203-030L	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M24 - 3.00 x 80	22.25	28-P203-042	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M24 - 3.00 x 105	28.93	28-P203-042L	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M30 - 3.50 x 135	40.00	28-P203-070	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M36 - 4.00 x 160	84.15	28-P203-110	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M42 - 4.50 x 175	137.20	28-P203-125	
Hoist Ring, Spare Bolt & 'C' clip, "METRIC" M48 - 5.00 x 190	155.50	28-P203-135	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 5/16"-18 thr x 2	6.20	28-P204-004	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 3/8" - 16 thr x 2	7.00	28-P204-005	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 1/2" - 13 thr x 2.5	9.65	28-P204-010	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 1/2" - 13 thr x 3.0	10.33	28-P204-010L	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 3/4" - 10 thr x 2.75	14.33	28-P204-021	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 3/4" - 10 thr x 3.25	16.93	28-P204-021L	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 3/4" - 10 thr x 3.0	15.25	28-P204-030	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 3/4" - 10 thr x 3.75	19.45	28-P204-030L	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 7/8" - 9 thr x 3.5	19.03	28-P204-042	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 7/8" - 9 thr x 4.25	20.13	28-P204-042L	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 1 " - 8 thr x 3.5	24.58	28-P204-045	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 1 " - 8 thr x 4.5	24.13	28-P204-045L	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 1 -1/4" - 7 thr x 4.5	57.28	28-P204-070	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 1-1/2" - 6 thr x 6.5	93.73	28-P204-125	
Hoist Ring, Spare Bolt & 'C' clip, "UNC" 2" - 4.5 thr x 6.5	143.60	28-P204-135	
Hook - Clevis, Eye, GrabEX, Grade 100, 1/2 (13)	218.65	28-X-079-13	
Hook - Clevis, Eye, GrabEX, Grade 100, 1/4-5/16 (07)	65.38	28-X-079-07	
Hook - Clevis, Eye, GrabEX, Grade 100, 3/8 (10)	86.50	28-X-079-10	
Hook - Clevis, Eye, GrabEX, Grade 100, 5/8 (16)	255.95	28-X-079-16	170

Description	Price / ea.	Part Number	
Hook, clevis grab Gr 80, 7-8mm 9/32" Yoke	22.15	28-7-8CGH	
Hook, clevis grab Gr 80, 10mm 3/8" Yoke	29.45	28-10CGH	5
Hook, clevis grab Gr 80, 13mm 1/2" Yoke	53.73	28-13CGH	
Hook, clevis grab Gr 80, 16mm 5/8" Yoke	111.60	28-16CGH	
Hook, clevis grab Gr 80, 20mm 3/4" Yoke	182.35	28-18-20CGH	
Hook, clevis grab Gr100, 7-8mm 9/32" Yoke	19.30	28-X-7-8CGH	
Hook, clevis grab Gr100, 13mm 1/2" Yoke	53.95	28-X-13CGH	
Hook, clevis grab Gr100, 16mm 5/8" Yoke	110.30	28-X-16CGH	
Hook, clevis load pin kit, Gr 80, 7-8mm Yoke	6.63	28-7-8LPK	
Hook, clevis load pin kit, Gr 80, 10mm Yoke	8.60	28-10LPK	
Hook, clevis load pin kit, Gr 80, 13mm Yoke	11.08	28-13LPK	
Hook, clevis load pin kit, Gr 80, 16mm Yoke	9.10	28-16LPK	
Hook, clevis load pin kit, Gr 80, 18-20mm Yoke	12.30	28-18-20LPK	
Hook, clevis load pin kit, Gr100, 7-8mm Yoke	6.55	28-X-7-8LPK	
Hook, clevis load pin kit, Gr100, 10mm Yoke	18.18	28-X-10LPK	
Hook, clevis load pin kit, Gr100, 13mm Yoke	24.18	28-X-13LPK	
Hook, clevis load pin kit, Gr100, 16mm Yoke	13.75	28-X-16LPK	
Hook, clevis load pin kit, Gr100, 20mm Yoke	11.03	28-X-18-20LPK	
Hook, clevis load pin kit, Gr100, 22mm Yoke	29.50	28-X-22LPK	
Hook, clevis sling, Gr 80, 7+8mm 1/4" Yoke	31.68	28-7-8CSH	•=
Hook, clevis sling, Gr 80, 10mm 3/8" Yoke	48.05	28-10CSH	
Hook, clevis sling, Gr 80, 18+20mm 3/4" Yoke	211.78	28-18-20CSH	
Hook, clevis sling, Gr100, 7mm 9/32" Yoke	26.03	28-X-7-8CSH	Der A
Hook, clevis sling, Gr100, 10mm 3/8" Yoke	49.65	28-X-10CSH	
Hook, clevis sling, Gr100, 13mm 1/2" Yoke	97.83	28-X-13CSH	
Hook, clevis sling, Gr100, 16mm 5/8" Yoke	131.93	28-X-16CSH	
Hook, clevis sling, Gr100, 20mm 3/4" Yoke	335.70	28-X-18-20CSH	
Hook, clevis, Self-Locking Gr 80, 7-8mm 9/32" Yoke	52.93	28-7-8SLCH	<u>#</u>
Hook, clevis, Self-Locking Gr 80, 10mm 3/8" Yoke	80.05	28-10SLCH	
Hook, clevis, Self-Locking Gr 80, 16mm 5/8" Yoke	258.55	28-16SLCH	
Hook, clevis, Self-Locking Gr 80, 18/20mm 3/4" Yoke	527.78	28-18-20SLCH	



Description	Price / ea.	Part Number	
Hook, clevis, Self-Locking Gr100, 13mm 1/2" Yoke	151.20	28-X-13SLCH	
Hook, clevis, Self-Locking Gr100, 16mm 5/8" Yoke	218.48	28-X-16SLCH	
Hook, clevis, Self-Locking Gr100, 20mm 3/4" Yoke	562.30	28-X-18-20SLCH	
Hook, clevis, Self-Locking Gr100, 22mm 7/8" Yoke	905.38	28-X-22SLCH	
Hook, clevis/claw short/clutch w/half link, 7-8mm 9/32" Yoke	62.58	28-078-7-8	Ω
Hook, clevis/claw short/clutch w/half link, 10mm 3/8" Yoke	95.50	28-078-10	· Ō.,
Hook, clevis/claw short/clutch w/half link, 13mm 1/2" Yoke	158.25	28-078-13	[]
Hook, clevis/claw shortening clutch, 7-8 mm 9/32" Yoke	28.83	28-7-8CCH	<u>1</u>
Hook, clevis/claw shortening clutch, 10mm 3/8" Yoke	50.13	28-10CCH	
Hook, clevis/claw shortening clutch, 13mm 1/2" Yoke	71.15	28-13CCH	
Hook, clevis/claw shortening clutch, 16mm 5/8" Yoke	155.05	28-16CCH	
Hook, clevis/claw shortening clutch, 18-20mm 3/4" Yoke	356.78	28-18-20CCH	
Hook, Container Eye LEFT Yoke	205.50	28-8-06745LT	
Hook, Container Eye RIGHT Yoke	205.50	28-8-06745RH	
Hook, eye, Foundry, Gr 80, 3/8" Yoke	38.10	28-3/8FEH	
Hook, eye, Foundry, Gr 80, 1/2" Yoke	70.15	28-1/2FEH	
Hook, eye, Foundry, Gr 80, 5/8" Yoke	126.08	28-5/8FEH	
Hook, eye, Foundry, Gr 80, 3/4 " Yoke	240.18	28-3/4FEH	
Hook, eye, Foundry, Gr100, 1/2" Yoke	98.25	28-X-1/2FEH	8
Hook, eye, Foundry, Gr100, 5/8" Yoke	160.18	28-X-5/8FEH	
Hook, eye, Foundry, Gr100, 3/4" Yoke	332.28	28-X-3/4FEH	
Hook, eye, grab, Gr 80, 22 mm 7/8" Yoke	240.75	28-22EGH	
Hook, eye, grab, Gr 80, 32mm 1-1/4" Yoke	1300.70	28-32EGH	
Hook, eye, grab, Gr100, 22mm 7/8" Yoke	300.90	28-X-22EGH	
	40000	00 % 200 45	
Hook, eye, Self Locking Grip Gr100, 1/2" Yoke	105.38	28-X-950-13	0
Hook, eye, Self Locking Grip Gr100, 5/8" Yoke	246.10	28-X-950-16	
Hook, eye, Self Locking Grip Gr100, 3/4" Yoke	527.20	28-X-950-20	
Hook, eye, Self Locking Grip Gr100, 7/8" Yoke	746.80	28-X-950-22	

		2
Description	Price / ea.	Part Number
ook, eye, Self-Locking Gr 80, 7-8mm 9/32" Yoke	53.65	28-7-8SLEH
ook, eye, Self-Locking Gr 80, 10mm 3/8" Yoke	60.08	28-10SLEH
look, eye, Self-Locking Gr 80, 13mm 1/2" Yoke	128.43	28-13SLEH
look, eye, Self-Locking Gr 80, 16mm 5/8" Yoke	242.28	28-16SLEH
Hook, eye, Self-Locking Gr 80, 18+20mm 3/4" Yoke	445.10	28-18-20SLEH
look, eye, Self-Locking Gr 80, 22mm 7/8" Yoke	628.73	28-22SLEH
Hook, eye, Self-Locking Gr 80, 26mm 1" Yoke	871.15	28-26SLEH
Hook, eye, Self-Locking Gr 80, 28mm 1-1/8" Yoke	1137.35	28-28SLEH
Hook, eye, Self-Locking, Gr100, 7-8mm 9/32" Yoke	42.10	28-X-7-8SLEH
Hook, eye, Self-Locking, Gr100, 13mm 1/2" Yoke	136.83	28-X-13SLEH
Hook, eye, Self-Locking, Gr100, 20mm 3/4" Yoke	415.00	28-X-18-20SLEH
Hook, eye, Self-Locking, Gr100, 22mm 7/8" Yoke	596.15	28-X-22SLEH
Hook, eye, sling, Gr 80, 22 mm 7/8" Yoke	371.48	28-22ESH
Hook, eye, sling, Gr 80, 26mm 1" Yoke	701.10	28-26ESH
Hook, eye, sling, Gr 80, 32mm 1-1/4" Yoke	969.30	28-32ESH
Hook, eye, sling, Gr100,10 mm 3/8" Yoke	36.28	28-X-10ESH
Hook, eye, sling, Gr100,16 mm 5/8" Yoke	121.28	28-X-16ESH
Hook, eye, sling, Gr100,22 mm 7/8" Yoke	439.08	28-X-22ESH
Hook, Kit, Latch Kit for sliding choker hook Yoke	6.10	28-8074LK
Hook, Kit, Latch Kit Gr 80, 16mm 5/8" Yoke	10.08	28-16LK
Hook, Kit, Latch Kit Gr 80, 18-20mm 3/4" Yoke	17.85	28-18-20LK
look, Kit, Latch Kit Gr 80, 22mm 7/8" Yoke	23.98	28-22LK
Hook, Kit, Latch Kit Gr 80, 26mm 1" Yoke	33.58	28-26LK
Hook, Kit, Latch Kit Gr 80, 32mm 1-1/4" Yoke	39.50	28-32LK
Hook, Kit, Load Pin Kit, Gr 80, 7-8mm 9/32" Yoke	4.25	28-P072-07
Hook, Kit, Load Pin Kit, Gr 80, 10mm 3/8" Yoke	3.10	28-P072-10
Hook, Kit, Load Pin Kit, Gr 80, 13mm 1/2" Yoke	6.65	28-P072-13
Hook, Kit, Self-Locking Recessed Trigger, Gr 80/100, 26 mm 1" Yoke	45.98	28-26TKR
Hook, Kit, Self-Locking Recessed Trigger, Gr 80/100, 28 mm 1-1/8" Yoke	43.65	28-28TKR



Description	Price / ea.	Part Number	
Hook, Kit, Self-Locking Trigger, 13mm 1/2" Yoke, Gr 80 / Gr 100	6.58	28-13TK	. /
Hook, Kit, Self-Locking Trigger, 16mm 5/8" Yoke, Gr 80 / Gr 100	24.65	28-16TK	
Hook, Kit, Self-Locking Trigger, 18-20mm 3/4" Yoke, Gr 80	31.83	28-18-20TK	
Hook, Kit, Self-Locking Trigger, 20mm 3/4" Yoke, Gr100	34.10	28-X-18-20TK	
Hook, Kit, Self-Locking Trigger, 22mm 7/8" Yoke, Gr 80 / Gr 100	38.93	28-22TK	
Hook, Kit, Self-Locking Trigger, 26mm 1" Yoke, Gr 80 / Gr 100	45.98	28-26TK	
Hook, Kit, Self-Locking Trigger, 28mm 1-1/8" Yoke, Gr 80	34.43	28-28TK	
Hook, swivel, Self-Locking, ball bearing, Gr 80, 13mm 1/2" Yoke	248.28	28-13SWBB	
Hook, swivel, Self-Locking, ball bearing, Gr 80, 18-20 3/4" Yoke	857.98	28-18-20SWBB	Ā
Hook, swivel, Self-Locking, ball bearing, Gr 80, 26mm 1" Yoke	1910.75	28-26SWBB	0
Hook, swivel, Self-Locking, ball bearing, Gr100, 20mm 3/4" Yoke	1152.95	28-X-18-20SWBB	
Hook, swivel, Self-Locking, ball bearing, Gr100, 22mm 7/8" Yoke	1666.13	28-X-22SWBB	
Hook, swivel, Self-Locking, ball bearing, Grip, Gr100, 3/8" Yoke	224.68	28-X-952N-10	
Hook, swivel, Self-Locking, ball bearing, Grip, Gr100, 1/2" Yoke	374.83	28-X-952N-13	
Hook, swivel, Self-Locking, ball bearing, Grip, Gr100, 5/8" Yoke	652.70	28-X-952N-16	
Hook, swivel, Self-Locking, ball bearing, Grip, Gr100, 3/4" Yoke	1094.45	28-X-952N-20	
Hook, swivel, Self-Locking, ball bearing, Grip, Gr100, 7/8" Yoke	1574.30	28-X-952N-22	
Hook, swivel, Self-Locking, Gr 80, 10mm 3/8" Yoke	121.58	28-10SSLH	
Hook, swivel, Self-Locking, Gr 80, 13mm 1/2" Yoke	203.23	28-13SSLH	
Hook, swivel, Self-Locking, Gr 80, 18+20mm 3/4" Yoke	672.55	28-18-20SSLH	
Hook, swivel, Self-Locking, Gr 80, 22mm 7/8" Yoke	1394.40	28-22SSLH	
Hook, swivel, Self-Locking, Gr 80, 26mm 1" Yoke	1382.95	28-26SSLH	
Hook, swivel, Self-Locking, Gr100, 10mm 3/8" Yoke	169.55	28-X-10SSLH	
Hook, swivel, Self-Locking, Gr100, 13mm 1/2" Yoke	260.70	28-X-13SSLH	
Hook, swivel, Self-Locking, Gr100, 20mm 3/4" Yoke	746.10	28-X-18-20SSLH	8
Hook, swivel, Self-Locking, Gr100, 26mm 1" Yoke	2306.28	28-X-26SSLH	
Hook, Web & Round Sling Gr100, 1T - Yoke	40.15	28-X-032-01	
Hook, Web & Round Sling Gr100, 2T - Yoke	57.80	28-X-032-02	BBB
Hook, Web & Round Sling Gr100, 3T - Yoke	94.63	28-X-032-03	

Description	Price / ea.	Part Number	
Lifting Key Eye Point 660 lbs, 5/16" Yoke	35.25	28-292K-003	
Lifting Key Eye Point 880 lbs, 3/8" Yoke	35.98	28-292K-004	
Lifting Key Eye Point 3300 lbs, 5/8" Yoke	51.38	28-292K-015	
Lifting Key Eye Point 5060 lbs, 7/8" Yoke	67.95	28-292K-025	
Lifting Key Eye Point 7040 lbs, 1" Yoke	93.85	28-292K-032	
Lifting Key Eye Point 9900 lbs, 1-1/4" Yoke	135.68	28-292K-045	Nov
Lifting Key Eye Point 15,400 lbs, 1-1/2" Yoke	216.15	28-292K-070	
Lifting Key Eye Point 19,800 lbs, 1-3/4" Yoke	373.80	28-292K-090	
Lifting Key Eye Point 26,400 lbs, 2" Yoke	530.68	28-292K-120	
Lifting Key Eye Point M 8, 0.3t Yoke	34.88	28-291K-003	
Lifting Key Eye Point M10, 0.4t Yoke	35.98	28-291K-004	
Lifting Key Eye Point M12, 0.75t Yoke	53.65	28-291K-007	
Lifting Key Eye Point M20, 2.3t Yoke	80.98	28-291K-023	
Lifting Key Eye Point M24, 3.2t Yoke	98.18	28-291K-032	
Lifting Key Eye Point M30, 4.5t Yoke	142.93	28-291K-045	
Lifting Key Eye Point M36, 7t Yoke	210.83	28-291K-070	
Lifting Key Eye Point M42, 9t Yoke	386.90	28-291K-090	
Lifting Key Eye Point M48, 12t Yoke	530.68	28-291K-120	
Master Link Assembly 5/8" (2-MA36QA)	216.33	28-5/8MLA	
Master Link Assembly 3/4"	538.93	28-3/4MLA	
Master Link Assembly 1-1/4"	1525.98	28-1-1/4MLA	
Master Link Assembly for Chain only 7/8"	635.70	28-7/8MLACHAIN	
Master Link Assembly, w/ 2x GrabEX Hooks, Grade 100, 1/2" (13)	396.43	28-X-A05-13	
Master Link Assembly, w/ 2x GrabEX Hooks, Grade 100, 1/4-5/16" (08)	160.80	28-X-A05-08	
Master Link Assembly, w/ 2x GrabEX Hooks, Grade 100, 3/8" (10)	219.00	28-X-A05-10	
Master Link Assembly, w/ 2x GrabEX Hooks, Grade 100, 5/8" (16)	614.95	28-X-A05-16	
Master Link Assembly, w/ 4x GrabEX Hooks, Grade 100, 1/2" (13)	919.23	28-X-A06-13	\circ
Master Link Assembly, w/ 4x GrabEX Hooks, Grade 100, 1/4-5/16" (08)	360.88	28-X-A06-08	U
Master Link Assembly, w/ 4x GrabEX Hooks, Grade 100, 3/8" (10)	510.05	28-X-A06-10	488×
Master Link Assembly, w/ 4x GrabEX Hooks, Grade 100, 5/8" (16)	1344.85	28-X-A06-16	- ππ -
Master Link, Enlarged, Welded, Grade 100, (22)	110.43	28-X-0080-22	
Master Link, Enlarged, Welded, Grade 100, (40)	362.53	28-X-0080-40	



Description	Price / ea.	Part Number	
Master Link Gr 80, 1/2" Yoke	25.45	28-1/2"ML	
Master Link Gr 80, 5/8" Yoke	31.68	28-5/8"ML	
Master Link Gr 80, 7/8" Yoke	70.50	28-7/8"ML	
Master Link Gr 80, 1- 1/8" Yoke	87.00	28-1-1/8"ML	
Master Link Gr 80, 1-1/4" Yoke	124.38	28-1-1/4"ML	
Master Link Gr 80, 1-3/8" Yoke	209.35	28-1-3/8"ML	
Master Link Gr 80, 1-1/2" Yoke	246.43	28-1-1/2"ML	183
flaster Link Gr100, 1/2" Yoke	21.83	28-X-1/2"ML	
laster Link Gr100, 5/8" Yoke	25.38	28-X-5/8"ML	
Master Link Gr100, 3/4" Yoke	47.98	28-X-3/4"ML	
Master Link Gr100, 7/8" Yoke	68.75	28-X-7/8"ML	
faster Link Gr100, 1- 1/8" Yoke	72.48	28-X-1-1/8"ML	
faster Link Gr100, 1-3/8" Yoke	226.80	28-X-1-3/8"ML	
faster Link Gr100, 1-1/2" Yoke	238.95	28-X-1-1/2"ML	
laster Link Scaw 1-3/4"	257.93	28-1-3/4"ML	
laster Link Scaw 2-3/4"	1046.93	28-2-3/4"ML	
cket, Spelter Closed, forged, 7/16-1/2" Yoke	47.05	28-1/2CSP	
cket, Spelter Closed, forged, 9/16-5/8 Yoke	94.35	28-5/8CSP	
ocket, Spelter Closed, forged, 3/4" Yoke	97.73	28-3/4CSP	
ocket, Spelter Closed, forged, 7/8" Yoke	157.30	28-7/8CSP	
ocket, Spelter Closed, forged, 1 " Yoke	210.43	28-1CSP	
ocket, Spelter Closed, forged, 1-1 /4"-1-3/8" Yoke	415.78	28-1-1/4CSP	
ocket, Spelter Closed, forged, 1- 1/2" Yoke	716.78	28-1-1/2CSP	
·			
ocket, Spelter Open, forged, 5/16-3/8" Yoke	98.23	28-3/80SP	
ocket, Spelter Open, forged, 7/16-1/2" Yoke	73.85	28-1/20SP	
ocket, Spelter Open, forged, 9/16-5/8 Yoke	364.50	28-5/80SP	
ocket, Spelter Open, forged, 3/4" Yoke	106.38	28-3/40SP	
ocket, Spelter Open, forged, 1 " Yoke	307.48	28-10SP	
ocket, Spelter Open, forged, 1-1/2" Yoke	863.93	28-1-1/20SP	
Weld On Lifting Point 8 tonne Yoke	57.13	28-057-8T	
Weld On Lifting Point 10 tonne Yoke	116.45	28-057-10T	

Description	Price / ea.	Part Number	
Weld-on Hook, bucket 3T Yoke	96.80	28-3TW0H	0
Weld-on Hook, bucket 4T Yoke	85.05	28-4TW0H	
Weld-on Hook, bucket 5T Yoke	152.53	28-5TW0H	
Weld-on Hook, bucket 8T Yoke	185.83	28-8TW0H	
Weld-on Hook, bucket 15T Yoke	380.98	28-15TW0H	
Weld-on Hook, bucket repair Kit 3T Yoke (L:2-1/2")	25.13	28-3TW0HL	
Weld-on Hook, bucket repair Kit 4T Yoke (L:2-1/2")	29.78	28-4TW0HL	
Weld-on Hook, bucket repair Kit 5T Yoke (L:3-1/8")	33.33	28-5TW0HL	
Neld-on Hook, bucket repair Kit 8T Yoke (L:3-1/8")	35.50	28-8TW0HL	
Weld-on Hook, bucket repair Kit 15T Yoke (L:4-1/2")	49.68	28-15TW0HL	
Socket, Wedge, 11-13mm Open 1/2"	76.62	116-11-130WS	
Socket, Wedge, 14-16mm Open 5/8"	132.94	116-14-160WS	1/2
Socket, Wedge, 18-19mm Open 3/4"	212.68	116-18-190WS	
Socket, Wedge, 24-26mm Open 1"	336.31	116-24-260WS	
Socket, Wedge, 28mm Open 1-1/8"	481.22	116-280WS	
Socket, Wedge, 32mm Open 1-1/4"	493.86	116-320WS	
Master Link OML400DNV, 40mm - 28.1 tonne	188.28	2-MA40ML	
Master Link Assembly OSA220DNV, 22mm / 16mm - 5.8 tonne	143.27	2-MA23QA	
Master Link Assembly 05A450DNV, 45mm / 36mm - 38.3 tonne	612.38	2-MA45QA	44
·			00
Master Link Assembly OSA700DNV, 70mm / 60mm - 85 tonne	3977.09	2-MA70QA	
wivel 316 Stainless Steel Jaw & Eye 1/4"	5.57	6-1/4SWLJE316	
Swivel 316 Stainless Steel Jaw & Eye 5/16"	6.03	6-5/16SWLJE316	
Swivel 316 Stainless Steel Jaw & Eye 5/8"	31.03	6-5/8SWLJE316	
Swivel 316 Stainless Steel Jaw & Eye 3/4"	46.29	6-3/4SWLJE316	6
Describe Directificate Classic accounts 170.4 5/400	E0/ E/	/ 1704 5/400	•
Concrete Pipe Lifting Clamp assembly LTC 1.5/120	596.74	6-LTC1.5/120	
Concrete Pipe Lifting Clamp assembly LTC 3.0/180	1453.77	6-LTC3.0/180	
Cleats 316 Stainless Steel 5"	6.25	6-5"CLSS	
Cleats 316 Stainless Steel 6"	8.95	6-6"CLSS	17
Cleats 316 Stainless Steel 8"	13.60	6-8"CLSS	6 6
Cleats 316 Stainless Steel 12"	31.88	6-12"CLSS	9
Cleats 316 Stainless Steel Low Silhouette 6"	11.93	6-6"CLLSSS	



Description	Price / ea.	Part Number	
Chocks Stainless Steel 316, Bow 4-1/2", 2 pcs set	14.61	6-4-1/2"CBSS	
Chocks Stainless Steel 316, Bow 6", 2 pcs set	21.99	6-6"CBSS	87 B
Hinge Door 316 Stainless Steel 1-1/2" x 3"	6.90	6-3"DH316	040
Hinge Door 316 Stainless Steel 1-1/2" x 4"	7.64	6-4"DH316	0 0 0



CLEARANCE		Hook, Swivel, Self-Locking, Gr100, 10mm 3/8" Yoke	
Block Snatch Steel, Single, Hook, 3", 2 Te (5/16"-3/8") Yoke	337	Hook, Web & Round Sling Gr100, 1t - Yoke	
Chocks Stainless Steel 316, Bow 4-1/2", 2 Pcs Set	348	Lifting Key Eye Point 660 Lbs, 5/16" Yoke	
Cleats 316 Stainless Steel 5"	347	Lifting Key Eye Point M 8, 0.3t Yoke	345
Concrete Pipe Lifting Clamp Assembly Ltc 1.5/120	347	Master Link Assembly 5/8" (2-Ma36qa)	
Connecting Link, Gr 80, 7mm 9/32" Yoke	337	Master Link Assembly Osa220dnv, 22mm / 16mm - 5.8 Tonne	347
Connecting Link, Gr100, 07mm 9/32" Yoke	337	Master Link Assembly, W/ 2x Grabex Hooks,	
Connecting Link, Pin & Sleeve, Gr 80, 7mm Yoke 9/32"	337	Grade 100, 1/2 (13)	345
Connecting Link, Pin & Sleeve, Gr100, 7mm Yoke 9/32"	338	Master Link Assembly, W/ 4x Grabex Hooks,	
Connecting, Omega Link, Gr 80, 7-8mm Yoke	338	Grade 100, 1/2 (13)	345
Coupling, Link Half, Gr 80, 7mm 9/32" Yoke	338	Master Link, Enlarged, Welded, Grade 100, (22)	345
Coupling, Master Link, Gr 80, 7mm 9/32" Yoke	338	Master Link Gr100, 1/2" Yoke	346
Coupling, Round Sling C/W Half Link&Pin,		Master Link Scaw 1-3/4"	346
Gr 80, 22mm 7/8" Yoke	338	Socket, Spelter Closed, Forged, 7/16-1/2" Yoke	346
Coupling, Round Sling, Gr 80, 7mm 9/32" Yoke	338	Socket, Spelter Open, Forged, 5/16-3/8" Yoke	346
Coupling, Self Locking Hook, Gr 80, 7mm 9/32" Yoke		Socket, Wedge, 11-13mm Open 1/2"	347
Coupling, Self Locking Hook, Gr 100, 7 Mm 9/32" Yoke	339	Swivel 316 Stainless Steel Jaw & Eye 1/4"	347
Coupling, Swivel Insulated Blank 7mm 9/32" Yoke		Weld-On Hook, Bucket 3t Yoke	
Hoist Ring, Spare Bolt & 'C' Clip, "Metric" M 8 - 1.25 X 50		Weld-On Hook, Bucket 15t Yoke	
Hoist Ring, Spare Bolt & 'C' Clip, "Unc" 5/16"-18 Thr X 2		Weld On Lifting Point 8 Tonne Yoke	346
Hoist Ring, Swivel, "Metric" 0.45 Te M10 - 1.50 X 60 Yoke		, and the second	
Hoist Ring, Swivel, "Unc" 800 Lbs 5/16"-18 Thr X 2 Yoke		FALL ARREST	160
Hook, Clevis/Claw Short/Clutch		Harness - Back D, 3 Adjustments	
w/Half Link, 7-8mm 9/32" Yoke	342	Harness - Back D, 5 Adjustments	
Hook, Clevis/Claw Shortening Clutch, 7-8 Mm 9/32" Yoke		Harness - Back & Side D, 5 Adjustments	
Hook - Clevis, Eye, Grabex, Grade 100, 1/2 (13)		Hook - Rebar, N-3620	
Hook, Clevis Grab Gr 80, 7-8mm 9/32" Yoke		Hook - Rebar, N-3630	
Hook, Clevis Grab Gr100, 7-8mm 9/32" Yoke		Hook - Snap, N-3610	
Hook, Clevis Load Pin Kit, Gr 80, 7-8mm Yoke		Lanyard - Double	
Hook, Clevis Load Pin Kit, Gr100, 7-8mm Yoke		Lanyard - Energy Absorbing, Rope Grab	
Hook, Clevis, Self-Locking Gr 80, 7-8mm 9/32" Yoke		Lanyard - Single	
Hook, Clevis, Self-Locking Gr100, 13mm 1/2" Yoke		Lifeline - Vertical Rope, Snap Hook	
Hook, Clevis Sling, Gr 80, 7+8mm 1/4" Yoke		Link - Carabiner, Self-Locking, With Captive Pin, N-252g	
Hook, Clevis Sling, Gr100, 7mm 9/32" Yoke		Link - Carabiner, Self-Locking, With Captive Pin, N-256g	
Hook, Container Eye		Link - Carabiner, Self-Locking, With Captive Pin, N-259g	
Hook, Eye, Foundry, Gr 80, 3/8" Yoke		Link - O-Ring, N-489	
Hook, Eye, Foundry, Gr100, 1/2" Yoke		Roofer's Kit	
Hook, Eye, Grab, Gr 80, 22 Mm 7/8" Yoke		Tool Lanyard	
Hook, Eye, Self-Locking Gr 80, 7-8mm 9/32" Yoke			
Hook, Eye, Self-Locking, Gr100, 7-8mm 9/32" Yoke		HOISTS & LIFTING ACCESSORIES	133
Hook, Eye, Self Locking Grip Gr100, 1/2" Yoke		Available Spare Parts For Chain Hoist Block 619	
Hook, Eye, Sling, Gr 80, 22 Mm 7/8" Yoke		Block - Chain Hoist, 619, Ocean® Brand	
Hook, Eye, Sling, Gr100,10 Mm 3/8" Yoke		Block - Chain Hoist, 619, Ocean® Brand (Nop)	
Hook, Kit, Latch Kit Gr 80, 7-8mm 9/32" Yoke		Cable Sock - K-Type	
Hook, Kit, Load Pin Kit, Gr 80, 7-8mm 9/32" Yoke		Cable Sock - T-Type	
Hook, Kit, Self-Locking Recessed Trigger,		Chain Hoist Parts Breakdown	
Gr 80/100, 26 Mm 1" Yoke	343	Clamp - Beam	
Hook, Kit, Self-Locking Trigger, 7-8mm 9/32" Yoke,		Clamp - Plate, Horizontal Lifting Clamp	
Gr 80 / Gr 100	344	Clamp - Plate, Vertical Lifting Clamp	
Hook, Swivel, Self-Locking, Ball Bearing,		Drum Lifter	
Gr 80, 13mm 1/2" Yoke	344	Lever Hoist Parts Breakdown	
Hook, Swivel, Self-Locking, Ball Bearing,		Lever Hoist - Puller, 622, Ocean® Brand	
Gr100, 20mm 3/4" Yoke	344	Lever Hoist - Puller, 622, Ocean® Brand (Nop)	
Hook, Swivel, Self-Locking, Ball Bearing, Grip,		Lever Hoist - Puller, 816, Ocean® Brand, Subsea	
Gr100, 3/8" Yoke	344	Lever Hoist - Puller, Hsh-Al, Ocean® Brand,	
Hook, Swivel, Self-Locking, Gr 80, 10mm 3/8" Yoke		Light Weight Aluminum	142
riour, orriver, och Eocking, or ou, formittojo ford		gc orgine / karrilliari	



Light Weight Aluminum Lever Hoist		Bollard - Dock Type J	
Non-Overload Protection		Bollard - Double Bit Deck Mount Lxy-B011	
Non-Overload Protection	146	Bollard - Double Bitt Lxy-B09	220
Pcd Vertical Plate Clamps Table	156	Bollard - Double Bitt Lxy-B10	220
Permanent Magnet Lifter	151	Bollard - Single-Bite Type Jis	
Permanent Magnet Lifter -		Bollard - Single Bitt	222
Warnings and Application Instructions	152	Bollard - T-Head	224
Principle of Overload Protection	.134, 144	Bollard - Type Stag Horn	223
Rope Grab - Puller		Bracket - Smit Bracket	218
Trolleys - Beam, Push Travel		Chain - Open Link	
Winch - Wire Rope		Chain Stopper - Assembly	
Winch - Wire Rope, Spare Pin		Chain - Stud Link Anchor	
1 1		Chock - Bulwark Mounting, Bow, Type Eu	
LASHING EQUIPMENT	15	Chock - Bulwark Mounting, Jis F2017-Bc	
Buckle - Ratchet		Chock - Bulwark Mounting, Jis F2030-A	
Hook - Wire, Double J		Chock - Mounting, Type Eu	
Loadbinder - Folding Binder - Ratchet		Cleat - Dock, Heavy Duty	
Loadbinder - Lever		Clip - Inglefield, Flag Clips	
Loadbinder - Lever, Bx		Container Lifting - Sea-Stab	
Loadbinder - Ratchet		Fairlead Roller - Anchor	
Loadbinder - Ratchet, Hs		Fairlead Roller - Jis F2014	
Loadbinder - Ratchet, T-Handle		Fairlead Roller - Type A	
Ring - Weld-On D-Ring Tie Down		Fairlead Roller - Universal	
Tie Down Cargo Strap - Chain Assembly		Fender And Buoyancy	
Tie Down Cargo Strap - Ratchet		Fender - Cylindrical Fenders	
Webbing - Tie Down Material, Polyester		Fender - Foam Filled Fender Type & Structure	
Winch - Truck, #5820		Fender Foam Ionomer, Berthing Energy And Reaction Forces	
vviileit it dek, #5020	20	Fender Foam Ionomer, Gilman Corporation	
LIFTING & GENERAL PURPOSE CHAIN	6	Fender - Pneumatic Fender	
Chain - Alloy Long-Link, Grade 80, Ocean® Brand		Fender - Semi-Circular Fenders	
Chain - Alloy Long-Link, Grade 80, Trygg®		Hinge - Butt, Heavy Duty	
Chain - Alloy Short-Link, Grade 80, Trygg®		Hinge - Strap	
Chain - Long-Link Lashing, Grade 80		Hook - Chain Grapnel	
Chain - Mid-Link Fishing, Grade 80		Hook - Dual Chaser Ring	
Chain - Overhead Lifting, Grade 80, Ocean® Brand		Hook - G, Alloy, Grade 80 / Link - Recessed, Alloy, Grade 80	
Chain - Overhead Lifting, Grade 100, Ocean® Brand		Hook - G, High Tensile Steel, Grade 80	
Chain - Proof Coil, Grade 30		Hook - J, Chain Chaser1	
Chain - Self Coloured, High Test, Grade 43		Hook - Pelican Sliphook, GN®	
Chain Slings - Sling Chart, Chain		Hook - Permanent Chain Chaser	
Chain - Stainless, Grade 50		Hook - Ring Chaser	
Chain - Tenso		Jar - Bait	
Chain - Transport, Grade 70, Ocean® Brand		Knife - Bait	
onani - Iransport, Orade 70, Oceano Brand		Knife - Scallop	
MARINE	175	Link - Connecting Link For Pennant Lines, GN®	
Anchor - Ac-14		Link - Connecting Ellik For Femilian Ellies, ONG	
Anchor - Ac-14		Link - Kelly's Eye, High Tensile Steel, Grade 80	
Anchor - Danforth Style / Workboat		Link - Recessed Master Link, Grade 80	
The state of the s		Link - Necessed Master Link, oracle of	
Anchor - Dead Weights Anchor - Delta Hhp		Link - SplitLink - Split, Alloy, Lobster Link	
'		Mallet - Ice, Uhmw	
Anchor - Stockless		Mattet - Ice, Onmw	
Anchor - St Offshore Anchor - Sts Offshore		Oar Lock	
Anchor - Sts Offshore		Plate - Diamond	
Bag - Bait		Ring - Round	
Bollard - Curved Type A Bollard - Deck Mount Lxy-B012		Shackle - Kenter Shackle, Joining Link	
Dollara - Deck Mouril Exy-Dutz	444	Sheave - Horizonial Leau	41/

Sheave - Vertical Lead	217	Link - Kit, Connecting, Pin & Sleeve Kit,	
Stenhouse Slip	197	Grade 80, For Ocean® Brand Coupling Series	34
Stopper - Chain Cable Stopper	218	Link - Kit, Connecting, Pin & Sleeve Kit,	
Swivel - Forerunner, Assembly, With Links	182	Grade 80, Ocean® Brand	31
Swivel - Lobster		Link - Kit, Connecting, Pin & Sleeve Kit,	
Toggle Chain		Grade 100, Ocean® Brand	
Triangle Plate - GN®		Link - Master Link, Grade 80, Ocean® Brand	
Tuning Fork - GN®	177	Link - Master Link, Grade 100, Ocean® Brand	
Turnbuckle - Chain Stopper Assembly, Devil's Claw		Ring - Weld On Lifting Point, Grade 80, Ocean® Brand	44
Washer - Round Hole		Swivel - Coupling, Insulated Blank Swivel,	
Washer - Scallop, Black		Grade 80, Ocean® Brand	
Winches		Swivel - Hoist Ring, Metric Thread, Grade 80, Ocean® Brand.	
Winch - Hydraulic Mooring, Compact		Swivel - Hoist Ring, Unc Thread (Ocean), Grade 80	
Winch - Hydraulic Mooring, Double Drum		Swivel - Hoist Ring, Unc Thread, Grade 80, Ocean® Brand	48
Winch - Hydraulic Mooring, Standard		Swivel - Lifting Eye Key Point, Metric Thread,	
Winch - Hydraulic Spooling Machine		Grade 80, Ocean® Brand	47
Winch - Hydraulic Utility		Swivel - Lifting Eye Key Point - Unc Thread,	
Winch - Power Pack - Diesel Hydraulic		Grade 80, Ocean® Brand	46
Winch - Power Pack - Electric Hydraulic			
Winch - Standard Air	238	RIGGING HARDWARE & EQUIPMENT	
		Block - Chain	
OCEAN G80 & G100 STEEL LIFTING COMPONENTS		Block - Gin	
Hook - Clevis Grab Hook, Grade 80, Ocean® Brand		Block - Pulley	
Hook - Clevis Grab Hook, Grade 100, Ocean® Brand		Block - Sheave Bronze Brushed	
Hook - Clevis Grab Hook With Pin, Grade 100, Ocean® Brand		Block - Single Or Double Sheave, Wooden, With Hook	106
Hook - Clevis Sling Hook, Grade 80, Ocean® Brand		Block - Snatch, Double Sheave, Light Duty,	
Hook - Clevis Sling Hook, Grade 100, Ocean® Brand		With Hook, Ocean® Brand	108
Hook - Container Hook, Grade 80, Ocean® Brand		Block - Snatch, Double Sheave, Light Duty,	400
Hook - Coupling, Self-Locking, Grade 80, Ocean® Brand		With Shackle, Ocean® Brand	109
Hook - Eye Sling Hooks, Grade 100, Ocean® Brand		Block - Snatch, Single Sheave, Alloy,	400
Hook - Foundry Clevis Hooks, Grade 100, Ocean® Brand		With Hook, Ocean® Brand	108
Hook - Foundry Eye Hook, Grade 80, Ocean® Brand		Block - Snatch, Single Sheave, Alloy,	446
Hook - Foundry Eye Hooks, Grade 100, Ocean® Brand		With Shackle, Ocean® Brand	
Hook - Kit, Clevis, Load Pin Kit, Grade 80, Ocean® Brand		Block - Snatch, Single Sheave, Heavy Duty, With Eye, GN®	114
Hook - Kit, Clevis, Load Pin Kit, Grade 100, Ocean® Brand	42	Block - Snatch, Single Sheave, Large, Super Duty, With Hook, Ocean® Brand	441
Hook - Kit, Self-Locking Recessed Trigger Kit, Grade 80/100, Ocean® Brand	21 /1	Block - Snatch, Single Sheave, Large, Super Duty,	1 14
Hook - Self Locking Clevis Hook, Grade 80, Ocean® Brand		With Shackle, Ocean® Brand	443
Hook - Self Locking Clevis Hook, Grade 60, Ocean® Brand Hook - Self Locking Clevis Hook, Grade 100, Ocean® Brand		Block - Snatch, Single Sheave, Light Duty,	110
Hook - Self Locking Clevis Hook, Grade 100, Ocean® Brand Hook - Self Locking Eye Hook, Grade 80, Ocean® Brand		Tail Board, Ocean® Brand	108
Hook - Self Locking Eye Hook, Grade 00, Ocean® Brand Hook - Self Locking Eye Hook, Grade 100, Ocean® Brand		Block - Snatch, Single Sheave, Light Duty,	100
Hook - Self Locking Swivel Hook, Grade 80, Ocean® Brand		With Hook, Ocean® Brand	110
Hook - Sliding Choker Hooks, Grade 80, Ocean® Brand		Block - Snatch, Single Sheave, Light Duty,	
Hook - Swivel Self Locking Hook Ball Bearing,		With Shackle, Ocean® Brand	111
Grade 100, Ocean® Brand	38	Block - Snatch, Single Sheave, With Hook, Ocean® Brand	
Hook - Swivel Self Locking Hook Brass Bushing,		Block - Snatch, Single Sheave, With Shackle, Ocean® Brand.	
Grade 100, Ocean® Brand	38	Block - Snatch, Single Sheave, Wooden, With Hook	
Hook - Web And Round Sling Hook, Grade 100, Ocean® Bran		Block - Try Net	
Hook - Weld On Bucket Hook, Grade 80, Ocean® Brand		Block - Yarding	
Link - Connecting Link, Grade 80, Ocean® Brand		Bow, Anchor, With Safety Bolt Green Pin®	
Link - Connecting Link, Grade 30, Ocean® Brand		Bow, Anchor, With Safety Bolt Yellow Pin®	
Link - Coupling, Half Link & Pin, Grade 80, Ocean® Brand		Bow, Anchor, With Screw Green Pin®	
Link - Coupling, Master Link, Grade 80, Ocean® Brand		Bow, Anchor, With Screw Pin	
Link - Coupling & Pin, Grade 80, Ocean® Brand		Bow, Anchor, With Screw Yellow Pin®	
Link - Coupling, Round Sling, Grade 80, Ocean® Brand		Bow, With Safety Bolt, GN®	
j. j.		Commercial Bow Anchor With Screw Pin	



Dee (Chain) Trawling, With Square Head Screw Pin		Turnbuckle - Bottle Type (Closed
Dee (Chain), With Screw Pin		Turnbuckle - Eye & Eye, Galvaniz
Eye Bolt - Regular With Nut	81	Turnbuckle - Eye & Eye, Lashing
Eye Bolt - Ring With Shoulder & Nut	85	Turnbuckle - Heavy Duty, GN®
Eye Bolt - Screw		Turnbuckle - Hook & Hook, Galv
Eye Bolts Forged - Warnings And Application Instructions	88	Turnbuckle - Jaw & Eye, Galvani
Eye Bolt - Shoulder Machine, Imperial	85	Turnbuckle - Jaw & Jaw, Bottle
Eye Bolt - Shoulder Machine, Metric	86	Turnbuckle - Jaw & Jaw, Galvan
Eye Bolt - Shoulder With Nut		Turnbuckle - Jaw & Jaw, Stainle
Eye Bolt - Shoulder With Nut, Unc	82	Turnbuckle - Stub End
Eye Nut	84, 87	Turnbuckle - Stub End, Body On
Eye Pad	86	Water Bags, Crane
Hook - Anchor Line Hook, GN®	127	Water Bags, Crane Certification
Hook - Carabiner, Fishing, Screw Lock	94	Water Bags, Lifeboat
Hook - Clevis, Grab, Grade 70	123	Wide Body Sling, With Safety Bol
Hook - Clevis, Grab, With Latch, Grade 70	123	Wide Body Sling, With Safety Bol
Hook - Clevis, Slip, Grade 70	124	Wide Mouth Bow, With Safety Bo
Hook - Clevis, Slip, With Latch, Grade 70		,
Hook - Eye, Hoist, Grade 100, Yoke® Brand		ROPE (SYNTHETIC & FIBER)
Hook - Eye, Hoist, With Latch		Fid - Hardwood
Hook - Eye, Rov, With Latch, GN®		Fid - Norwegian
Hook - Eye, Slip, With Latch		Rope - Dsm Dyneema, 8 & 12-S
Hook - Lanyard, With Double Lock		Rope - Dsm Dyneema, 8-Strand
Hook - Latch Kit		Rope - Dsm Dyneema, 12-Stran
Hook - Rov Shank Hook, GN®		Rope - Manila, 3-Strand
Hook - "S"		Rope - Manila, 4-Strand
Hooks Eye Hoist - Warnings And Application Instructions		Rope - Nylon, 3-Strand
Hook - Snap		Rope - Nylon, 8-Strand
Hook - Snap, With Latch		Rope - Nylon Double Braided 2-
Hook - Sorting, With Handle		Rope - Nylon, Jumbo, 3-Strand
Hook - Swivel Eye, Hoist, With Latch		Rope - Ocean Steel Line, 3-Strar
Hook - Swivel Eye, With Latch		Rope - Ocean Steel Line, 3-Strar
Hook - Swivel, Hoist, Grade 100, Yoke® Brand		Rope - Ocean Steel Line, 8-Strar
Link - Master Link, Dnv 2.7-1+		Rope - Polyester Double Braided
Link - Quick		Rope - Polypropylene, Jumbo, 3-
Link - Twin Clevis		Rope - Sail Twine, Waxed
Load Cell - Software Packages		Rope - Sash Cord, Cotton
Load Cell - Wireless Kit		Rope Types - Synthetic
Master Link Assembly, Dnv 2.7-1+		Sail Needle
Master Link, Large		Sail Palms
Pear, Weldless Sling		Slings - Sling Chart, Dyneema (S
Ring - Round, Weldless		Endless Grommet
Rov Locking Clamp Release Bow, Polar, With Green Pin®		Slings - Sling Chart, Dyneema (S
Rov Spring Release Bow, Polar, With Green Pin®		Soft Shackles
Shackle - Tonsberg		Splicing - Pusher & Fids - Alum
Shackle - Warnings And Applications		1 3
Sling Protector, With Safety Bolt, GN®		SLINGS
Super Bow, Anchor, With Safety Bolt Green Pin®		Sling - Round, Polyester
Swivel - Bullet Style, Angular Contact Bearing		Sling - Webbing Material, Polyes
Swivel - Closed Body Swivel, GN®		Sling - Web, Polyester
Swivel - Eye & Eye	7. 98. 99	Sling - Wire Rope, Bright, With A
Swivel - Eye & Eye, Angular Contact Bearing		Sling - Wire Rope, Galvanized
Swivel - Eye & Eye, With Hardened Wearing Ring		Wire Rope Sling Charts
Swivel - Flex, Eye & Eye		- · · · F · · · · · · · · · · · · ·
Swivel - Jaw & Eye		
Swivel - Jaw & Jaw, Angular Contact Bearing		
Swivel - Short Row	97	

urnbuckle - Bottle Type (Closed) Galvanized			76
Furnbuckle - Eye & Eye, Galvanized			73
Furnbuckle - Eye & Eye, Lashing			77
Furnbuckle - Heavy Duty, GN®			79
Furnbuckle - Hook & Hook, Galvanized			74
Furnbuckle - Jaw & Eye, Galvanized			
Furnbuckle - Jaw & Jaw, Bottle Type (Closed) Stainle			
Furnbuckle - Jaw & Jaw, Galvanized			
Furnbuckle - Jaw & Jaw, Stainless Steel			
Furnbuckle - Stub End			
Furnbuckle - Stub End, Body Only			
Vater Bags, Crane			
Nater Bags, Crane Certification Fluid Weight			
Nater Bags, Crane Certification Fiture Weight			
Nide Body Sling, With Safety Bolt Green Pin®			
Wide Body Sling, With Safety Bolt, Yoke® Brand			
Vide Mouth Bow, With Safety Bolt Green Pin®			6
ROPE (SYNTHETIC & FIBER)			
id - Hardwood			
-id - Norwegian			
Rope - Dsm Dyneema, 8 & 12-Strand			
Rope - Dsm Dyneema, 8-Strand			
Rope - Dsm Dyneema, 12-Strand			259
Rope - Manila, 3-Strand			256
Rope - Manila, 4-Strand			257
Rope - Nylon, 3-Strand			267
Rope - Nylon, 8-Strand			266
Rope - Nylon Double Braided 2-1, Ocean Steel Line			
Rope - Nylon, Jumbo, 3-Strand			
Rope - Ocean Steel Line, 3-Strand, Aqua			
Rope - Ocean Steel Line, 3-Strand, Yellow			
Rope - Ocean Steel Line, 8-Strand, Gold			
Rope - Polyester Double Braided 2-1, Ocean Steel Lir			
Rope - Polypropylene, Jumbo, 3-Strand, Yellow			
Rope - Sail Twine, Waxed			
Rope - Sash Cord, Cotton			
Rope Types - Synthetic			
Sail Needle			
Sail Palms			213
Slings - Sling Chart, Dyneema (Synthetic Rope),			264
Endless Grommet			261
Slings - Sling Chart, Dyneema (Synthetic Rope), Eye &			
Soft Shackles			
Splicing - Pusher & Fids - Aluminum			2/:
SLINGS			244
Sling - Round, Polyester			
Sling - Webbing Material, Polyester			
Sling - Web, Polyester			
Sling - Wire Rope, Bright, With A1 Light Lube			
Sling - Wire Rope, Galvanized	. 244,	245 ,	
Nire Rone Sling Charts			247

T00LS 172	
Tool - Bolt Cutter	
Tool - Swager Cutter	
Tool - Wire Cutter	173
WIRE ROPE	313
Jiangsu Langshan Wire Rope Co. Ltd.	.0.0
The Worlds Largest Wire Rope Factory	316
Oceanside Equipment Ltd,	0.0
Exclusive Canadian Dealer for Jiangsu Langshan Wire Rope Co	. Ltd.
The Worlds Largest Wire Rope Factory	
Sea Lube Wire Rope Lubricant	
Wire Rope - 6x19, Bridle Wire, Fiber Core, Galvanized	
Wire Rope - 6x19, Steel Core, Galvanized	323
Wire Rope - 6x19, Steel Core, Galvanized & Greased	323
Wire Rope - 6x19, Trawl Warp, Fiber Core,	
Galvanized & Greased	321
Wire Rope - 6x24, Fiber Core, Galvanized	
Wire Rope - 6x25, Trolley & Hoists Rope,	
Fiber Core, Bright & Greased	330
Wire Rope - 6x26, Regular Swaged Ws,	
Steel Core, Bright & Greased	322
Wire Rope - 6x26, Steel Core, Bright & Greased	
Wire Rope - 6x26, Steel Core, Galvanized	
Wire Rope - 6x36, Steel Core, Bright & Greased	
Wire Rope - 6x36, Steel Core, Galvanized	
Wire Rope - 6x36, Steel Core, Galvanized & Greased	
Wire Rope - 6x37, Fiber Core, Bright & Greased	
Wire Rope - 7x7, 7x19, 6x19, 6x26, Steel Core, Stainless	
Wire Rope - 7x7 & 7x19, Aircraft Cable,	
Pvc Coated, Steel Core, Galvanized	318
Wire Rope - 7x7, 7x19, Aircraft Cable,	
Pvc Coated, Steel Core, Stainless	320
Wire Rope - 7x7 & 7x19, Aircraft Cable,	
Steel Core, Galvanized	317
Wire Rope - 8x19, Seale, lwrc 1960 N/Mm2,	
Galvanized, A-2 Lube	334
Wire Rope - 8x26, Boom Rope, Bright & Greased	328
Wire Rope - 8x36, Seale, lwrc 1960 N/Mm2,	
Galvanized, A-2 Lube	334
Wire Rope - 18x19s, Rotation Resistant,	
Steel Core, Bright & Greased	329
Wire Rope - 19x7, Rotation Resistant,	
Steel Core, Bright & Greased	329
Wire Rope - 35x7, Compacted, Hoist Rope,	
Bright & Greased	332
Wire Rope - 35x7, Compacted, Non-Rotating,	
Steel Core, Galvanized & Greased	333
Wire Rope - 35x7, Compacted, Non-Rotating,	
Steel Core, Galvanized & Greased	332
WIDE DODE END TEDMINATORS	0=0
WIRE ROPE END TERMINATORS	
Cable Joiner - Self-Locking	
Choker Button	297
Clips Wire Rope 'Ocean' - Warnings	204
and Application Instructions	301

Clip - Wire Rope, Malleable	Clip - Wire Rope, Forged	300
Die Lube - Swaging Lubricant	Clip - Wire Rope, Malleable	299
Fast Flemish Swage System	Clip - Wire Rope, Stainless	299
So-No-Go Guages - For Flemish Eye Steel Sleeves (Ferrules) 297 Hook - Micro Midget Choker	Die Lube - Swaging Lubricant	282
Hook - Micro Midget Choker	Fast Flemish Swage System	278
Marlin Spike		
Reeling Machines Wirop Shaftless		
Resin Socketing Warning And Safety Information		
Rigging Equipment		
Sleeve (Ferrule) - Aluminium		
Sleeve (Ferrule) - Aluminium Duplex Sleeve (Ferrule) - Aluminium Stop Sleeve (Ferrule) - Button Stop Sleeve (Ferrule) - Copper Oval. Sleeve (Ferrule) - Copper Stop Sleeve (Ferrule) - Duplex Oval. Sleeve (Ferrule) - Duplex Oval. Sleeve (Ferrule) - Flemish Splice, Carbon Steel. Sleeve (Ferrule) - Stainless Steel Duplex Sleeves (Ferrules) Size Number Table A.2 Socket - Clipinator Wedge Socket. Slocket - Clipinator Wedge Socket. Slocket Lock - Resin. Socket Lock - Resin. Socket - Spelter, Closed, Forged, Ocean. Socket - Spelter, Closed, GN®. Socket - Spelter, Open, Forged, Ocean. Socket - Spelter, Open, Forged. Socket - Swage, Open, Forged. Solid Thimble - Din 3091. Swaging Machine New-Tech "Smart Press". Swaging Machines From 150 Te To 4,000 Te. Shimble - Heavy Duty. Shimble - Light Duty. Shimble - Light Duty. Shimble - Synthetic Rope. Shimble - Vire Tube. Shimble - Wire Tube. Shimble - Wire Tube. Shimble - Wire Tube With Gusset. Shedge Socket Warnings And Use. Shimble - Wire Tube With Gusset. Shedge Socket Warnings And Use.		
Sleeve (Ferrule) - Aluminium Stop		
Sleeve (Ferrule) - Button Stop		
Sleeve (Ferrule) - Copper Oval		
Seleve (Ferrule) - Copper Stop		
Sleeve (Ferrule) - Duplex Oval		
Sleeve (Ferrule) - Flemish Splice, Carbon Steel		
Sleeve (Ferrule) - Stainless Steel Duplex		
Sleeves (Ferrules) Size Number Table A.2		
Socket - Clipinator Wedge Socket		
Socketing Putty		
Socket Lock - Resin		
Socket - Spelter, Closed, Forged, Ocean		
Socket - Spelter, Closed, GN®		
Socket - Spelter, Cr, Closed (Peewee, Gold Nose), GN®		
Socket - Spelter, Open, Forged, Ocean		
Socket - Spelter, Open, GN® 303, 304 Socket - Swage, Closed, Forged 309 Socket - Swage, Open, Forged 310 Solid Thimble - Din 3091 296 Swaging Machine New-Tech "Smart Press" 279 Swaging Machines From 150 Te To 4,000 Te 281 Thimble - Heavy Duty 290, 292 Thimble - Light Duty 291, 292 Thimble - Synthetic Rope 296 Thimble - Tube 293 Thimble - Wire Tube 294 Thimble - Wire Tube With Gusset 294 Wedge Socket Warnings And Use 312		
Socket - Swage, Closed, Forged		
Socket - Swage, Open, Forged		
Solid Thimble - Din 3091		
Swaging Machine New-Tech "Smart Press" 279 Swaging Machines From 150 Te To 4,000 Te 281 Thimble - Heavy Duty 290, 292 Thimble - Light Duty 291, 292 Thimble - Synthetic Rope 296 Thimble - Tube 293 Thimble - Wire Tube 294 Thimble - Wire Tube With Gusset 294, 295 Wedge Socket Warnings And Use 312		
Swaging Machines From 150 Te To 4,000 Te	Swaging Machine New Tach "Smart Proce"	270
Fhimble - Heavy Duty290, 292Fhimble - Light Duty291, 292Fhimble - Synthetic Rope296Fhimble - Tube293Fhimble - Wire Tube294Fhimble - Wire Tube With Gusset294, 295Wedge Socket Warnings And Use312	Swaging Machines From 150 To To / 000 To	221
Thimble - Light Duty291, 292Thimble - Synthetic Rope296Thimble - Tube293Thimble - Wire Tube294Thimble - Wire Tube With Gusset294, 295Wedge Socket Warnings And Use312		
Thimble - Synthetic Rope296Thimble - Tube293Thimble - Wire Tube294Thimble - Wire Tube With Gusset294, 295Wedge Socket Warnings And Use312		
Thimble - Tube293Thimble - Wire Tube294Thimble - Wire Tube With Gusset294, 295Wedge Socket Warnings And Use312		
Thimble - Wire Tube 294 Thimble - Wire Tube With Gusset 294, 295 Nedge Socket Warnings And Use 312		
Thimble - Wire Tube With Gusset 294, 295 Nedge Socket Warnings And Use 312		
Nedge Socket Warnings And Use		





Anchor - Ac-14	226	Bow, Anchor, With Screw Yellow Pin®	58
Anchor - Ac-14	227	Bow, With Safety Bolt, GN®	
Anchor - Danforth Style / Workboat		Bracket - Smit Bracket	
Anchor - Dead Weights		Buckle - Ratchet	
Anchor - Delta Hhp		Cable Joiner - Self-Locking	
Anchor - St Offshore		Cable Sock - K-Type	
Anchor - Stockless		Cable Sock - T-Type	
Anchor - Sts Offshore		Chain - Alloy Long-Link, Grade 80, Ocean® Brand	
Aquaculture Gear Available From Stock		Chain - Alloy Long-Link, Grade 80, Trygg®	
Available Spare Parts For Chain Hoist Block 619		Chain - Alloy Short-Link, Grade 80, Trygg®	
Bag - Bait		Chain - Long-Link Lashing, Grade 80	
Block - Chain		Chain - Mid-Link Fishing, Grade 80	
Block - Chain Hoist, 619, Ocean® Brand		Chain - Open Link	
Block - Chain Hoist, 619, Ocean® Brand (Nop)		Chain - Overhead Lifting, Grade 100, Ocean® Brand	
Block - Gin		Chain - Overhead Lifting, Grade 80, Ocean® Brand	
Block - Pulley		Chain - Proof Coil, Grade 30	
Block - Sheave Bronze Brushed		Chain - Self Coloured, High Test, Grade 43	
Block - Single Or Double Sheave, Wooden, With Hook		Chain - Stainless, Grade 50	
Block - Snatch, Double Sheave, Light Duty,	100	Chain - Stud Link Anchor	
Nith Hook, Ocean® Brand	100	Chain - Tenso	
Block - Snatch, Double Sheave, Light Duty,	100	Chain - Transport, Grade 70, Ocean® Brand	
With Shackle, Ocean® Brand	100	Chain Hoist Parts Breakdown	
	107		
Block - Snatch, Single Sheave, Alloy, Nith Hook, Ocean® Brand	100	Chain Slings - Sling Chart, Chain Chain Stopper - Assembly	
	107		
Block - Snatch, Single Sheave, Alloy,	110	Chock - Bulwark Mounting, Bow, Type Eu	
With Shackle, Ocean® Brand		Chock - Bulwark Mounting, Jis F2017-Bc	
Block - Snatch, Single Sheave, Heavy Duty, With Eye, GN®	114	Chock - Bulwark Mounting, Jis F2030-A	
Block - Snatch, Single Sheave, Large, Super Duty,	110	Chock - Mounting, Type Eu	
With Hook, Ocean® Brand	Z	Chocks Stainless Steel 316, Bow 4-1/2", 2 Pcs Set	
Block - Snatch, Single Sheave, Large, Super Duty,	110	Choker Button	
With Shackle, Ocean® Brand	113	Clamp - Beam	
Block - Snatch, Single Sheave, Light Duty,	100	Clamp - Plate, Horizontal Lifting Clamp	
Fail Board, Ocean® Brand	108	Clamp - Plate, Vertical Lifting Clamp	
Block - Snatch, Single Sheave, Light Duty,	110	Clearance	
Nith Hook, Ocean® Brand	۱ ۱	Cleat - Dock, Heavy Duty	
Block - Snatch, Single Sheave, Light Duty,	111	Cleats 316 Stainless Steel 5"	
With Shackle, Ocean® Brand		Clip - Inglefield, Flag Clips	
Block - Snatch, Single Sheave, With Hook, Ocean® Brand		Clip - Wire Rope, Forged	
Block - Snatch, Single Sheave, With Shackle, Ocean® Brand.		Clip - Wire Rope, Malleable	
Block - Snatch, Single Sheave, Wooden, With Hook		Clip - Wire Rope, Stainless	299
Block - Try Net		Clips Wire Rope 'Ocean' - Warnings	001
Block - Yarding		and Application Instructions	
Block Snatch Steel, Single, Hook, 3", 2 Te (5/16" -3/8") Yoke		Commercial Bow, Anchor, With Screw Pin	
Bollard - Curved Type A		Concrete Pipe Lifting Clamp Assembly Ltc 1.5/120	
Bollard - Deck Mount Lxy-B012		Connecting Link, Gr 80, 7mm 9/32" Yoke	
Bollard - Dock Type J		Connecting Link, Gr100, 07mm 9/32" Yoke	
Bollard - Double Bit Deck Mount Lxy-B011		Connecting Link, Pin & Sleeve, Gr 80, 7mm Yoke 9/32"	
Bollard - Double Bitt Lxy-B09		Connecting Link, Pin & Sleeve, Gr100, 7mm Yoke 9/32"	
Bollard - Double Bitt Lxy-B10		Connecting, Omega Link, Gr 80, 7-8mm Yoke	
Bollard - Single Bitt		Container Lifting - Sea-Stab	233
Bollard - Single-Bite Type Jis		Coupling, Link Half, Gr 80, 7mm 9/32" Yoke	
Bollard - T-Head		Coupling, Master Link, Gr 80, 7mm 9/32" Yoke	338
Bollard - Type Stag Horn		Coupling, Round Sling C/W Half Link&Pin,	
Bow, Anchor, With Safety Bolt Green Pin®		Gr 80, 22mm 7/8" Yoke	
Bow, Anchor, With Safety Bolt Yellow Pin®		Coupling, Round Sling, Gr 80, 7mm 9/32" Yoke	
Bow, Anchor, With Screw Green Pin®		Coupling, Self Locking Hook, Gr 100, 7 Mm 9/32" Yoke	
Bow, Anchor, With Screw Pin	56	Coupling, Self Locking Hook, Gr 80, 7mm 9/32" Yoke	339

Coupling, Swivel Insulated Blank 7mm 9/32" Yoke		Hook - Eye Sling Hooks, Grade 100, Ocean® Brand	
Dee (Chain) Trawling, With Square Head Screw Pin		Hook - Eye, Hoist, Grade 100, Yoke® Brand	
Dee (Chain), With Screw Pin		Hook - Eye, Hoist, With Latch	
Die Lube - Swaging Lubricant	282	Hook - Eye, Rov, With Latch, GN®	
Drum Lifter		Hook - Eye, Slip, With Latch	
Eye Bolt - Regular With Nut		Hook - Foundry Clevis Hooks, Grade 100, Ocean® Brand	
Eye Bolt - Ring With Shoulder & Nut		Hook - Foundry Eye Hook, Grade 80, Ocean® Brand	
Eye Bolt - Screw		Hook - Foundry Eye Hooks, Grade 100, Ocean® Brand	
Eye Bolt - Shoulder Machine, Imperial		Hook - G, Alloy, Grade 80 / Link - Recessed, Alloy, Grade 80	
Eye Bolt - Shoulder Machine, Metric		Hook - G, High Tensile Steel, Grade 80	
Eye Bolt - Shoulder With Nut		Hook - J, Chain Chaser179	
Eye Bolt - Shoulder With Nut, Unc		Hook - Kit, Clevis, Load Pin Kit, Grade 100, Ocean® Brand	
Eye Bolts Forged - Warnings And Application Instructions	88	Hook - Kit, Clevis, Load Pin Kit, Grade 80, Ocean® Brand	31
Eye Nut		Hook - Kit, Self-Locking Recessed Trigger Kit,	
Eye Pad		Grade 80/100, Ocean® Brand	
Fairlead Roller - Anchor		Hook - Lanyard, With Double Lock	
Fairlead Roller - Jis F2014		Hook - Latch Kit	
Fairlead Roller - Type A		Hook - Micro Midget Choker	
Fairlead Roller - Universal		Hook - Pelican Sliphook, GN®	
Fall Arrest		Hook - Permanent Chain Chaser	
Fast Flemish Swage System		Hook - Rebar, N-3620	
Fender - Cylindrical Fenders		Hook - Rebar, N-3630	
Fender - Foam Filled Fender Type & Structure		Hook - Ring Chaser	
Fender - Pneumatic Fender		Hook - Rov Shank Hook, GN®	
Fender - Semi-Circular Fenders		Hook - Self Locking Clevis Hook, Grade 100, Ocean® Brand	
Fender And Buoyancy		Hook - Self Locking Clevis Hook, Grade 80, Ocean® Brand	
Fender Foam Ionomer, Berthing Energy And Reaction Forces		Hook - Self Locking Eye Hook, Grade 100, Ocean® Brand	
Fender Foam Ionomer, Gilman Corporation		Hook - Self Locking Eye Hook, Grade 80, Ocean® Brand	
Fid - Hardwood		Hook - Self Locking Swivel Hook, Grade 80, Ocean® Brand	
Fid - Norwegian		Hook - Sliding Choker Hooks, Grade 80, Ocean® Brand	
Go-No-Go Guages - For Flemish Eye Steel Sleeves (Ferrules)		Hook - Snap	
Harness - Back & Side D, 5 Adjustments		Hook - Snap, N-3610	
Harness - Back D, 3 Adjustments		Hook - Snap, With Latch	
Harness - Back D, 5 Adjustments		Hook - Sorting, With Handle	
Hinge - Butt, Heavy Duty		Hook - Swivel Eye, Hoist, With Latch	
Hinge - Strap		Hook - Swivel Eye, With Latch	122
Hoist Ring, Spare Bolt & 'C' Clip, " Metric" M 8 - 1.25 X 50		Hook - Swivel Self Locking Hook Ball Bearing,	
Hoist Ring, Spare Bolt & 'C' Clip, " Unc" 5/16" -18 Thr X 2		Grade 100, Ocean® Brand	38
Hoist Ring, Swivel, "Metric" 0.45 Te M10 - 1.50 X 60 Yoke		Hook - Swivel Self Locking Hook Brass Bushing,	
Hoist Ring, Swivel, " Unc" 800 Lbs 5/16" -18 Thr X 2 Yoke		Grade 100, Ocean® Brand	
Hoists & Lifting Accessories		Hook - Swivel, Hoist, Grade 100, Yoke® Brand	
Hook - Anchor Line Hook, GN®		Hook - Web And Round Sling Hook, Grade 100, Ocean® Brand	
Hook - Carabiner, Fishing, Screw Lock		Hook - Weld On Bucket Hook, Grade 80, Ocean® Brand	
Hook - Chain Grapnel		Hook - Wire, Double J	
Hook - Clevis Grab Hook With Pin, Grade 100, Ocean® Brand		Hook - " S"	
Hook - Clevis Grab Hook, Grade 100, Ocean® Brand		Hook, Clevis Grab Gr 80, 7-8mm 9/32" Yoke	
Hook - Clevis Grab Hook, Grade 80, Ocean® Brand		Hook, Clevis Grab Gr100, 7-8mm 9/32" Yoke	341
Hook - Clevis Sling Hook, Grade 100, Ocean® Brand		Hook, Clevis Load Pin Kit, Gr 80, 7-8mm Yoke	
Hook - Clevis Sling Hook, Grade 80, Ocean® Brand		Hook, Clevis Load Pin Kit, Gr100, 7-8mm Yoke	
Hook - Clevis, Eye, Grabex, Grade 100, 1/2 (13)		Hook, Clevis Sling, Gr 80, 7+8mm 1/4" Yoke	
Hook - Clevis, Grab, Grade 70		Hook, Clevis Sling, Gr100, 7mm 9/32" Yoke	
Hook - Clevis, Grab, With Latch, Grade 70		Hook, Clevis, Self-Locking Gr 80, 7-8mm 9/32" Yoke	
Hook - Clevis, Slip, Grade 70		Hook, Clevis, Self-Locking Gr100, 13mm 1/2" Yoke	342
Hook - Clevis, Slip, With Latch, Grade 70		Hook, Clevis/Claw Short/Clutch	
Hook - Container Hook, Grade 80, Ocean® Brand		w/Half Link, 7-8mm 9/32" Yoke	
Hook - Coupling, Self-Locking, Grade 80, Ocean® Brand		Hook, Clevis/Claw Shortening Clutch, 7-8 Mm 9/32" Yoke	
Hook - Dual Chaser Ring	181	Hook, Container Eye	342



Hook, Eye, Foundry, Gr 80, 3/8" Yoke	342	Grade 100, Ocean® Brand	42
Hook, Eye, Foundry, Gr100, 1/2" Yoke		Link - Kit, Connecting, Pin & Sleeve Kit,	
Hook, Eye, Grab, Gr 80, 22 Mm 7/8" Yoke		Grade 80, For Ocean® Brand Coupling Series	34
Hook, Eye, Self Locking Grip Gr100, 1/2" Yoke		Link - Kit, Connecting, Pin & Sleeve Kit,	
Hook, Eye, Self-Locking Gr 80, 7-8mm 9/32" Yoke		Grade 80, Ocean® Brand	31
Hook, Eye, Self-Locking, Gr100, 7-8mm 9/32" Yoke		Link - Master Link, Dnv 2.7-1+	89
Hook, Eye, Sling, Gr 80, 22 Mm 7/8" Yoke		Link - Master Link, Grade 100, Ocean® Brand	
Hook, Eye, Sling, Gr100,10 Mm 3/8" Yoke		Link - Master Link, Grade 80, Ocean® Brand	
Hook, Kit, Latch Kit Gr 80, 7-8mm 9/32" Yoke		Link - O-Ring, N-489	
Hook, Kit, Load Pin Kit, Gr 80, 7-8mm 9/32" Yoke		Link - Quick	
Hook, Kit, Self-Locking Recessed Trigger,		Link - Recessed Master Link, Grade 80	
Gr 80/100, 26 Mm 1" Yoke	343	Link - Split	
Hook, Kit, Self-Locking Trigger, 7-8mm 9/32" Yoke,		Link - Split, Alloy, Lobster Link	
Gr 80 / Gr 100	344	Link - Twin Clevis	9:
Hook, Swivel, Self-Locking, Ball Bearing,		Load Cell - Software Packages	
Gr 80, 13mm 1/2" Yoke	344	Load Cell - Wireless Kit	
Hook, Swivel, Self-Locking, Ball Bearing,		Loadbinder - Folding Binder - Ratchet	
Gr100, 20mm 3/4" Yoke	3/./.	Loadbinder - Lever	
Hook, Swivel, Self-Locking, Ball Bearing,		Loadbinder - Lever, Bx	
Grip, Gr100, 3/8" Yoke	3/./.	Loadbinder - Ratchet	
Hook, Swivel, Self-Locking, Gr 80, 10mm 3/8" Yoke		Loadbinder - Ratchet, Hs	
Hook, Swivel, Self-Locking, Gr100, 10mm 3/8" Yoke		Loadbinder - Ratchet, T-Handle	
Hook, Web & Round Sling Gr100, 1t Yoke		Mallet - Ice, Uhmw	
Hooks Eye Hoist - Warnings And Application Instructions		Marine	
Jar - Bait		Marlin Spike	
Jiangsu Langshan Wire Rope Co. Ltd.	170	Master Link Assembly 5/8" (2-Ma36qa)	
The Worlds Largest Wire Rope Factory	316	Master Link Assembly Osa220dnv, 22mm / 16mm - 5.8 Tonne	
Knife - Bait		Master Link Assembly, Dnv 2.7-1+	
Knife - Bait		Master Link Assembly, W/ 2x Grabex Hooks,	/ C
_anyard - Double		Grade 100, 1/2 (13)	2/.5
_anyard - Double _anyard - Energy Absorbing, Rope Grab	167	Master Link Assembly, W/ 4x Grabex Hooks,	540
_anyard - Single		Grade 100, 1/2 (13)	3/.5
_ashing Equipment		Master Link Gr100, 1/2" Yoke	
Lever Hoist - Puller, 622, Ocean® Brand		Master Link Scaw 1-3/4"	
Lever Hoist - Puller, 622, Ocean® Brand (Nop) Lever Hoist - Puller, 622, Ocean® Brand (Nop)		Master Link Staw 1-5/4	
Lever Hoist - Puller, 816, Ocean® Brand, Subsea		Master Link, Lindryed, Welded, Orade 100, (22)	
Lever Hoist - Puller, 616, Ocean® Brand, Subsea Lever Hoist - Puller, Hsh-Al, Ocean® Brand,	140	Mooring Connector - H-Links	
_ight Weight Aluminum	17.0	Non-Overload Protection	
_ever Hoist Parts Breakdown		Non-Overload Protection	
Lifeline - Vertical Rope, Snap Hook		Oar Lock	
Lifting & General Purpose Chain		Ocean G80 & G100 Steel Lifting Components	
Lifting Key Eye Point 660 Lbs, 5/16" Yoke	2/5	Oceanside Equipment Ltd, Exclusive Canadian Dealer	
Lifting Key Eye Point 000 Ebs, 3/10 Toke		for Jiangsu Langshan Wire Rope Co. Ltd.,	
Light Weight Aluminum Lever Hoist		The Worlds Largest Wire Rope Factory	215
Light Weight Aturning The Lever Hoist			
Link - Carabiner, Sett-Locking, With Captive Pin, N-252g Link - Carabiner, Self-Locking, With Captive Pin, N-256g		Pcd Vertical Plate Clamps Table Pear, Weldless Sling	
		Permanent Magnet Lifter	
Link - Carabiner, Self-Locking, With Captive Pin, N-259g			131
Link - Connecting Link For Pennant Lines, GN®		Permanent Magnet Lifter - Warnings	150
Link - Connecting Link, Grade 100, Ocean® Brand		and Application Instructions	
Link - Connecting Link, Grade 80, Ocean® Brand		Plate - Diamond	
Link - Connecting, Pear, Anchor Joining		Principle of Overload Protection	
Link - Coupling & Pin, Grade 80, Ocean® Brand		Reeling Machines Wirop Shaftless	
Link - Coupling, Half Link & Pin, Grade 80, Ocean® Brand		Resin Socketing Warning And Safety Information	
Link - Coupling, Master Link, Grade 80, Ocean® Brand		Rigging Equipment	۷//
Link - Coupling, Round Sling, Grade 80, Ocean® Brand		Rigging Hardware & Equipment	
Link - Kelly's Eye, High Tensile Steel, Grade 80	18/	Ring - Round Woldlage	
Link - Kit, Connecting, Pin & Sleeve Kit,		Ring - Round, Weldless	92

Ring - Weld On Lifting Point, Grade 80, Ocean® Brand	44	Socket - Spelter, Open, GN®	303, 304
Ring - Weld-On D-Ring Tie Down	20	Socket - Swage, Closed, Forged	309
Roofer's Kit		Socket - Swage, Open, Forged	
Rope (Synthetic & Fiber)	255	Socket Lock - Resin	
Rope - Dsm Dyneema, 12-Strand		Socket, Spelter Closed, Forged, 7/16-1/2" Yoke	
Rope - Dsm Dyneema, 8 & 12-Strand	258	Socket, Spelter Open, Forged, 5/16-3/8" Yoke	
Rope - Dsm Dyneema, 8-Strand	258	Socket, Wedge, 11-13mm Open 1/2"	347
Rope - Manila, 3-Strand	256	Socketing Putty	
Rope - Manila, 4-Strand	257	Soft Shackles	262
Rope - Nylon Double Braided 2-1, Ocean Steel Line	270	Solid Thimble - Din 3091	
Rope - Nylon, 3-Strand	267	Splicing - Pusher & Fids - Aluminum	
Rope - Nylon, 8-Strand	266	Stenhouse Slip	
Rope - Nylon, Jumbo, 3-Strand	268	Stopper - Chain Cable Stopper	
Rope - Ocean Steel Line, 3-Strand, Aqua	263	Super Bow, Anchor, With Safety Bolt Green Pin®	66
Rope - Ocean Steel Line, 3-Strand, Yellow	264	Swaging Machine New-Tech "Smart Press"	279
Rope - Ocean Steel Line, 8-Strand, Gold	264	Swaging Machines From 150 Te To 4,000 Te	281
Rope - Polyester Double Braided 2-1, Ocean Steel Line.	271	Swivel - Bullet Style, Angular Contact Bearing	100
Rope - Polypropylene, Jumbo, 3-Strand, Yellow	265	Swivel - Closed Body Swivel, GN®	103
Rope - Sail Twine, Waxed	265	Swivel - Coupling, Insulated Blank Swivel,	
Rope - Sash Cord, Cotton	269	Grade 80, Ocean® Brand	
Rope Grab - Puller	158	Swivel - Eye & Eye	75, 97, 98, 99
Rope Types - Synthetic	272	Swivel - Eye & Eye, Angular Contact Bearing	101
Rov Locking Clamp Release Bow, Polar, With Green Pir	®69	Swivel - Eye & Eye, With Hardened Wearing Ring	98
Rov Spring Release Bow, Polar, With Green Pin®	68	Swivel - Flex, Eye & Eye	99
Sail Needle	274	Swivel - Forerunner, Assembly, With Links	182
Sail Palms	275	Swivel - Hoist Ring, Metric Thread, Grade 80, Ocean® E	
Sea Lube Wire Rope Lubricant	314	Swivel - Hoist Ring, Unc Thread (Ocean), Grade 80	
Shackle - Kenter Shackle, Joining Link	184, 202	Swivel - Hoist Ring, Unc Thread, Grade 80, Ocean® Bra	ınd 48
Shackle - Tonsberg		Swivel - Jaw & Eye	96
Shackle - Warnings And Applications	70	Swivel - Jaw & Jaw, Angular Contact Bearing	102
Sheave - Horizontal Lead	217	Swivel - Lifting Eye Key Point - Unc Thread,	
Sheave - Vertical Lead	217	Grade 80, Ocean® Brand	46
Sleeve (Ferrule) - Aluminium	285	Swivel - Lifting Eye Key Point, Metric Thread,	
Sleeve (Ferrule) - Aluminium Duplex	286	Grade 80, Ocean® Brand	47
Sleeve (Ferrule) - Aluminium Stop	286	Swivel - Lobster	
Sleeve (Ferrule) - Button Stop	289	Swivel - Short Bow	
Sleeve (Ferrule) - Copper Oval	287	Swivel 316 Stainless Steel Jaw & Eye 1/4"	347
Sleeve (Ferrule) - Copper Stop	287	Thimble - Heavy Duty	290, 292
Sleeve (Ferrule) - Duplex Oval	288	Thimble - Light Duty	
Sleeve (Ferrule) - Flemish Splice, Carbon Steel		Thimble - Synthetic Rope	
Sleeve (Ferrule) - Stainless Steel Duplex	288	Thimble - Tube	293
Sleeves (Ferrules) Size Number Table A.2	284	Thimble - Wire Tube	
Sling - Round, Polyester2		Thimble - Wire Tube With Gusset	
Sling - Web, Polyester	249, 250	Tie Down Cargo Strap - Chain Assembly	
Sling - Webbing Material, Polyester	251	Tie Down Cargo Strap - Ratchet	
Sling - Wire Rope, Bright, With A1 Light Lube	242, 243	Toggle Chain	196
Sling - Wire Rope, Galvanized2		Tool - Bolt Cutter	174
Sling Protector, With Safety Bolt, GN®	61	Tool - Swager Cutter	173
Slings	241	Tool - Wire Cutter	173
Slings - Sling Chart, Dyneema (Synthetic Rope),		Tool Lanyard	165
Endless Grommet		Tools	
Slings - Sling Chart, Dyneema (Synthetic Rope), Eye & E		Triangle Plate - GN®	
Socket - Clipinator Wedge Socket		Trolleys - Beam, Push Travel	
Socket - Spelter, Closed, Forged, Ocean	302	Tuning Fork - GN®	
Socket - Spelter, Closed, GN®		Turnbuckle - Bottle Type (Closed) Galvanized	
Socket - Spelter, Cr, Closed (Peewee, Gold Nose), GN ${f @}$		Turnbuckle - Chain Stopper Assembly, Devil's Claw	
Socket - Spelter, Open, Forged, Ocean	302	Turnbuckle - Eye & Eye, Galvanized	73



Turnbuckle - Eye & Eye, Lashing	
Turnbuckle - Heavy Duty, GN®	
Turnbuckle - Hook & Hook, Galvanized	
Turnbuckle - Jaw & Eye, Galvanized	
Turnbuckle - Jaw & Jaw, Bottle Type (Closed) Stainless Steel	
Turnbuckle - Jaw & Jaw, Galvanized	
Turnbuckle - Jaw & Jaw, Stainless Steel	
Turnbuckle - Stub End	
Turnbuckle - Stub End, Body Only	
Washer - Round Hole	
Washer - Scallop, Black	
Water Bags, Crane	
Water Bags, Crane Certification Fluid Weight	
Water Bags, Lifeboat	
Webbing - Tie Down Material, Polyester	
Wedge Socket Warnings And Use	
Weld On Lifting Point 8 Tonne Yoke	
Weld-On Hook, Bucket 15t Yoke	
Weld-On Hook, Bucket 3t Yoke	
Wide Body Sling, With Safety Bolt Green Pin®	
Wide Body Sling, With Safety Bolt, Yoke® Brand	
Wide Mouth Bow, With Safety Bolt Green Pin®	
Winch - Hydraulic Mooring, Compact	
Winch - Hydraulic Mooring, Double Drum	
Winch - Hydraulic Mooring, Standard	236
Winch - Hydraulic Spooling Machine	
Winch - Hydraulic Utility	
Winch - Power Pack - Diesel Hydraulic	
Winch - Power Pack - Electric Hydraulic	
Winch - Standard Air	
Winch - Truck, #5820	
Winch - Wire Rope	
Winch - Wire Rope, Spare Pin	
Winches	
Wire Rope	313
Wire Rope - 18x19s, Rotation Resistant,	
Steel Core, Bright & Greased	329
Wire Rope - 19x7, Rotation Resistant,	
Steel Core, Bright & Greased	329
Wire Rope - 35x7, Compacted, Hoist Rope,	
Bright & Greased	1, 332
Wire Rope - 35x7, Compacted, Non-Rotating,	
Steel Core, Galvanized & Greased	332
Wire Rope - 35x7, Compacted, Non-Rotating,	
Steel Core, Galvanized & Greased	
Wire Rope - 6x19, Bridle Wire, Fiber Core, Galvanized	
Wire Rope - 6x19, Steel Core, Galvanized	
Wire Rope - 6x19, Steel Core, Galvanized & Greased	323
Wire Rope - 6x19, Trawl Warp, Fiber Core,	
Galvanized & Greased	
Wire Rope - 6x24, Fiber Core, Galvanized	322
Wire Rope - 6x25, Trolley & Hoists Rope, Fiber Core,	0
Bright & Greased	330
Wire Rope - 6x26, Regular Swaged Ws, Steel Core,	
Bright & Greased	
Wire Rope - 6x26, Steel Core, Bright & Greased	324

Wire Rope - 6x26, Steel Core, Galvanized	326
Wire Rope - 6x36, Steel Core, Bright & Greased	325
Wire Rope - 6x36, Steel Core, Galvanized	
Wire Rope - 6x36, Steel Core, Galvanized & Greased	324
Wire Rope - 6x37, Fiber Core, Bright & Greased	330
Wire Rope - 7x7 & 7x19, Aircraft Cable, Pvc Coated,	
Steel Core, Galvanized	318
Wire Rope - 7x7 & 7x19, Aircraft Cable, Steel Core, Galvanized	317
Wire Rope - 7x7, 7x19, 6x19, 6x26, Steel Core, Stainless	319
Wire Rope - 7x7, 7x19, Aircraft Cable, Pvc Coated,	
Steel Core, Stainless	320
Wire Rope - 8x19, Seale, Iwrc 1960 N/Mm2,	
Galvanized, A-2 Lube	334
Wire Rope - 8x26, Boom Rope, Bright & Greased	328
Wire Rope - 8x36, Seale, Iwrc 1960 N/Mm2,	
Galvanized, A-2 Lube	334
Wire Rope Broom Degreaser	307
Wire Rope End Terminators	276
Wire Rope Sling Charts	247



CONDITIONS OF SALE

Right to Inspect:

In the event of the Buyer making a claim against the Company for any reason whatsoever the goods in respect of which any such claim is made shall be preserved intact where delivery for a period of seven days from the notification of the claim to the Company within which time the Company shall have the right to attend at the place where the goods were delivered to investigate the complaint. No claim by the Buyer will be accepted unless this condition is strictly complied with.

Design Changes:

The company reserves the right to effect design changes as technical developments may require without prior notice.

Specifications Provided by Buyer:

The buyer shall indemnify the Company against any and all liability arising through execution by the Company of any order placed by a buyer in accordance with the Buyer's specification where such execution infringes any patent, trademark, or registered design not owned by the buyer or the Company.

Risk, Property and Insurance:

- Goods supplied by the Company shall be at the Buyer's risk immediately on delivery to the buyer or into custody on the buyer's behalf (whichever is the sooner) the buyer should therefore arrange insurance accordingly unless the Company has specifically agreed to arrange insurance of the goods.
- 2. The property in the goods supplied by the Company will pass to the buyer when (1) the goods the subject of the Contract in question and (2) all other goods the subject of any contract between the Company and the buyer which have been delivered to the buyer (prior to the payment in full for the goods the subject of the contract in question) have been paid in full.
- In the event that the buyer resells or hires out goods supplied by the Company (either ion the original form, or after alterations by the buyer and/or after they have been added to an item manufactured by the buyer) prior to the passing of the property therein to the buyer such resale or hire shall be effected by the buyer as bailee for the Company and the proceeds of such sale or hire shall be held on trust for the Company in a separate bank account opened by the buyer for this purpose and these proceeds shall be received by the buyer for and on behalf of the Company unless all debts owing to the Company by the buyer in respect to the goods supplied by the Company have been paid.
- 4. So long as the property and goods remain the Company and the buyer is in default of such obligation hereunder the Company shall have the right, with or without prior notice to the buyer, to take possession of the goods and for that purpose to go onto any premises occupied by the buyer) and on such retaking of possession the contract shall be deemed to have been determined without prejudice to any claim or rights the Company might otherwise make or exercise.
- 5. Until payment due under all contracts between the Company and buyer has been made in full the buyer shall hold upon trust for the Company the goods (either in their original form, or after alterations by the buyer and /or after they have been added to an item manufactured by the buyer) and shall in so far as may be possible store them in such a way as they may be identifiable as the property of the Company and separate from all other goods in the buyers possession.
- 6. Until payment due under all contracts between the buyer and the Company has been made in full the Company shall be entitled to trace all proceed of sale or hire charges received by the buyer on sale of the goods (either in their original form or after alteration by the buyer and/or after they have been added to an item manufactured by the buyer) received by the buyer through any bank or other account maintained by the buyer and the buyer will provide every assistance free of charge to the Company for the same.
- 7. Until payment due under all contracts between the buyer and Company has been made in full if the buyer sells or hires the goods (either in their original form or after alteration by the buyer and /or after they have been added to an item manufactured by the buyer) in the ordinary course of its business the buyer shall assign its rights to recover the selling price or hire charges from the third parties concerned to the Company if required to do so in writing by the Company.
- 8. Every insurable risk shall pass to the buyer as soon as the goods are delivered to it or into custody on its behalf. The buyer shall keep the goods insured in the amount of the price at which the goods are sold to the buyer against all insurable risks until payment due under all contacts between the buyer and Company has been made in full.
- 9. Of goods (either in their original form or after alteration by the buyer and/or after they have been added to an item manufactured by the buyer) are destroyed by an insured risk to the same being paid for by the buyer the buyer shall receive the proceeds of any such insurance as trustee for the Company.

Cancellation:

Once a contract has come into being between the Company and the buyer, that contract can not be cancelled only with the consent of the Company and upon terms that will indemnify it against loss. The buyer will indemnify the Company for all of the Company's contractual losses and the Company will not be under a duty to mitigate those losses.

Dispatch Abroad:

Goods dispatched abroad shall be deemed to have been inspected by the Buyer's agent or representative prior to dispatch from the Company's as no responsibility can be accepted by the Company after goods are consigned for shipment and the Company shall be under no obligation to give the buyer the notice specified.



CONDITIONS OF SALE

Literature:

Illustrations, weights, measures, performance capabilities, application suitability information and other date set out in the sales literature of the Company are statements of opinion and are provided for information only and form no part of the contract.

Law of Contract and Jurisdiction:

All contracts for the supply of goods by the Company shall be governed by English Law and be within the exclusive jurisdiction of the Nova Scotia Courts.

Definition-

In these conditions "the Company" means the company upon whose document these conditions are endorsed.

General:

- All quotations are made and all orders are accepted subject to the following conditions. All other conditions whatsoever are excluded from the contract or any variation thereof, unless expressly accepted by the Company in writing.
- Acceptance of delivery of the goods shall where no prior agreement has been reached be conclusive evidence of acceptance of these conditions.
- 3. Quotations shall only be available for acceptance for a maximum period of 10 days from the date thereof and may be withdrawn or altered by the Company with in such period at any time without notice.
- 4. Goods sold from stock are offered subject to the same being unsold upon receipt of the order.
- The goods are subject to specifications (including dimensions, weights, analyses and properties) stated expressly in the
 contract or where none is specified, to the specification published by the company or where none is published to any
 relevant standards or code of practice.
- Any typographical, clerical or other error or omission in any sales literature, quotation, price list, acceptance of offer, invoice or other document or information issued by the Company shall be subject to correction without any liability on the part of the Company.
- 7. The buyer shall not be entitled to retain any more money due to the Company under a contract unless previously agreed in writing by the Company's authorized representative.

Delivery:

Any date named by the Company for dispatch or delivery is given and intended as an estimate only and is not to be of the essence of the Contract. The buyer shall nevertheless be bound to accept the goods ordered whether available on or after the date stated. The Company shall be not be liable in any way in respect of late dispatch or delivery however caused nor shall failure to dispatch be deemed to be a breach of the Contract. Where drawings, specifications, instructions and materials are to be supplied by the buyer, the buyer shall supply the same in reasonable time to enable the Company to dispatch within the period named.

The Company may, at its discretion, make installment deliveries and each delivery shall constitute a separate order for the purpose of payment.

Damage or Loss in transit:

No claim for damage or corrosion in transit or shortage of delivery of goods will be entertained unless a separate notice in writing is given to the Company and /or the carrier concerned within three days of receipt of the goods followed by a complete claim in writing to the Company within five days of receipt of the goods.

Non delivery:

No claim for loss or non-delivery of goods will be entertained unless in writing is received within seven days of the invoice date.

Storage:

The Company reserves the right to charge for storage and /or any other costs incurred in the event of deferment or delay in delivery at the request and /or action of the Buyer.

Prices:

The Company reserves the right to increase any prices agreed between the Company and the Buyer in accordance with market conditions and the company's price for similar goods ruling at the date of dispatch and the buyer shall pay such additions in addition to the quoted price. Without prejudice to the generality of the foregoing market conditions shall included any increases in the cost of labor, materials, transport and any other costs between quotation and dispatch.

HST and GST Taxes:

All taxes will be charged at the rate applicable at the date of dispatch. The quoted prices do not include any taxes.

Carriage and Packaging:

The cost of carriage and packaging shall be paid for by the customer in addition to price payable for the goods, unless agreed beforehand between the customer and the Company.

CONDITIONS OF SALE

Terms of Payment:

- 1. Terms of payment are that invoices must be settled in full within 30 days from the date of the invoice.
- 2. If the buyer fails to make any payment on the due date then, without prejudice to any other right or remedy available to the Company, the Company shall be entitled to: (a) Cancel the contract and suspend any further deliveries to the buyer, (b) Appropriate any payment made by the buyer to such of the goods (as goods supplied under any other contract between the buyer and the Company) as the Company may think fit. (c) Charge the buyer interest (both before and after any judgment) on the amount unpaid, at the rate of 10% per annum over the base lending rate of the Company's own bankers, until payment in full is made (a part of a month being treated as a full month for the purpose of calculating interest).

Defective and Damaged Goods:

No claim against the Company for goods represented by the defective, from whatever cause, or not to conform to the Contract can be entertained, and the Company shall incur no liability in respect thereof unless received by the Company in writing within twenty-eight days after the date of dispatch and the defective goods or goods failing to conform to contract are returned to the Company within the said period of twenty-eight days.

Returns and Refunds:

- 1. Items that are obsolete or Specially Engineered product are not returnable.
- 2. Oceanside reserves the right to decline any request for a Returned Goods Authorization.
- 3. Proof of purchase must be established on all returned items. A valid purchase order number is required provided at time of request.
- 4. Oceanside will not accept the return of merchandise purchased over 60 days from receipt date.
- 5. The price shown on the Request for Return must coincide with the original invoice price.
- 6. Oceanside's Order Number and Invoice Number should be furnished at time of request to expedite the processing of Returned Goods Authorization forms.
- 7. After authorization is received, all returns must be shipped to the designated location.
- 8. Any material returned without authorization will be subject to an additional handling charge.
- 9. Returned Goods Authorization will be valid for 30 days from date of issue.
- 10. The greater of a 20% restocking fee or \$50.00 restocking charge will apply to all authorized returned merchandise. There will be no outbound freight chargeback; however, the customer will be responsible for in-bound freight charges.
- 11. All returned merchandise will be subject to inspection, and must be in resealable condition upon receipt. Any products returned within the guidelines of this policy or for inspection that is deemed non-Oceanside or non-resealable is subject to rejection or additional fees.

Limit of Liability:

In the event of any claim against the Company in respect of any matter whatsoever the Company's liability (if any) shall be limited to the replacement of goods sold in respect of which the liability arises if required and practicable or the buyer shall be given a credit for the invoiced value of the order in respect of which the liability arises. Under no circumstances whatsoever shall the Company be liable for any consequential loss or damage or any personal injury or damage or loss of any property other than as stated herein howsoever and whatsoever arising. Any express or implied conditions, statement, warranty, statutory, or otherwise, are hereby excluded save where such exclusions are invalidated by statute. No claim by the Buyer shall be accepted as a reason for cancellation of the remainder of the order.

