


TOOLS

Hand Swagers & Cutters173
Bolt Cutters174



TOOL - SWAGER CUTTER

- Blades drop forged with high quality alloy steel body with heat treatment, cutting edges induction quenched, good cutting by 2 grade lever principal. Used to cut up to 6mm wire rope and press 1/16" to 3/16" aluminium oval sleeves.



Size (in)	Replacement Head		Unit	
	Price / ea.	Part Number	Price / ea.	Part Number
24	65.22	6-24SH	210.00	6-24S

TOOL - WIRE CUTTER

- Used with 2 grade lever principal for easy cutting, used for cutting steel wires.



Size (in)	Steel Bar cut max. (mm)	Wire cut max. (mm)	Replacement Head ONLY		Unit	
			Price / ea.	Part Number	Price / ea.	Part Number
42	13	22	150.19	6-42WCSJ	394.08	6-42WC

TOOL - BOLT CUTTER

- Exceeds Fed Spec GGG-C-470D type II 3&4 – Alloy steel blades.
Rubber grip steel tubular handles. Toggle joint that transforms 50 pounds of hand pressure to 4,000 pounds pressure on cutting edges of the jaws. Adjustment bolt to align cutting heads. Blades are drop forged with cutting edges induction quenched.
- Maximum hardness of material to be cut HRC40.



Size (in)	Replacement Head ONLY		Bolt Cutter Unit	
	Price / ea.	Part Number	Price / ea.	Part Number
12	24.52	6-12BCSH	51.63	6-12BC
14	29.92	6-14BCSH	61.98	6-14BC
18	36.93	6-18BCSH	71.94	6-18BC
24	46.75	6-24BCSH	97.55	6-24BC
30	58.20	6-30BCSH	143.86	6-30BC
36	-	-	180.78	6-36BC
42	-	-	241.50	6-42BC