| FALLARREST | 154 | Chain - Mid-Link Fishing, Grade 80 | |
|---|-----|--|-------|
| Hook - Rebar, N-3620 | 157 | Chain - Overhead Lifting, Grade 80 | |
| Hook - Rebar, N-3630 | 157 | Chain - Overhead Lifting, Grade 100 | 7 |
| Hook - Snap, N-3610 | 157 | Chain - Proof Coil, Grade 30 | 9 |
| Link - Carabiner, Self-Locking, With Captive Pin, N-252g | 155 | Chain - Self Coloured, High Test, Grade 43 | 10 |
| Link - Carabiner, Self-Locking, With Captive Pin, N-256g | 156 | Chain Slings - Sling Chart, Chain | 12 |
| Link - Carabiner, Self-Locking, With Captive Pin, N-259g | 155 | Chain - Stainless, Grade 50 | 12 |
| Link - 0-Ring, N-489 | | Chain - Transport, Grade 70 | |
| HOISTS & LIFTING ACCESSORIES | 127 | MARINE | 161 |
| Available Spare Parts For Chain Hoist Block 619 | 133 | Anchor - Ac-14 | 183 |
| Block - Chain Hoist, 619 | | Anchor - Danforth Style / Workboat | 179 |
| Block - Chain Hoist, 619 (Nop) | | Anchor - Dead Weights | |
| Cable Sock - K-Type | 152 | Anchor - Delta Hhp | |
| Cable Sock - T-Type | 151 | Anchor - Stockless | 181 |
| Chain Hoist Parts Breakdown | | Anchor - St Offshore | 186 |
| Clamp - Beam | 148 | Anchor - Sts Offshore | |
| Clamp - Plate, Horizontal Lifting Clamp | | Aquaculture Gear Available From Stock | |
| Drum Lifter | | Bag - Bait | |
| Lever Hoist Parts Breakdown | | Bollard - Curved Type A | |
| Lever Hoist - Puller, 622 | 139 | Bollard - Deck Mount Lxy-B012 | |
| Lever Hoist - Puller, 622 (Nop) | | Bollard - Dock Type J | |
| Lever Hoist - Puller, 816 Subsea | | Bollard - Double Bit Deck Mount Lxy-B011 | |
| Lever Hoist - Puller, Hsh-Al. | | Bollard - Double Bitt Lxy-B09 | |
| Light Weight Aluminum | 136 | Bollard - Double Bitt Lxy-B10 | |
| Light Weight Aluminum Lever Hoist | | Bollard - Single-Bite Type Jis | |
| Non-Overload Protection | | Bollard - Single Bitt | |
| Non-Overload Protection | | Bollard - T-Head | |
| Pcd Vertical Plate Clamps Table | | Bollard - Type Stag Horn | |
| Permanent Magnet Lifter | | Bracket - Smit Bracket | |
| Permanent Magnet Lifter - | | Chain - Open Link | |
| Warnings and Application Instructions | 146 | Chain - Stud Link Anchor | |
| Principle of Overload Protection | | Chock - Bulwark Mounting, Bow, Type Eu | |
| Rope Grab - Puller | | Chock - Bulwark Mounting, Jis F2017-Bc | |
| Trolleys - Beam, Push Travel | | Chock - Bulwark Mounting, Jis F2030-A | |
| Winch - Wire Rope | | Chock - Mounting, Type Eu | |
| Winch - Wire Rope, Spare Pin | | Cleat - Dock, Heavy Duty | |
| Which who rope, Spare I in | | Container Lifting - Sea-Stab | |
| LASHING EQUIPMENT | 15 | Fairlead Roller - Anchor | |
| Buckle - Ratchet | | Fairlead Roller - Jis F2014 | |
| Hook - Wire, Double J | | Fairlead Roller - Type A | |
| Loadbinder - Folding Binder - Ratchet | | Fairlead Roller - Universal | |
| Loadbinder - Lever | | Fender And Buoyancy | |
| Loadbinder - Lever Bx | | Fender - Cylindrical Fenders | |
| Loadbinder - Ratchet | | Fender - Foam Filled Fender Type & Structure | |
| Loadbinder - Ratchet, Hs | | Fender Foam Ionomer, Berthing Energy And Reaction Forces | |
| Loadbinder - Ratchet, T-Handle | | Fender Foam Ionomer, Gilman Corporation | |
| Ring - Weld-On D-Ring Tie Down | | Fender - Pneumatic Fender | |
| Tie Down Cargo Strap - Chain Assembly | | Hinge - Butt, Heavy Duty | |
| Tie Down Cargo Strap - Chain Assembly | | Hinge - Strap | |
| Webbing - Tie Down Material, Polyester | | Hook - Chain Grapnel | |
| | | | |
| Winch - Truck, #5820 | ∠∪ | Hook - Dual Chaser Ring | |
| LIETING & CENEDAL DURDOCT CHAIN | r | Hook - G, Alloy, Grade 80 / Link - Recessed, Alloy, Grade 80 | |
| LIFTING & GENERALPURPOSE CHAINChain - Alloy Long-Link, Grade 80 | | Hook - J, Chain Chaser | |
| · · | | Hook - Pelican Sliphook, GN® | |
| Chain - Alloy Long-Link, Grade 80, Trygg® | | Hook - Permanent Chain Chaser | |
| Chain - Alloy Short-Link, Grade 80, Trygg® | | Hook - Ring Chaser | |
| Chain - Long-Link Lasning, Grade 80 | 11 | Jdi - Ddil | 1 / ŏ |



| Knife - Bait | 177 | Link - Kit, Connecting, Pin & Sleeve Kit, | |
|--|--------|--|------------|
| Knife - Scallop | 177 | Grade 100 | |
| Link - Connecting, Pear, Anchor Joining | 170 | Link - Master Link, Grade 80 | 25 |
| Link - Split | 172 | Link - Master Link, Grade 100 | 35 |
| Link - Split, Alloy, Lobster Link | 173 | Ring - Weld On Lifting Point, Grade 80 | 44 |
| Mooring Connector - H-Links | 213 | Swivel - Coupling, Insulated Blank Swivel, | |
| Oar Lock | 176 | Grade 80 | 33 |
| Ring - Round | 169 | Swivel - Hoist Ring, Metric Thread, Grade 80 | |
| Shackle - Kenter Shackle, Joining Link | 168 | Swivel - Hoist Ring, Unc Thread Grade 80 | 49,51 |
| Sheave - Horizontal Lead | 205 | Swivel - Hoist Ring, Unc Thread, Grade 80 | |
| Sheave - Vertical Lead | 205 | Swivel - Lifting Eye Key Point, Metric Thread, | |
| Stenhouse Slip | | Grade 80 | 47 |
| Stopper - Chain Cable Stopper | 206 | Swivel - Lifting Eye Key Point - Unc Thread, | |
| Swivel - Forerunner, Assembly, With Links | | Grade 80 | 46 |
| Swivel - Lobster | | | |
| Triangle Plate - GN® | 172 | RIGGING HARDWARE & EQUIPMENT | 52 |
| Tuning Fork - GN® | | Block - Chain | |
| Turnbuckle - Chain Stopper Assembly, Devil's Claw | | Block - Gin | |
| Washer - Scallop, Black | | Block - Pulley | |
| 1. | | Block - Sheave Bronze Brushed | |
| G80 & G100 STEEL LIFTING COMPONENTS | 24 | Block - Single Or Double Sheave, Wooden, With Hook | |
| Hook - Clevis Grab Hook, Grade 80 | 26 | Block - Snatch, Double Sheave, Light Duty, | |
| Hook - Clevis Grab Hook, Grade 100 | | With Hook | 105 |
| Hook - Clevis Grab Hook With Pin, Grade 100 | | Block - Snatch, Double Sheave, Light Duty, | |
| Hook - Clevis Sling Hook, Grade 80 | | With Shackle | 106 |
| Hook - Clevis Sling Hook, Grade 100 | | Block - Snatch, Single Sheave, Alloy, | |
| Hook - Container Hook, Grade 80 | | With Hook | 106 |
| Hook - Coupling, Self-Locking, Grade 80 | | Block - Snatch, Single Sheave, Alloy, | |
| Hook - Eye Sling Hooks, Grade 100 | | With Shackle | 107 |
| Hook - Foundry Clevis Hooks, Grade 100 | | Block - Snatch, Single Sheave, Heavy Duty, With Eye, GN® | |
| Hook - Foundry Eye Hook, Grade 80, | | Block - Snatch, Single Sheave, Large, Super Duty, | |
| Hook - Foundry Eye Hooks, Grade 100 | | With Hook | 100 |
| Hook - Kit, Clevis, Load Pin Kit, Grade 80 | | Block - Snatch, Single Sheave, Large, Super Duty, | |
| Hook - Kit, Clevis, Load Pin Kit, Grade 100 | | With Shackle | 110 |
| Hook - Kit, Self-Locking Recessed Trigger Kit, | | Block - Snatch, Single Sheave, Light Duty, | |
| Grade 80/100Grade 80/100 | 31 //1 | Tail Board | 105 |
| Hook - Self Locking Clevis Hook, Grade 80 | | Block - Snatch, Single Sheave, Light Duty, | 100 |
| Hook - Self Locking Clevis Hook, Grade 100 | | With Hook | 107 |
| Hook - Self Locking Eye Hook, Grade 80 | | Block - Snatch, Single Sheave, Light Duty, | 101 |
| Hook - Self Locking Eye Hook, Grade 100 | | With Shackle | 109 |
| Hook - Self Locking Swivel Hook, Grade 80 | | Block - Snatch, Single Sheave, With Hook | |
| Hook - Sliding Choker Hooks, Grade 80 | | Block - Snatch, Single Sheave, With Shackle | |
| Hook - Suivel Self Locking Hook Ball Bearing, | 50 | Block - Snatch, Single Sheave, Wooden, With Hook | |
| Grade 100Grade 100 Grade 100 | 38 | Block - Try Net | |
| Hook - Swivel Self Locking Hook Brass Bushing, | 30 | Block - Yarding | |
| Grade 100Grade | 20 | Bow, Anchor, With Safety Bolt Green Pin® | |
| Hook - Web And Round Sling Hook, Grade 100 | | Bow, Anchor, With Safety Bolt Yellow Pin® | |
| Hook - Weld On Bucket Hook, Grade 80 | | Bow, Anchor, With Screw Green Pin® | |
| | | Pour Ancher With Serger Din | 03 |
| Link - Connecting Link, Grade 80 | | Bow, Anchor, With Screw PinBow, Anchor, With Screw Yellow Pin® | |
| Link - Connecting Link, Grade 100 | | | |
| Link - Coupling, Half Link & Pin, Grade 80 | | Bow, With Safety Bolt, GN®Commercial Bow, Anchor, With Screw Pin | |
| Link - Coupling, Master Link, Grade 80 | | | |
| Link - Coupling & Pin, Grade 80 | | Dee (Chain) Trawling, With Square Head Screw Pin | |
| Link - Coupling, Round Sling, Grade 80 | 32 | Dee (Chain), With Screw Pin | |
| Link - Kit, Connecting, Pin & Sleeve Kit, | 24 | Eye Bolt - Regular With Nut | |
| Grade 80, For Coupling Series | 34 | Eye Bolt - Ring With Shoulder & Nut | |
| Link - Kit, Connecting. Pin & Sleeve Kit, | | Eye Bolt - Screw | |
| Grade 80 | 51 | Eye Bolts Forged - Warnings And Application Instructions | 8 <i>1</i> |

| Eye Bolt - Shoulder Machine, Imperial | 84 | Turnbuckle - Jaw & Jaw, Stainless Steel | 76 |
|--|--------|--|----------|
| Eye Bolt - Shoulder Machine, Metric | 85 | Turnbuckle - Stub End | 77 |
| Eye Bolt - Shoulder With Nut | 82,83 | Turnbuckle - Stub End, Body Only | 77 |
| Eye Bolt - Shoulder With Nut, Unc | 81 | Water Bags, Crane | 114 |
| Eye Nut | 83, 86 | Water Bags, Crane Certification Fluid Weight | 113 |
| Eye Pad | 85 | Water Bags, Lifeboat | 114 |
| Hook - Anchor Line Hook, GN® | 124 | Wide Body Sling, With Safety Bolt Green Pin® | 59 |
| Hook - Carabiner, Fishing, Screw Lock | 93 | Wide Body Sling, With Safety Bolt, Yoke®Brand | 59 |
| Hook - Clevis, Grab, Grade 70 | 117 | Wide Mouth Bow, With Safety Bolt Green Pin® | 66 |
| Hook - Clevis, Grab, With Latch, Grade 70 | 117 | | |
| Hook - Clevis, Slip, Grade 70 | | ROPE (SYNTHETIC & FIBER) | 232 |
| Hook - Clevis, Slip, With Latch, Grade 70 | 118 | Fid - Norwegian | 251 |
| Hook - Eye, Hoist, Grade 100, Yoke®Brand | 124 | Rope - Dsm Dyneema, 8 & 12-Strand | 235 |
| Hook - Eye, Hoist, With Latch | 119 | Rope - Dsm Dyneema, 12-Strand | 236 |
| Hook - Eye, Rov, With Latch, GN® | 122 | Rope - Manila, 3-Strand | |
| Hook - Eye, Slip, With Latch | 116 | Rope - Manila, 4-Strand | 242 |
| Hook - Lanyard, With Double Lock | 117 | Rope - Nylon, 3-Strand | 244 |
| Hook - Latch Kit | | Rope - Nylon, 8-Strand | 243 |
| Hook - Rov Shank Hook, GN® | 123 | Rope - Nylon Double Braided 2-1, Steel Line | 247 |
| Hook - "S" | 93 | Rope - Nylon, Jumbo, 3-Strand | 245 |
| Hooks Eye Hoist - Warnings And Application Instructions | 126 | Rope - Steel Line, 3-Strand, Aqua | |
| Hook - Snap | 93 | Rope - Steel Line, 3-Strand, Yellow | |
| Hook - Snap, With Latch | | Rope - Steel Line, 8-Strand, Gold | |
| Hook - Sorting, With Handle | | Rope - Polyester Double Braided 2-1, Steel Line | 248 |
| Hook - Swivel Eye, Hoist, With Latch | | Rope - Polypropylene, Jumbo, 3-Strand, Yellow | |
| Hook - Swivel Eye, With Latch | | Rope - Sail Twine, Waxed | |
| Hook - Swivel, Hoist, Grade 100, Yoke®Brand | | Rope - Sash Cord, Cotton | |
| Link - Master Link, Dnv 2.7-1+ | | Rope Types - Synthetic | |
| Link - Quick | | Sail Needle | |
| Link - Twin Clevis | 92 | Sail Palms | |
| Load Cell - Software Packages | 116 | Slings - Sling Chart, Dyneema (Synthetic Rope), | |
| Load Cell - Wireless Kit | 114 | Endless Grommet | 238 |
| Master Link Assembly, Dnv 2.7-1+ | | Slings - Sling Chart, Dyneema (Synthetic Rope), Eye & Eye | |
| Master Link, Large | | Soft Shackles | |
| Pear, Weldless Sling | | Splicing - Pusher & Fids - Aluminum | |
| Ring - Round, Weldless | | Twin-path Extra Covermax | |
| Rov Locking Clamp Release Bow, Polar, With Green Pin® | | · | |
| Rov Spring Release Bow, Polar, With Green Pin® | | SLINGS | 218 |
| Shackle - Warnings And Applications | | Sling - Round, Polyester229,2 | 230, 231 |
| Sling Protector, With Safety Bolt, GN® | 60 | Sling - Webbing Material, Polyester | 230 |
| Super Bow, Anchor, With Safety Bolt Green Pin® | | Sling - Web, Polyester | |
| Swivel - Bullet Style, Angular Contact Bearing | 99 | Sling - Wire Rope, Bright, With A1 Light Lube | 219,220 |
| Swivel - Closed Body Swivel, GN® | | Sling - Wire Rope, Galvanized | |
| Swivel - Eye & Eye | | Wire Rope Sling Charts | |
| Swivel - Eye & Eye, Angular Contact Bearing | | | |
| Swivel - Eye & Eye, With Hardened Wearing RingRing | | TOOLS | 157 |
| Swivel - Flex, Eye & Eye | | Tool - Bolt Cutter | |
| Swivel - Jaw & Eye | | Tool - Swager Cutter | |
| Swivel - Jaw & Jaw, Angular Contact Bearing | | Tool - Wire Cutter | |
| Swivel - Short Bow | | | |
| Turnbuckle - Bottle Type (Closed) Galvanized | | WIRE ROPE | 288 |
| Turnbuckle - Eye & Eye, Galvanized | | Jiangsu Langshan Wire Rope Co. Ltd. | |
| Turnbuckle - Eye & Eye, Lashing | | The Worlds Largest Wire Rope Factory | 291 |
| Turnbuckle - Heavy Duty, GN® | | J ,, | |
| Turnbuckle - Hook & Hook, Galvanized | | Exclusive Canadian Dealer for Jiangsu Langshan Wire Rope Co. I | Ltd. |
| Turnbuckle - Jaw & Eye, Galvanized | | The Worlds Largest Wire Rope Factory | |
| Turnbuckle - Jaw & Jaw, Bottle Type (Closed) Stainless Steel | | Sea Lube Wire Rope Lubricant | |
| Turnbuckle - Jaw & Jaw, Galvanized | | Wire Rope -6x19, Bridle Wire, Fiber Core, Galvanized | |



| Wire Rope - 6x19, Steel Core, Galvanized | 298 |
|--|---------|
| Wire Rope - 6x19, Steel Core, Galvanized & Greased | |
| Wire Rope -6x19,Trawl Warp, Fiber Core, | |
| Galvanized & Greased | |
| Wire Rope - 6x24, Fiber Core, Galvanized | 297 |
| Wire Rope - 6x25, Trolley & Hoists Rope, | 205 |
| Fiber Core, Bright & Greased | 305 |
| Wire Rope -6x26, Regular Swaged Ws, Steel Core, Bright & Greased | 297 |
| Wire Rope - 6x26, Steel Core, Bright & Greased | |
| Wire Rope - 6x26, Steel Core, Galvanized | |
| Wire Rope - 6x36, Steel Core, Bright & Greased | |
| Wire Rope - 6x36, Steel Core, Galvanized | |
| Wire Rope - 6x36, Steel Core, Galvanized & Greased | |
| Wire Rope - 6x37, Fiber Core, Bright & Greased | 304 |
| Wire Rope -7x7, 7x19, 6x19, 6x26, Steel Core, Stainless | 294 |
| Wire Rope -7x7 & 7x19, Aircraft Cable, | |
| Pvc Coated, Steel Core, Galvanized | 293 |
| Wire Rope - 7x7, 7x19, Aircraft Cable, | |
| Pvc Coated, Steel Core, Stainless | 295 |
| Wire Rope -7x7 & 7x19, Aircraft Cable, | |
| Steel Core, Galvanized | 292 |
| Wire Rope - 8x19, Seale, Iwrc 1960 N/Mm2, | 200 |
| Galvanized, A-2 Lube | |
| Wire Rope - 8x36, Seale, Iwrc 1960 N/Mm2, | 303 |
| Galvanized, A-2 Lube | 309 |
| Wire Rope - 18x19s, Rotation Resistant, | 505 |
| Steel Core, Bright & Greased | 304 |
| Wire Rope - 19x7, Rotation Resistant, | |
| Steel Core, Bright & Greased | 304 |
| Wire Rope - 35x7, Compacted, Hoist Rope, | |
| Bright & Greased | 306,307 |
| Wire Rope -35x7, Compacted, Non-Rotating, | |
| Steel Core, Galvanized & Greased | 308 |
| Wire Rope -35x7, Compacted, Non-Rotating, | |
| Steel Core, Galvanized & Greased | 307 |
| WIDE DODE END TERMINATORS | 050 |
| WIRE ROPE END TERMINATORS | |
| Cable Joiner - Self-Locking | |
| Clips Wire Rope Warnings | Z1 Z |
| and Application Instructions | 276 |
| Clip - Wire Rope, Forged | |
| Clip - Wire Rope, Malleable | |
| Clip - Wire Rope, Stainless | |
| Die Lube - Swaging Lubricant | |
| Fast Flemish Swage System | 255 |
| Go-No-Go Guages - For Flemish Eye Steel Sleeves (Ferrules) | 272 |
| Hook - Micro Midget Choker | |
| Marlin Spike | |
| Reeling Machines Wirop Shaftless | |
| Resin Socketing Warning And Safety Information | |
| Rigging Equipment | |
| Sleeve (Ferrule) - Aluminium | |
| Sleeve (Ferrule) - Aluminium DuplexSleeve (Ferrule) - Aluminium Stop | |
| Sleeve (Ferrule) - Aluminium Slop | |
| | |

| Sleeve (Ferrule) - Copper Oval | 264 |
|---|---------|
| Sleeve (Ferrule) - Copper Stop | |
| Sleeve (Ferrule) - Duplex Oval | |
| Sleeve (Ferrule) - Flemish Splice, Carbon Steel | 260 |
| Sleeve (Ferrule) - Stainless Steel Duplex | |
| Sleeves (Ferrules) Size Number Table A.2 | |
| Socket - Clipinator Wedge Socket | |
| Socketing Putty | 282 |
| Socket Lock - Resin | |
| Socket -Spelter, Closed, Forged | 277 |
| Socket - Spelter, Closed, GN® | 280 |
| Socket - Spelter, Cr, Closed (Peewee, Gold Nose), GN® | 281 |
| Socket - Spelter, Open, Forged | 277 |
| Socket -Spelter, Open, GN® | 278,279 |
| Socket - Swage, Closed, Forged | 284 |
| Socket -Swage, Open, Forged | 285 |
| Solid Thimble - Din 3091 | 271 |
| Swaging Machine New-Tech "Smart Press" | 260 |
| Swaging Machines From 150 Te To 4,000 Te | 258 |
| Thimble - Heavy Duty | 267,269 |
| Thimble - Light Duty | 268,269 |
| Thimble - Synthetic Rope | |
| Thimble - Tube | 270 |
| Nedge Socket Warnings And Use | 287 |
| Vire Rope Broom Degreaser | 282 |
| | |



| Anchor - Ac-14 | | Fender Foam Ionomer, Gilman Corporation | |
|--|-----|--|---------|
| Anchor - Danforth Style / Workboat | | Hinge - Butt, Heavy Duty | |
| Anchor - Dead Weights | | Hinge - Strap | |
| Anchor - Delta Hhp | | Hook - Chain Grapnel | |
| Anchor - Stockless | | Hook - Dual Chaser Ring | |
| Anchor - St Offshore | | Hook - G, Alloy, Grade 80 / Link - Recessed, Alloy, Grade 80 | |
| Anchor - Sts Offshore | | Hook - J, Chain Chaser | |
| Aquaculture Gear Available From Stock | | Hook - Pelican Sliphook, GN® | |
| Available Spare Parts For Chain Hoist Block 619 | | Hook - Permanent Chain Chaser | |
| Bag - Bait | | Hook - Rebar, N-3620 | |
| Block - Chain Hoist, 619, (Nop) | | Hook - Rebar, N-3630 | |
| Block - Chain Hoist, 619 | | Hook - Ring Chaser | |
| Bollard - Curved Type A | | Hook - Snap, N-3610 | |
| Bollard - Deck Mount Lxy-B012 | | Hook - Wire, Double J | |
| Bollard - Dock Type J | | Jar - Bait | |
| Bollard - Double Bit Deck Mount Lxy-B011 | | Knife - Bait | |
| Bollard - Double Bitt Lxy-B09 | | Knife - Scallop | |
| Bollard - Double Bitt Lxy-B10 | | Lever Hoist - Puller, 622 (Nop) | |
| Bollard - Single-Bite Type Jis | | Lever Hoist - Puller, 622 | |
| Bollard - Single Bitt | | Lever Hoist - Puller, 816 Subsea | 134 |
| Bollard - T-Head | | Lever Hoist - Puller, Hsh-Al, | |
| Bollard - Type Stag Horn | | Lever Hoist Parts Breakdown | |
| Bracket - Smit Bracket | | Light Weight Aluminum | |
| Buckle - Ratchet | | Light Weight Aluminum Lever Hoist | |
| Cable Sock - K-Type | | Link - Carabiner, Self-Locking, With Captive Pin, N-252g | |
| Cable Sock - T-Type | | Link - Carabiner, Self-Locking, With Captive Pin, N-256g | |
| Chain - Alloy Long-Link, Grade 80 | | Link - Carabiner, Self-Locking, With Captive Pin, N-259g | |
| Chain - Alloy Long-Link, Grade 80, Trygg® | | Link - Connecting, Pear, Anchor Joining | |
| Chain - Alloy Short-Link, Grade 80, Trygg® | 11 | Link - 0-Ring, N-489 | |
| Chain - Long-Link Lashing, Grade 80 | | Link - Split, Alloy, Lobster Link | |
| Chain - Mid-Link Fishing, Grade 80 | | Link - Split | |
| Chain - Open Link | 165 | Loadbinder - Folding Binder - Ratchet | |
| Chain - Overhead Lifting, Grade 100 | | Loadbinder - Lever, Bx | |
| Chain - Proof Coil, Grade 30 | 9 | Loadbinder - Lever | |
| Chain - Self Coloured, High Test, Grade 43 | | Loadbinder - Ratchet, Hs | |
| Chain - Stainless, Grade 50 | 12 | Loadbinder - Ratchet, T-Handle | |
| Chain - Stud Link Anchor | | Loadbinder - Ratchet | |
| Chain - Transport, Grade 70 | 8 | Mooring Connector - H-Links | |
| Chain - Overhead Lifting, Grade 80 | 7 | Non-Overload Protection | |
| Chain Hoist Parts Breakdown | 132 | Non-Overload Protection | 140 |
| Chain Slings - Sling Chart, Chain | 12 | Oar Lock | |
| Chock - Bulwark Mounting, Bow, Type Eu | 205 | Pcd Vertical Plate Clamps Table | 150 |
| Chock - Bulwark Mounting, Jis F2017-Bc | 204 | Permanent Magnet Lifter - | |
| Chock - Bulwark Mounting, Jis F2030-A | 204 | Permanent Magnet Lifter | |
| Chock - Mounting, Type Eu | | Principle of Overload Protection | 128,138 |
| Clamp - Beam | 148 | Ring - Round | 169 |
| Clamp - Plate, Horizontal Lifting Clamp | 151 | Ring - Weld-On D-Ring Tie Down | 20 |
| Cleat - Dock, Heavy Duty | 175 | Rope Grab - Puller | 152 |
| Container Lifting - Sea-Stab | 214 | Shackle - Kenter Shackle, Joining Link | 168 |
| Drum Lifter | 154 | Sheave - Horizontal Lead | 205 |
| Fairlead Roller - Anchor | 201 | Sheave - Vertical Lead | 205 |
| Fairlead Roller - Jis F2014 | | Tie Down Cargo Strap - Chain Assembly | 19 |
| Fairlead Roller - Type A | 201 | Tie Down Cargo Strap - Ratchet | |
| Fairlead Roller - Úniversal | | Trolleys - Beam, Push Travel | |
| Fender - Cylindrical Fenders | | Warnings and Application Instructions | |
| Fender - Foam Filled Fender Type & Structure | | Webbing - Tie Down Material, Polyester | |
| Fender - Pneumatic Fender | | Winch - Truck, #5820 | |
| Fender And Buoyancy | | Winch - Wire Rope, Spare Pin | |
| Fender Foam Ionomer, Berthing Energy And Reaction Forces | | Winch - Wire Rope | |
| | | | |




| Stenhouse Slip | 178 | Block - Chain | 102 |
|---|-------|--|-----|
| Stopper - Chain Cable Stopper | | Block - Gin | |
| Swivel - Forerunner, Assembly, With Links | | Block - Pulley | 104 |
| Swivel - Lobster | | Block - Sheave Bronze Brushed | |
| riangle Plate - GN® | | Block - Single Or Double Sheave, Wooden, With Hook | 103 |
| Tuning Fork - GN® | | Block - Snatch, Double Sheave, Light Duty, | |
| Turnbuckle - Chain Stopper Assembly, Devil's Claw | | With Hook | 105 |
| Vasher - Scallop, Black | | Block - Snatch, Double Sheave, Light Duty, | |
| look - Clevis Grab Hook, Grade 80 | | With Shackle | 106 |
| look - Clevis Grab Hook, Grade 100 | 36 | Block - Snatch, Single Sheave, Alloy, | |
| Hook - Clevis Grab Hook With Pin, Grade 100 | 37 | With Hook | 106 |
| Hook - Clevis Sling Hook, Grade 80 | 27 | Block - Snatch, Single Sheave, Alloy, | |
| Hook - Clevis Sling Hook, Grade 100 | 37 | With Shackle | 107 |
| Hook - Container Hook, Grade 80 | 30 | Block - Snatch, Single Sheave, Heavy Duty, With Eye, GN® | 111 |
| look - Coupling, Self-Locking, Grade 80 | 34 | Block - Snatch, Single Sheave, Large, Super Duty, | |
| Hook - Eye Sling Hooks, Grade 100 | 40 | With Hook | 109 |
| Hook - Foundry Clevis Hooks, Grade 100 | 40 | Block - Snatch, Single Sheave, Large, Super Duty, | |
| Hook - Foundry Eye Hook, Grade 80 | 29 | With Shackle | 110 |
| Hook - Foundry Eye Hooks, Grade 100, | 40 | Block - Snatch, Single Sheave, Light Duty, | |
| Hook - Kit, Clevis, Load Pin Kit, Grade 80 | 31 | Tail Board | 105 |
| Hook - Kit, Clevis, Load Pin Kit, Grade 100 | 42 | Block - Snatch, Single Sheave, Light Duty, | |
| Hook - Kit, Self-Locking Recessed Trigger Kit, | | With Hook | 107 |
| Grade 80/100 | 31,41 | Block - Snatch, Single Sheave, Light Duty, | |
| Hook - Self Locking Clevis Hook, Grade 80 | 29 | With Shackle | 108 |
| Hook - Self Locking Clevis Hook, Grade 100 | 39 | Block - Snatch, Single Sheave, With Hook | 108 |
| Hook -Self Locking Eye Hook, Grade 80 | 28 | Block - Snatch, Single Sheave, With Shackle, | |
| Hook - Self Locking Eye Hook, Grade 100 | 39 | Block - Snatch, Single Sheave, Wooden, With Hook | 104 |
| Hook - Self Locking Swivel Hook, Grade 80 | 28 | Block - Try Net | 101 |
| Hook - Sliding Choker Hooks, Grade 80 | 30 | Block - Yarding | 101 |
| Hook - Swivel Self Locking Hook Ball Bearing, | | Bow, Anchor, With Safety Bolt Green Pin® | |
| Grade 100 | 38 | Bow, Anchor, With Safety Bolt Yellow Pin® | 58 |
| Hook - Swivel Self Locking Hook Brass Bushing, | | Bow, Anchor, With Screw Green Pin® | |
| Grade 100 | 38 | Bow, Anchor, With Screw Pin | |
| Hook - Web And Round Sling Hook, Grade 100 | 41 | Bow, Anchor, With Screw Yellow Pin® | |
| Hook - Weld On Bucket Hook, Grade 80 | | Bow, With Safety Bolt, GN® | |
| Link - Connecting Link, Grade 80 | | Commercial Bow, Anchor, With Screw Pin | |
| Link - Connecting Link, Grade 100 | | Dee (Chain) Trawling, With Square Head Screw Pin | |
| Link - Coupling, Half Link & Pin, Grade 80 | | Dee (Chain), With Screw Pin | |
| Link - Coupling, Master Link, Grade 80 | | Eye Bolt - Regular With Nut | |
| Link - Coupling & Pin, Grade 80 | | Eye Bolt - Ring With Shoulder & Nut | |
| ink - Coupling, Round Sling, Grade 80 | 32 | Eye Bolt - Screw | 81 |
| ink - Kit, Connecting, Pin & Sleeve Kit, | | Eye Bolts Forged - Warnings And Application Instructions | 87 |
| Grade 80, For Coupling Series | 34 | Eye Bolt - Shoulder Machine, Imperial | |
| ink - Kit, Connecting, Pin & Sleeve Kit, | | Eye Bolt - Shoulder Machine, Metric | |
| Grade 80, | 31 | Eye Bolt - Shoulder With Nut | |
| ink - Kit, Connecting, Pin & Sleeve Kit, | | Eye Bolt - Shoulder With Nut, Unc | |
| Grade 100, | | Eye Nut | |
| ink - Master Link, Grade 80 | | Eye Pad | |
| Link - Master Link, Grade 100 | | Hook - Anchor Line Hook, GN® | |
| Ring - Weld On Lifting Point, Grade 80 | 44 | Hook - Carabiner, Fishing, Screw Lock | |
| Swivel - Coupling, Insulated Blank Swivel, | | Hook - Clevis, Grab, Grade 70 | |
| Grade 80 | | Hook - Clevis, Grab, With Latch, Grade 70 | |
| Swivel - Hoist Ring, Metric Thread, Grade 80 | | Hook - Clevis, Slip, Grade 70 | |
| Swivel - Hoist Ring, Unc Thread, Grade 80 | | Hook - Clevis, Slip, With Latch, Grade 70 | |
| Swivel - Hoist Ring, Unc Thread, Grade 80 | 48 | Hook - Eye, Hoist, Grade 100, Yoke®Brand | |
| Swivel - Lifting Eye Key Point, Metric Thread, | | Hook - Eye, Hoist, With Latch | |
| Grade 80 | 47 | Hook - Eye, Rov, With Latch, GN® | |
| Swivel - Lifting Eye Key Point - Unc Thread, | | Hook - Eye, Slip, With Latch | |
| Grade 80 | 46 | Hook - Lanyard, With Double Lock | 117 |
| | | | |

| 1 | 404 | 5 6 11 66 14 | |
|---|-----|--|--------------|
| Hook - Latch Kit | | Rope - Steel Line, 3-Strand, Aqua | |
| Hook - Rov Shank Hook, GN® | | Rope - Steel Line, 3-Strand, Yellow | |
| look - "S" | | Rope - Steel Line, 8-Strand, Gold | |
| Hooks Eye Hoist - Warnings And Application Instructions | | Rope - Polyester Double Braided 2-1, Steel Line | |
| Hook - Snap | | Rope - Polypropylene, Jumbo, 3-Strand, Yellow | |
| Hook - Snap, With Latch | | Rope - Sail Twine, Waxed | |
| Hook - Sorting, With Handle | | Rope - Sash Cord, Cotton | |
| look - Swivel Eye, Hoist, With Latch | | Rope Types - Synthetic | |
| Hook - Swivel Eye, With Latch | | Sail Needle | |
| Hook - Swivel, Hoist, Grade 100, Yoke®Brand | | Sail Palms | 252 |
| ink - Master Link, Dnv 2.7-1+ | | Slings - Sling Chart, Dyneema (Synthetic Rope), | |
| .ink - Quick | | Endless Grommet | |
| ink - Twin Clevis | | Slings - Sling Chart, Dyneema (Synthetic Rope), Eye & Ey | |
| _oad Cell - Software Packages | | Soft Shackles | |
| oad Cell - Wireless Kit | | Splicing - Pusher & Fids - Aluminum | |
| Master Link Assembly, Dnv 2.7-1+ | 89 | Twin-path Extra Covermax | |
| Master Link, Large | 91 | Sling - Round, Polyester | 229,230, 231 |
| Pear, Weldless Sling | 90 | Sling - Webbing Material, Polyester | 230 |
| Ring - Round, Weldless | 91 | Sling - Web, Polyester | 228,229 |
| Rov Locking Clamp Release Bow, Polar, With Green Pin® | 68 | Sling - Wire Rope, Bright, With A1 Light Lube | 219,220 |
| Rov Spring Release Bow, Polar, With Green Pin® | 67 | Sling - Wire Rope, Galvanized | 221-223 |
| Shackle - Warnings And Applications | | Wire Rope Sling Charts | |
| Sling Protector, With Safety Bolt, GN® | | Tool - Bolt Cutter | |
| Super Bow, Anchor, With Safety Bolt Green Pin® | | Tool - Swager Cutter | |
| Swivel - Bullet Style, Angular Contact Bearing | | Tool - Wire Cutter | |
| Swivel - Closed Body Swivel, GN® | | Jiangsu Langshan Wire Rope Co. Ltd. | |
| Swivel - Eye & Eye | | The Worlds Largest Wire Rope Factory | 291 |
| Swivel - Eye & Eye, Angular Contact Bearing | | 3 , , | |
| Swivel - Eye & Eye, With Hardened Wearing Ring | | Exclusive Canadian Dealer for Jiangsu Langshan Wire R | one Co. Ltd |
| Swivel - Flex, Eye & Eye | | The Worlds Largest Wire Rope Factory | |
| Swivel - Jaw & Eye | | Sea Lube Wire Rope Lubricant | |
| Swivel - Jaw & Jaw, Angular Contact Bearing | | Wire Rope - 6x19, Bridle Wire, Fiber Core, Galvanized | |
| Swivel - Short Bow | | Wire Rope - 6x19, Steel Core, Galvanized | |
| Turnbuckle - Bottle Type (Closed) Galvanized | | Wire Rope - 6x19, Steel Core, Galvanized & Greased | |
| Turnbuckle - Eye & Eye, Galvanized | | Wire Rope - 6x19, Trawl Warp, Fiber Core, | |
| Furnbuckle - Eye & Eye, Lashing | | Galvanized & Greased | 296 |
| Turnbuckle - Lye & Lye, Lasting | | Wire Rope - 6x24, Fiber Core, Galvanized | |
| Turnbuckle - Hook & Hook, Galvanized | | Wire Rope - 6x25, Trolley & Hoists Rope, | |
| Turnbuckle - Jaw & Eye, Galvanized | | Fiber Core, Bright & Greased | 305 |
| Furnbuckle - Jaw & Lye, Galvariized Furnbuckle - Jaw & Jaw, Bottle Type (Closed) Stainless Steel | | Wire Rope - 6x26, Regular Swaged Ws, | |
| umbuckie - Jaw & Jaw, Bollie Type (Closed) Stainless Steet Tumbuckle - Jaw & Jaw, Galvanized | | Steel Core, Bright & Greased | 207 |
| Turnbuckle - Jaw & Jaw, Galvanizeu | | Wire Rope - 6x26, Steel Core, Bright & Greased | 297 |
| | | | |
| Tumbuckle - Stub End | | Wire Rope - 6x26, Steel Core, Galvanized | |
| Turnbuckle - Stub End, Body Only | | Wire Rope - 6x36, Steel Core, Bright & Greased | |
| Vater Bags, Crane | | Wire Rope - 6x36, Steel Core, Galvanized | |
| Nater Bags, Crane Certification Fluid Weight | | Wire Rope - 6x36, Steel Core, Galvanized & Greased | |
| Vater Bags, Lifeboat | | Wire Rope - 6x37, Fiber Core, Bright & Greased | |
| Vide Body Sling, With Safety Bolt Green Pin® | | Wire Rope - 7x7, 7x19, 6x19, 6x26, Steel Core, Stainless | 294 |
| Vide Body Sling, With Safety Bolt, Yoke®Brand | | Wire Rope - 7x7 & 7x19, Aircraft Cable, | |
| Nide Mouth Bow, With Safety Bolt Green Pin® | | Pvc Coated, Steel Core, Galvanized | 293 |
| Fid - Norwegian | | Wire Rope - 7x7, 7x19, Aircraft Cable, | |
| Rope - Dsm Dyneema, 8 & 12-Strand | | Pvc Coated, Steel Core, Stainless | 295 |
| Rope - Dsm Dyneema, 12-Strand | | Wire Rope - 7x7 & 7x19, Aircraft Cable, | |
| Rope - Manila, 3-Strand | | Steel Core, Galvanized | 292 |
| Rope - Manila, 4-Strand | | Wire Rope - 8x19, Seale, lwrc 1960 N/Mm2, | |
| Rope - Nylon, 3-Strand | | Galvanized, A-2 Lube | |
| Rope - Nylon, 8-Strand | | Wire Rope -8x26, Boom Rope, Bright & Greased | 303 |
| Rope - Nylon Double Braided 2-1, Steel Line | | Wire Rope - 8x36, Seale, lwrc 1960 N/Mm2, | |
| Rope - Nylon, Jumbo, 3-Strand | 245 | Galvanized, A-2 Lube | 309 |



| Wire Rope - 18x19s, Rotation Resistant, | |
|--|---------|
| Steel Core, Bright & Greased | 304 |
| Wire Rope - 19x7, Rotation Resistant, | |
| Steel Core, Bright & Greased | 304 |
| Wire Rope - 35x7, Compacted, Hoist Rope, | |
| Bright & Greased | 306,307 |
| Wire Rope -35x7, Compacted, Non-Rotating, | |
| Steel Core, Galvanized & Greased | 308 |
| Wire Rope -35x7, Compacted, Non-Rotating, | |
| Steel Core, Galvanized & Greased | 307 |
| Cable Joiner - Self-Locking | 273 |
| Choker Button | 272 |
| Clips Wire Rope Warnings | |
| and Application Instructions | 276 |
| Clip - Wire Rope, Forged | 275 |
| Clip - Wire Rope, Malleable | 274 |
| Clip - Wire Rope, Stainless | |
| Die Lube - Swaging Lubricant | 259 |
| Fast Flemish Swage System | |
| Go-No-Go Guages - For Flemish Eye Steel Sleeves (Ferrules) | |
| Hook - Micro Midget Choker | |
| Marlin Spike | 266 |
| Reeling Machines Wirop Shaftless | |
| Resin Socketing Warning And Safety Information | |
| Rigging Equipment | |
| Sleeve (Ferrule) -Aluminium | |
| Sleeve (Ferrule) -Aluminium Duplex | |
| Sleeve (Ferrule) - Aluminium Stop | |
| Sleeve (Ferrule) - Button Stop | |
| Sleeve (Ferrule) - Copper Oval | |
| Sleeve (Ferrule) - Copper Stop | |
| Sleeve (Ferrule) - Duplex Oval | |
| Sleeve (Ferrule) - Flemish Splice, Carbon Steel | |
| Sleeve (Ferrule) - Stainless Steel Duplex | |
| Sleeves (Ferrules) Size Number Table A.2 | |
| Socket - Clipinator Wedge Socket | |
| Socketing Putty | |
| Socket Lock - Resin | |
| Socket - Spelter, Closed, Forged | |
| Socket - Spelter, Closed, GN® | |
| Socket - Spelter, Cr, Closed (Peewee, Gold Nose), GN® | |
| Socket - Spelter, Open, Forged | |
| Socket - Spelter, Open, GN® | |
| Socket - Swage, Closed, Forged | |
| Socket - Swage, Open, Forged | |
| Solid Thimble - Din 3091 | 27′ |
| Swaging Machine New-Tech "Smart Press" | |
| Swaging Machines From 150 Te To 4,000 Te | |
| Thimble - Heavy Duty | |
| Thimble - Light Duty | |
| Thimble - Synthetic Rope | |
| Thimble - Tube | |
| Wedge Socket Warnings And Use | |
| Wire Rope Broom Degreaser | 282 |



CONDITIONS OF SALE

Right to Inspect:

In the event of the Buyer making a claim against the Company for any reason whatsoever the goods in respect of which any such claim is made shall be preserved intact where delivery for a period of seven days from the notification of the claim to the Company within which time the Company shall have the right to attend at the place where the goods were delivered to investigate the complaint. No claim by the Buyer will be accepted unless this condition is strictly complied with.

Design Changes:

The company reserves the right to effect design changes as technical developments may require without prior notice.

Specifications Provided by Buyer:

The buyer shall indemnify the Company against any and all liability arising through execution by the Company of any order placed by a buyer in accordance with the Buyer's specification where such execution infringes any patent, trademark, or registered design not owned by the buyer or the Company.

Risk, Property and Insurance:

- Goods supplied by the Company shall be at the Buyer's risk immediately on delivery to the buyer or into custody on the
 buyer's behalf (whichever is the sooner) the buyer should therefore arrange insurance accordingly unless the Company has
 specifically agreed to arrange insurance of the goods.
- 2. The property in the goods supplied by the Company will pass to the buyer when (1) the goods the subject of the Contract in question and (2) all other goods the subject of any contract between the Company and the buyer which have been delivered to the buyer (prior to the payment in full for the goods the subject of the contract in question) have been paid in full.
- In the event that the buyer resells or hires out goods supplied by the Company (either ion the original form, or after alterations by the buyer and/or after they have been added to an item manufactured by the buyer) prior to the passing of the property therein to the buyer such resale or hire shall be effected by the buyer as bailee for the Company and the proceeds of such sale or hire shall be held on trust for the Company in a separate bank account opened by the buyer for this purpose and these proceeds shall be received by the buyer for and on behalf of the Company unless all debts owing to the Company by the buyer in respect to the goods supplied by the Company have been paid.
- 4. So long as the property and goods remain the Company and the buyer is in default of such obligation hereunder the Company shall have the right, with or without prior notice to the buyer, to take possession of the goods and for that purpose to go onto any premises occupied by the buyer) and on such retaking of possession the contract shall be deemed to have been determined without prejudice to any claim or rights the Company might otherwise make or exercise.
- 5. Until payment due under all contracts between the Company and buyer has been made in full the buyer shall hold upon trust for the Company the goods (either in their original form, or after alterations by the buyer and /or after they have been added to an item manufactured by the buyer) and shall in so far as may be possible store them in such a way as they may be identifiable as the property of the Company and separate from all other goods in the buyers possession.
- 6. Until payment due under all contracts between the buyer and the Company has been made in full the Company shall be entitled to trace all proceed of sale or hire charges received by the buyer on sale of the goods (either in their original form or after alteration by the buyer and/or after they have been added to an item manufactured by the buyer) received by the buyer through any bank or other account maintained by the buyer and the buyer will provide every assistance free of charge to the Company for the same.
- 7. Until payment due under all contracts between the buyer and Company has been made in full if the buyer sells or hires the goods (either in their original form or after alteration by the buyer and /or after they have been added to an item manufactured by the buyer) in the ordinary course of its business the buyer shall assign its rights to recover the selling price or hire charges from the third parties concerned to the Company if required to do so in writing by the Company.
- 8. Every insurable risk shall pass to the buyer as soon as the goods are delivered to it or into custody on its behalf. The buyer shall keep the goods insured in the amount of the price at which the goods are sold to the buyer against all insurable risks until payment due under all contacts between the buyer and Company has been made in full.
- 9. Of goods (either in their original form or after alteration by the buyer and/or after they have been added to an item manufactured by the buyer) are destroyed by an insured risk to the same being paid for by the buyer the buyer shall receive the proceeds of any such insurance as trustee for the Company.

Cancellation

Once a contract has come into being between the Company and the buyer, that contract can not be cancelled only with the consent of the Company and upon terms that will indemnify it against loss. The buyer will indemnify the Company for all of the Company's contractual losses and the Company will not be under a duty to mitigate those losses.

Dispatch Abroad:

Goods dispatched abroad shall be deemed to have been inspected by the Buyer's agent or representative prior to dispatch from the Company's as no responsibility can be accepted by the Company after goods are consigned for shipment and the Company shall be under no obligation to give the buyer the notice specified.

Literature:

Illustrations, weights, measures, performance capabilities, application suitability information and other date set out in the sales literature of the Company are statements of opinion and are provided for information only and form no part of the contract.

Law of Contract and Jurisdiction:

All contracts for the supply of goods by the Company shall be governed by English Law and be within the exclusive jurisdiction of the Nova Scotia Courts.

Definition:

In these conditions "the Company" means the company upon whose document these conditions are endorsed.

General:

- All quotations are made and all orders are accepted subject to the following conditions. All other conditions whatsoever are excluded from the contract or any variation thereof, unless expressly accepted by the Company in writing.
- Acceptance of delivery of the goods shall where no prior agreement has been reached be conclusive evidence of acceptance
 of these conditions.
- Quotations shall only be available for acceptance for a maximum period of 10 days from the date thereof and may be withdrawn or altered by the Company with in such period at any time without notice.



CONDITIONS OF SALE

- 4. Goods sold from stock are offered subject to the same being unsold upon receipt of the order.
- The goods are subject to specifications (including dimensions, weights, analyses and properties) stated expressly in the
 contract or where none is specified, to the specification published by the company or where Wnone is published to any
 relevant standards or code of practice.
- Any typographical, clerical or other error or omission in any sales literature, quotation, price list, acceptance of offer, invoice or other document or information issued by the Company shall be subject to correction without any liability on the part of the Company.
- 7. The buyer shall not be entitled to retain any more money due to the Company under a contract unless previously agreed in writing by the Company's authorized representative.

Delivery:

Any date named by the Company for dispatch or delivery is given and intended as an estimate only and is not to be of the essence of the Contract. The buyer shall nevertheless be bound to accept the goods ordered whether available on or after the date stated. The Company shall be not be liable in any way in respect of late dispatch or delivery however caused nor shall failure to dispatch be deemed to be a breach of the Contract. Where drawings, specifications, instructions and materials are to be supplied by the buyer, the buyer shall supply the same in reasonable time to enable the Company to dispatch within the period named. The Company may, at its discretion, make installment deliveries and each delivery shall constitute a separate order for the purpose of payment.

Damage or Loss in transit:

No claim for damage or corrosion in transit or shortage of delivery of goods will be entertained unless a separate notice in writing is given to the Company and /or the carrier concerned within three days of receipt of the goods followed by a complete claim in writing to the Company within five days of receipt of the goods.

Non delivery:

No claim for loss or non-delivery of goods will be entertained unless in writing is received within seven days of the invoice date.

Storage

The Company reserves the right to charge for storage and /or any other costs incurred in the event of deferment or delay in delivery at the request and /or action of the Buyer.

Prices:

The Company reserves the right to increase any prices agreed between the Company and the Buyer in accordance with market conditions and the company's price for similar goods ruling at the date of dispatch and the buyer shall pay such additions in addition to the quoted price. Without prejudice to the generality of the foregoing market conditions shall included any increases in the cost of labor, materials, transport and any other costs between quotation and dispatch.

HST and GST Taxes:

All taxes will be charged at the rate applicable at the date of dispatch. The quoted prices do not include any taxes.

Carriage and Packaging:

The cost of carriage and packaging shall be paid for by the customer in addition to price payable for the goods, unless agreed beforehand between the customer and the Company.

Terms of Payment:

- 1. Terms of payment are that invoices must be settled in full within 30 days from the date of the invoice.
- 2. If the buyer fails to make any payment on the due date then, without prejudice to any other right or remedy available to the Company, the Company shall be entitled to: (a) Cancel the contract and suspend any further deliveries to the buyer, (b) Appropriate any payment made by the buyer to such of the goods (as goods supplied under any other contract between the buyer and the Company) as the Company may think fit. (c) Charge the buyer interest (both before and after any judgment) on the amount unpaid, at the rate of 10% per annum over the base lending rate of the Company's own bankers, until payment in full is made (a part of a month being treated as a full month for the purpose of calculating interest).

Defective and Damaged Goods:

No claim against the Company for goods represented by the defective, from whatever cause, or not to conform to the Contract can be entertained, and the Company shall incur no liability in respect thereof unless received by the Company in writing within twenty-eight days after the date of dispatch and the defective goods or goods failing to conform to contract are returned to the Company within the said period of twenty-eight days.

Returns and Refunds:

- 1. Items that are obsolete or Specially Engineered product are not returnable.
- 2. Reserves the right to decline any request for a Returned Goods Authorization.
- 3. Proof of purchase must be established on all returned items. A valid purchase order number is required provided at time of request.
- 4. Will not accept the return of merchandise purchased over 60 days from receipt date.
- 5. The price shown on the Request for Return must coincide with the original invoice price.
- 6. Order Number and Invoice Number should be furnished at time of request to expedite the processing of Returned Goods Authorization forms.
- 7. After authorization is received, all returns must be shipped to the designated location.
- 8. Any material returned without authorization will be subject to an additional handling charge.
- 9. Returned Goods Authorization will be valid for 30 days from date of issue.
- 10. The greater of a 20% restocking fee or \$50.00 restocking charge will apply to all authorized returned merchandise. There will be no outbound freight chargeback; however, the customer will be responsible for in-boundfreight charges.
- 11. All returned merchandise will be subject to inspection, and must be in resealable condition upon receipt. Any products returned within the guidelines of this policy or for inspection that is deemed non-resealable is subject to rejection or additional fees.

Limit of Liability:

In the event of any claim against the Company in respect of any matter whatsoever the Company's liability (if any) shall be limited to the replacement of goods sold in respect of which the liability arises if required and practicable or the buyer shall be given a credit for the invoiced value of the order in respect of which the liability arises. Under no circumstances whatsoever shall the Company be liable for any consequential loss or damage or any personal injury or damage or loss of any property other than as stated herein howsoever and whatsoever arising. Any express or implied conditions, statement, warranty, statutory, or otherwise, are hereby excluded save where such exclusions are invalidated by statute. No claim by the Buyer shall be accepted as a reason for cancellation of the remainder of the order.

