

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold)

Clinical Evaluation Report

Product name: SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold)

Packing specification: 20 tests/box

Clinical evaluation category: Comparison with Bosphore Novel Coronavirus Detection kit produced by Anatolia Geneworks

Clinical evaluation place: Centro Diagnostico Delta S.r.l. sito in Piazza San Giuseppe Moscati,8-82030 Apollosa (Benevento) ITALY.

Start date: October 5, 2020

End date: January 8, 2021

Laboratory (seal):


**CENTRO DIAGNOSTICO
DELTA SRL**
P.ZZA SAN GIUSEPPE MOSCATI, 8
S.S. ARPIA KM.254-900
82030 APOLLUSA (BN)
P.IVA 00269500625

Application company (seal): JOYSBIO (Tianjin) Biotechnology Co., Ltd.

Phone: -86-022-65378415

Report date: January 10, 2021



Introduction:

Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) is an enveloped non-segmented positive-sense RNA virus. It is the cause of coronavirus disease (COVID-19), which is contagious in humans. SARS-CoV-2 has several structural proteins including spike (S), envelope (E), membrane (M) and nucleocapsid (N).

The antigen is generally detectable in upper respiratory samples during the acute phase of infection. Positive results indicate the presence of viral antigens, but clinical correlation with patient history and other diagnostic information is necessary to determine infection status. Positive results do not rule out bacterial infection or co-infection with other viruses. The agent detected may not be the definite cause of disease.

Detection principle:

The Kit uses an immunocapture method, it is designed to detect the presence or absence of SARS-CoV-2 nucleocapsid proteins in respiratory samples from patients who are suspected of COVID-19.

Key components: the anti-nucleocapsid protein antibody and chicken IgY labeled by colloidal gold, the nitrocellulose membrane was coated with anti-nucleocapsid protein antibody and goat anti- chicken IgY antibody.

When specimens are processed and added to the test device, SARS-CoV-2 antigens present in the specimen bind to antibodies conjugated to colloidal gold in the test strip. The antigen-conjugate complexes migrate across the test strip to the reaction area and are captured by a line of antibodies bound on the membrane. A color band will show up when antigen-conjugate is deposited at the Test “T” position and the Control “C” position on the device.

Purpose:

Evaluation the clinical performance of the SARS-CoV-2 Antigen Rapid Test Kit for accurately detection of SARS-CoV-2 antigen in human nasal swab.

Testing management:

During the trial, the main investigator is responsible for the coordination and management of the entire clinical trial, and the main participants are responsible for the main trial work. During the clinical trial, the main researcher supervises the quality control of the testing laboratory. Any problems found in the test must be contacted with the main researcher in time and appropriate measures should be taken. The final test results are statistically analyzed by the person in charge of statistics, and the main investigator confirmed and wrote the report.

Methods:

Synchronous blind test and methodological comparison design.

The nasal swab and rino oropharyngeal swab samples were collected by hospital professional medical staff in accordance with the sampling methods of SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) and Bosphore novel coronavirus detection kit. The nasal swab and rino oropharyngeal swab samples are blindly numbered and grouped by the Centro Diagnostico Delta S.r.l. sito editor. Nasal swab samples are divided into one group, rino oropharyngeal swab samples are divided into another group, and then tested by Centro Diagnostico Delta S.r.l. sito laboratory inspectors.

Discussion and Conclusion**Results:**

In this clinical trial, nasal swab specimens were obtained from Centro Diagnostico Delta S.r.l. sito in Piazza San Giuseppe Moscati,8-82030 Apollosa (Benevento) ITALIA and tested with the SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) and the comparator device Bosphore novel coronavirus detection kit produced by Anatolia Geneworks. Statistical analysis was performed to calculate the positive agreement rate and negative agreement rate.

In this study, a total of 492 nasal swab samples were obtained for clinical performance evaluation by comparing the investigational device, the SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold), and reference reagent Bosphore novel coronavirus detection kit. The nasal swabs prospectively collected from individual patients who were suspected of COVID-19. No duplicate samples were selected. The sex ratio was distributed among 293 males (59,55%) and 199 females (40.45%). The age of enrolled patients ranged from 6 to 90 years. There were 385 cases with negative SARS-CoV-2 infection, accounting for 78.25% and 107 positive samples, accounting for 21.75%. Between October 2020 and January 2021, there were in total 492 PCR (Bosphore novel coronavirus detection kit) samples from the Centro Diagnostico Delta S.r.l. sito in Piazza San Giuseppe Moscati,8-82030 Apollosa (Benevento) ITALIA.

According to the consistency analysis of 492 samples, clinical study results showed that the detection sensitivity was 98.13% and the specificity was 99.22%.

Conclusion:

This clinical trial by comparing the results obtained by testing potential SARS-CoV-2 positive samples with investigational device that the SARS-CoV-2 Antigen Rapid Test Kit (Colloidal

Gold) devices performs as it is claimed in the clinical. The detection sensitivity for the SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) was 98.13%, and the specificity was 99.22%. The results showed that the investigational device, the SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold), meets the needs of clinical testing.

Main Content

General design

This test uses a synchronous blind test and methodological comparison design. In order to eliminate the possible impact of the subjective biases and personal preferences of researchers on the test results during the clinical trial process, this test uses a blind test. That is, the test personnel in this test do not know the specific information of the sample, and the clinical information of the sample may not be released until the end of the test. After the samples were enrolled, the samples were coded by the blind editor authorized by the clinical trial, in which the blind editor was not involved in the test operation of the clinical trial. Testing personnel shall test the coded sample according to the reagent test specification. In the process of test operation, clinical test researchers should strictly follow the requirements of the product specification for test operation and interpretation check, and the results obtained in the test process should be truthfully recorded in the data collection table.

For the detection of SARS-CoV-2 Antigen, the nasal swab and rino oropharyngeal swab samples were collected by hospital professional medical staff in accordance with the sampling methods of SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) and Bosphore novel coronavirus detection kit. The nasal swab and rino oropharyngeal swab samples are blindly numbered and grouped by the Centro Diagnostico Delta S.r.l. sito editor. Nasal swab samples are divided into one group, rino oropharyngeal swab samples are divided into another group, and then tested by Centro Diagnostico Delta S.r.l. sito laboratory inspectors. Among them, there are 3 Centro Diagnostico Delta S.r.l. sito laboratory inspectors.

Measures to reduce and avoid bias

Subjects were screened strictly according to the blind grouping of the clinical trial protocol to reduce the selection bias.

Prior to the start of the trial, the lab operators were trained to correctly perform the tests and follow the trial protocol.

Clinical sample related requirements

1) DOs and DON'Ts of Sample Collection

- Do test sample immediately.
- Use only swabs provided with the kit.

2) Sample storage

- Specimen Transport and Storage
- Freshly collected specimens should be processed within 1 hour, or stored at the manufacturer's recommended condition before testing.
- It is essential that correct specimen collection and preparation methods be followed.

Clinical sample selection

1) Inclusion criteria

Sample inclusion criteria: the sample should be a sample with clearly recorded source, including different age, gender and other factors. The collection and treatment of samples are in accordance with the reagent specification or relevant regulations. Sample information should be complete, including age, sex, sample collection date, clinical diagnosis such as confirmation or exclusion of SARS-CoV-2 infection.

2) Exclusion criteria

- Samples that are unable to complete the test process human factors (sample contamination during operation).
- Samples were contaminated with bacteria or/and nosebleed.
- Samples went through too many freeze-thaw cycles.
- Samples not kept at the requirement conditions.
- Samples that are unable to yield control signals with PCR reagent.

Quality control

Definition

Quality control is defined as the operation of techniques and activities, such as monitoring, under the quality assurance system to verify that the research quality meets the requirements. Quality control must be applied at every stage of data processing to ensure that all data is trusted and properly located.

1) Study monitoring

During the outbreak, authorized and qualified inspectors will conduct regular remote

primary data checks according to the monitoring plan to verify compliance with protocols and regulations and assist investigators.

2) Laboratory quality control

The laboratory of the testing shall establish a unified test index, standard operating procedures and quality control procedures.

3) Quality control of reagent testing process

In each test, the control line shall have red strip (qualified quality control). If the control line does not have red strip (unqualified quality control), the cause shall be found out and retested until the quality control result is qualified, so as to ensure the reliability and stability of the system.

4) Qualification of researchers

The researchers participating in the clinical trial must have the specialty, qualification and ability of the clinical trial, and pass the qualification examination. The personnel requirements should be relatively fixed.

Reagents and instruments for clinical research

The information of reagents for test is shown in Table 1:

Table 1 Reagent Information

	Assessment reagent	Reference reagent
Reagent Name	SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold)	Bosphore Novel Coronavirus (2019-nCov) Detection Kit
Specification	20 tests/box	100 reactions/box
Company	JOYSBIO (Tianjin) Biotechnology Co., Ltd.	Anatolia Geneworks
Lot Number	2020090804	SAG002
Expiration	2022.09.06	2021.12
Preservation Condition	2~30°C	< -20°C

Statistical analysis method of clinical trial data

Use SPSS16.0 statistical software or the following formula for statistical analysis.

Table 2 Consistency data analysis

Experimental Reagent Group	Reference Reagent Group		Sum
	Positive	Negative	

Positive	a	b	a+b
Negative	c	d	c+d
Sum	a+c	b+d	a+b+c+d
Sensitivity	$a/(a+c)$		
Specificity	$d/(b+d)$		
Accuracy	$ACC/OPA=(a+d)/(a+b+c+d)*100\%$		
Kappa	$\frac{2(ad-bc)}{(a+b)(b+d) + (a+c)(c+d)}$		
95% CI	Normal approximation		

Clinical Trial Results and Analysis

Overall distribution of samples

In this test, a total of 492 cases of nasal swab specimens were enrolled in the consistency comparison test of experimental reagent and reference reagent, and 0 cases of repeated samples were excluded for statistical analysis, including 385 negative samples (78.25%), 107 positive samples (21.75%).

Table 3 Proportion and number distribution of clinical trials

Sample	nasal swab specimens	
	Negative	Positive
Number of cases	385	107
Ratio	78.25%	21.75%
Number of total cases Positive	492	

Sex and age distribution of samples

A total of 492 nasal swab specimens were enrolled in the consistency comparison test of experimental reagent and reference reagent, including 293 males and 199 females.

The specific distribution of samples is shown in the following table:

Table 4 Sex and age distribution

Index	Sample type	Nasal swab specimens
Number of samples	Total	492
Sex	Male (N,%)	293 (59.55%)
	Female (N,%)	199 (40.45%)
Age (y)	X±SD	43.82±17.28
	Min-Max	6~90

Consistency analysis of test results

1) Consistency comparison of experimental reagent and reference reagent

Clinical sample stratification statistics

➤ Overall Clinical Study

In this study, 492 nasal swab specimens were obtained in the clinical performance study to compare SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) (evaluating device for antigen testing) and the Bosphore novel coronavirus detection kit (Anatolia Geneworks). The clinical performance data of the SARS-CoV-2 test results were analyzed, and 105 samples were tested positive by the SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold). There were 3 samples in which the SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) was positive and the Anatolia Geneworks device was negative. There were 2 samples in which the SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) was negative and the reference reagent was positive. There were 382 samples with negative test results in experimental reagent and 385 samples with negative test results in reference reagent. Hence, the sensitivity and specificity were 98.13% and 99.22% respectively.

Table 5 Overall Clinical Study Results

Reagent test results	PCR Comparator		Subtotal
	positive	negative	
positive	105	3	108
negative	2	382	384
Subtotal	107	385	492

Positive Percent Agreement (PPA)= 105/107(98.13%) (95%CI: 93.4%~99.8%)

Negative Percent Agreement (NPA)= 382/385 (99.22%) (95%CI:97.7%~99.8%)

Accuracy=(105+382)/492×100%=98.98%

$$\text{Kappa} = 2 \times (105 \times 382 - 3 \times 2) / (108 \times 385 + 107 \times 384) = 0.97 > 0.5$$

2) Test Reliability

- The collection and preservation methods of all test samples are reliable.
- The operators have received special training throughout the test process to ensure the reliability of the test results.
- When conducting clinical trials, the tests shall be conducted in strict accordance with the requirements of laboratory quality control and clinical trial program in clinical hospitals. The results were analyzed by experienced researchers to ensure the reliability of clinical trials.

3) Discussion and Conclusion

In this test, a total of 492 nasal swab specimens samples were enrolled for the consistency comparison of experimental reagent and reference reagent, and no duplicate samples were selected. The sex ratio was distributed among 293 males (59.55%) and 199 females (40.45%). The age of enrolled patients ranged from 6 to 90 years. There were 385 cases with negative SARS-CoV-2 AG, accounting for 78.25% and 107 positive samples, accounting for 21.75%. In October and January 2021, 492 PCR (Bosphore novel coronavirus detection kit) samples from the Centro Diagnostico Delta S.r.l. sito in Piazza San Giuseppe Moscati, 8-82030 Apollosa (Benevento) ITALIA.

According to the consistency analysis of 492 samples, clinical study results showed that the detection sensitivity was 98.13% and the specificity was 99.22%.

Conclusion:

This clinical trial has performed a full analysis of the experimental reagents through methodological comparisons, and the results all meet the criteria for clinical evaluation. All the results showed that SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) meet the needs of clinical test.

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

Basic information of positive and negative samples of SARS-CoV-2, 492 cases verified by PCR (Bosphore Novel Coronavirus Detection kit) were collected between October 2020 and January 2021 from the Centro Diagnostico Delta S.r.l. sito in Piazza San Giuseppe Moscati,8-82030 Apollosa (Benevento) ITALY.

Basic information on positive samples of SARS-CoV-2

NO.	Sample ID	Gender	Age	Physiological state	Experimental reagent Assessment test results					PCR test results				
					Sample type	Collection date	Test date	test line appearan	Determination	Sample type	Collection date	Test date	Determination	CT
1	100800172	M	55	Fever > 37°C; Headache	nasal swab	2020/10/5	2020/10/5	< 5 min	Positive	Rino oropharyngeal swab	2020/10/5	2020/10/5	Positive	(N 19; E 21; RdRP 22)
2	100800173	M	51		nasal swab	2020/10/8	2020/10/8	< 5 min	Positive	Rino oropharyngeal swab	2020/10/8	2020/10/8	Positive	(N 19; E 19; RdRP 20)
3	100800174	M	50		nasal swab	2020/10/8	2020/10/8	< 5 min	Positive	Rino oropharyngeal swab	2020/10/8	2020/10/8	Positive	(N 21; E 21; RdRP 22)
4	100800176	F	48		nasal swab	2020/10/8	2020/10/8	< 5 min	Positive	Rino oropharyngeal swab	2020/10/8	2020/10/8	Positive	(N 21; E 20; RdRP 20)
5	100800180	M	24		nasal swab	2020/10/8	2020/10/8	< 5 min	Positive	Rino oropharyngeal swab	2020/10/8	2020/10/8	Positive	(N 20; E 19; RdRP 19)
6	101300042	F	44	Headache	nasal swab	2020/10/13	2020/10/13	< 8 min	Positive	Rino oropharyngeal swab	2020/10/13	2020/10/13	Positive	(N 33; E 28; RdRP 29)
7	101400211	M	87		nasal swab	2020/10/14	2020/10/14	/	Negative	Rino oropharyngeal swab	2020/10/14	2020/10/14	Positive	(N 42; E 30; RdRP 29)
8	101400267	F	60		nasal swab	2020/10/14	2020/10/14	< 5 min	Positive	Rino oropharyngeal swab	2020/10/14	2020/10/14	Positive	(N 20; E 21; RdRP 22)
9	101400269	M	64		nasal swab	2020/10/14	2020/10/14	< 8 min	Positive	Rino oropharyngeal swab	2020/10/14	2020/10/14	Positive	(N 22; E 22; RdRP 23)
10	101400398	M	20		nasal swab	2020/10/14	2020/10/14	< 5 min	Positive	Rino oropharyngeal swab	2020/10/14	2020/10/14	Positive	(N 19; E 19; RdRP 18)
11	102607178	M	57		nasal swab	2020/10/26	2020/10/26	< 5 min	Positive	Rino oropharyngeal swab	2020/10/26	2020/10/26	Positive	(N 20; E 21; RdRP 21)
12	102607263	F	24		nasal swab	2020/10/26	2020/10/26	< 5 min	Positive	Rino oropharyngeal swab	2020/10/26	2020/10/26	Positive	(N 21; E 21; RdRP 22)
13	102607262	F	32		nasal swab	2020/10/26	2020/10/26	< 8 min	Positive	Rino oropharyngeal	2020/10/26	2020/10/26	Positive	(N 31; E 27; RdRP 26)

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
14	102900007	M	64		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 21; E 24; RdRP 25)
15	102900008	M	30		nasal swab	2020/10/29	2020/10/29	< 8 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 29; E 28; RdRP 29)
16	102900012	F	31		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 19; E 19; RdRP 18)
17	102900013	M	31		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 19; E 20; RdRP 20)
18	102900022	M	50		nasal swab	2020/10/29	2020/10/29	< 8 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 26; E 29; RdRP 27)
19	102900023	F	50		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 21; E 21; RdRP 22)
20	102900030	M	33		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 18; E 20; RdRP 19)
21	102900045	M	44		nasal swab	2020/10/29	2020/10/29	< 8 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 30; E 29; RdRP 29)
22	102900047	M	51		nasal swab	2020/10/29	2020/10/29	< 8 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 30; E 30; RdRP 33)
23	102900066	M	26		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 21; E 20; RdRP 20)
24	102900078	F	25		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 19; E 18; RdRP 20)
25	102900081	F	42		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 21; E 21; RdRP 22)
26	102900082	M	52		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 21; E 20; RdRP 20)
27	102900104	M	81		nasal swab	2020/10/29	2020/10/29	< 8 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 21; E 21; RdRP 22)
28	102900117	F	26		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/29	Positive	(N 21; E 21; RdRP 22)
29	102907866	M	56		nasal swab	2020/10/29	2020/10/29	< 8 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/30	Positive	(N 28; E 27; RdRP 27)
30	102900134	F	25		nasal swab	2020/10/29	2020/10/29	< 8 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/30	Positive	(N 34; E 30; RdRP 31)

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

31	102907891	M	35		nasal swab	2020/10/29	2020/10/29	< 5 min	Positive	Rino oropharyngeal swab	2020/10/29	2020/10/31	Positive	(N 22; E 21; RdRP 21)
32	103000014	F	36		nasal swab	2020/10/30	2020/10/30	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 21; E 21; RdRP 21)
33	103000086	F	64		nasal swab	2020/10/30	2020/10/30	< 8 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 23; E 24; RdRP 24)
34	103000087	M	70		nasal swab	2020/10/30	2020/10/30	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 21; E 20; RdRP 20)
35	103000035	M	15		nasal swab	2020/10/30	2020/10/30	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 20; E 19; RdRP 19)
36	103000094	M	52		nasal swab	2020/10/30	2020/10/30	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 19; E 19; RdRP 19)
37	103000066	M	38		nasal swab	2020/10/30	2020/10/30	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 15; E 15; RdRP 15)
38	103000115	F	74		nasal swab	2020/10/30	2020/10/30	< 10 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 27; E 26; RdRP 26)
39	103000072	F	52		nasal swab	2020/10/30	2020/10/30	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 18; E 18; RdRP 18)
40	103000081	M	20		nasal swab	2020/10/30	2020/10/30	< 8 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 24; E 30; RdRP N/A)
41	103000124	M	27		nasal swab	2020/10/30	2020/10/30	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 20; E 19; RdRP 20)
42	103000137	F	35		nasal swab	2020/10/30	2020/10/30	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 21; E 21; RdRP 21)
43	103000210	M	68		nasal swab	2020/10/30	2020/10/30	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 21; E 20; RdRP 21)
44	103000177	M	31		nasal swab	2020/10/30	2020/10/30	< 8 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 23; E 22; RdRP 23)
45	103000172	M	40		nasal swab	2020/10/30	2020/10/30	< 8 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 31; E N/A; RdRP N/A)
46	103000220	F	42		nasal swab	2020/10/30	2020/10/30	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/10/30	Positive	(N 22; E 21; RdRP 21)
47	103000343	M	20		nasal swab	2020/10/30	2020/10/31	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/11/2	Positive	(N 22; E 21; RdRP 21)
48	103000338	M	52		nasal swab	2020/10/30	2020/10/31	< 5 min	Positive	Rino oropharyngeal	2020/10/30	2020/11/2	Positive	(N 20; E 21; RdRP 20)

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
49	103100016	M	57		nasal swab	2020/10/30	2020/10/31	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/11/2	Positive	(N 18; E 18; RdRP 17)
50	103000316	M	57		nasal swab	2020/10/30	2020/10/31	< 8 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/11/2	Positive	(N 24; E N/A; RdRP N/A)
51	103100005	M	55		nasal swab	2020/10/30	2020/10/31	< 8 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/11/2	Positive	(N 24; E 25; RdRP 27)
52	103100008	F	22		nasal swab	2020/10/30	2020/10/31	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/11/2	Positive	(N 21; E 22; RdRP 21)
53	103000311	M	90		nasal swab	2020/10/30	2020/10/31	< 5 min	Positive	Rino oropharyngeal swab	2020/10/30	2020/11/2	Positive	(N 23; E 24; RdRP 28)
54	110200121	F	25		nasal swab	2020/11/2	2020/11/2	< 5 min	Positive	Rino oropharyngeal swab	2020/11/2	2020/11/3	Positive	(N 23; E 23; RdRP 22)
55	110200070	F	42		nasal swab	2020/11/2	2020/11/2	< 8 min	Positive	Rino oropharyngeal swab	2020/11/2	2020/11/3	Positive	(N 24; E 24; RdRP 23)
56	110200099	F	63		nasal swab	2020/11/2	2020/11/2	< 8 min	Positive	Rino oropharyngeal swab	2020/11/2	2020/11/3	Positive	(N 25; E 26; RdRP 25)
57	110200095	M	64		nasal swab	2020/11/2	2020/11/2	< 5 min	Positive	Rino oropharyngeal swab	2020/11/2	2020/11/3	Positive	(N 21; E 18; RdRP 17)
58	110300071	F	57		nasal swab	2020/11/3	2020/11/3	< 8 min	Positive	Rino oropharyngeal swab	2020/11/3	2020/11/4	Positive	(N 17; E 18; RdRP 40)
59	110300076	F	56		nasal swab	2020/11/3	2020/11/3	< 8 min	Positive	Rino oropharyngeal swab	2020/11/3	2020/11/4	Positive	(N 25; E 27; RdRP 26)
60	110400027	M	64		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 19; E 19; RdRP 19)
61	110400039	M	68		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 18; E 19; RdRP 17)
62	110400040	F	49		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 22; E 25; RdRP 23)
63	110400044	F	70		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 23; E 22; RdRP 21)
64	110400006	M	17		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 23; E 24; RdRP 22)
65	110400023	M	50		nasal swab	2020/11/4	2020/11/4	< 8 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 26; E 26; RdRP 25)

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

66	110400043	M	29		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 23; E 24; RdRP 23)
67	110400076	M	56		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 19; E 19; RdRP 19)
68	110400089	M	58		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 20; E 20; RdRP 19)
69	110400086	M	46		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 20; E 19; RdRP 18)
70	110400088	F	51		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/4	Positive	(N 19; E 20; RdRP 18)
71	110400143	M	62		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/5	Positive	(N 24; E 26; RdRP 24)
72	110400184	M	53		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/5	Positive	(N 20; E 22; RdRP 21)
73	110400205	F	55		nasal swab	2020/11/4	2020/11/4	< 8 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/5	Positive	(N 24; E 26; RdRP 24)
74	110400180	F	26		nasal swab	2020/11/4	2020/11/4	< 8 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/5	Positive	(N 34; E N/A; RdRP N/A)
75	110400181	M	58		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/5	Positive	(N 19; E 19; RdRP 18)
76	110400188	M	68		nasal swab	2020/11/4	2020/11/4	< 5 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/5	Positive	(N 25; E 29; RdRP 26)
77	110400144	M	24		nasal swab	2020/11/4	2020/11/4	< 8 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/5	Positive	(N 32; E N/A; RdRP N/A)
78	110400142	M	28		nasal swab	2020/11/4	2020/11/4	< 8 min	Positive	Rino oropharyngeal swab	2020/11/4	2020/11/5	Positive	(N 31; E N/A; RdRP N/A)
79	112500043	F	50		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Positive	(N 25; E 24; RdRP 25)
80	112700025	M	34		nasal swab	2020/11/27	2020/11/27	< 5 min	Positive	Rino oropharyngeal swab	2020/11/27	2020/11/30	Positive	(N 20; E 18; RdRP 18)
81	112700026	F	32		nasal swab	2020/11/27	2020/11/27	< 8 min	Positive	Rino oropharyngeal swab	2020/11/27	2020/11/30	Positive	(N 38; E 30; RdRP N/A)
82	112700009	F	27		nasal swab	2020/11/27	2020/11/27	< 8 min	Positive	Rino oropharyngeal swab	2020/11/27	2020/11/30	Positive	(N 41; E 29; RdRP N/A)
83	112700010	F	54		nasal swab	2020/11/27	2020/11/27	< 5 min	Positive	Rino oropharyngeal	2020/11/27	2020/11/30	Positive	(N 20; E 17; RdRP 17)

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
84	112700042	F	55		nasal swab	2020/11/27	2020/11/27	< 5 min	Positive	Rino oropharyngeal swab	2020/11/27	2020/11/30	Positive	(N 25; E 25; RdRP 27)
85	112700057	M	41		nasal swab	2020/11/27	2020/11/27	< 8 min	Positive	Rino oropharyngeal swab	2020/11/27	2020/11/30	Positive	(N 33; E 27; RdRP 28)
86	112700055	F	40		nasal swab	2020/11/27	2020/11/27	< 8 min	Positive	Rino oropharyngeal swab	2020/11/27	2020/11/30	Positive	(N 40; E 28; RdRP 31)
87	112800031	M	30		nasal swab	2020/11/28	2020/11/28	< 5 min	Positive	Rino oropharyngeal swab	2020/11/28	2020/11/30	Positive	(N 20; E 18; RdRP 18)
88	113000019	F	55		nasal swab	2020/11/30	2020/11/30	< 5 min	Positive	Rino oropharyngeal swab	2020/11/30	2020/11/30	Positive	(N 18; E 17; RdRP 18)
89	113000014	M	68		nasal swab	2020/11/30	2020/11/30	< 8 min	Positive	Rino oropharyngeal swab	2020/11/30	2020/11/30	Positive	(N 26; E 25; RdRP 41)
90	113000013	F	36		nasal swab	2020/11/30	2020/11/30	< 10 min	Positive	Rino oropharyngeal swab	2020/11/30	2020/11/30	Positive	(N 37; E 30; RdRP N/A)
91	113000008	F	39		nasal swab	2020/11/30	2020/11/30	< 10 min	Positive	Rino oropharyngeal swab	2020/11/30	2020/11/30	Positive	(N 44; E 30; RdRP N/A)
92	113000005	M	19		nasal swab	2020/11/30	2020/11/30	< 10 min	Positive	Rino oropharyngeal swab	2020/11/30	2020/11/30	Positive	(N 32; E 28; RdRP N/A)
93	113000042	F	20		nasal swab	2020/11/30	2020/11/30	< 5 min	Positive	Rino oropharyngeal swab	2020/11/30	2020/11/30	Positive	(N 19; E 18; RdRP 21)
94	113000100	F	57		nasal swab	2020/11/30	2020/12/1	< 5 min	Positive	Rino oropharyngeal swab	2020/11/30	2020/12/1	Positive	(N 24; E 24; RdRP 23)
95	113000070	F	32		nasal swab	2020/11/30	2020/12/1	< 5 min	Positive	Rino oropharyngeal swab	2020/11/30	2020/12/1	Positive	(N 23; E 22; RdRP 21)
96	113000069	M	34		nasal swab	2020/11/30	2020/12/1	< 8 min	Positive	Rino oropharyngeal swab	2020/11/30	2020/12/1	Positive	(N 26; E 26; RdRP 26)
97	120100018	M	28		nasal swab	2020/12/1	2020/12/1	< 8 min	Positive	Rino oropharyngeal swab	2020/12/1	2020/12/1	Positive	(N 26; E 27; RdRP 26)
98	120100022	F	27		nasal swab	2020/12/1	2020/12/1	< 5 min	Positive	Rino oropharyngeal swab	2020/12/1	2020/12/1	Positive	(N 24; E 24; RdRP 24)
99	120200055	F	21		nasal swab	2020/12/2	2020/12/2	< 5 min	Positive	Rino oropharyngeal swab	2020/12/2	2020/12/3	Positive	(N 22; E 20; RdRP 20)
100	120200053	F	17		nasal swab	2020/12/2	2020/12/2	< 5 min	Positive	Rino oropharyngeal swab	2020/12/2	2020/12/3	Positive	(N 17; E 16; RdRP 16)

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

101	120200060	F	48		nasal swab	2020/12/2	2020/12/2	< 8 min	Positive	Rino oropharyngeal swab	2020/12/2	2020/12/3	Positive	(N 26; E 24; RdRP 25)
102	121800136	M	61		nasal swab	2020/12/18	2020/12/19	< 8 min	Positive	Rino oropharyngeal swab	2020/12/18	2020/12/19	Positive	N 21,09; E 19,71;RDRP 19,48;
103	1222A106	F	85		nasal swab	2020/12/22	2020/12/22	< 5 min	Positive	Rino oropharyngeal swab	2020/12/22	2020/12/23	Positive	(N 25; E 24; RdRP 24)
104	122400030	M	59		nasal swab	2020/12/24	2020/12/24	< 5 min	Positive	Rino oropharyngeal swab	2020/12/24	2020/12/28	Positive	(N 22; E 21; RdRP 28)
105	10401061	F	25		nasal swab	2021/1/4	2021/1/4	< 5 min	Positive	Rino oropharyngeal swab	2021/1/4	2021/1/5	Positive	(N 20;E 20; RdRp 17)
106	10400832	M	27		nasal swab	2021/1/4	2021/1/4	< 5 min	Positive	Rino oropharyngeal swab	2021/1/4	2021/1/5	Positive	(N 18;E 19; RdRp 17)
107	10700011	F	49		nasal swab	2021/1/7	2021/1/7	< 5 min	Positive	Rino oropharyngeal swab	2021/1/7	2021/1/7	Positive	(N 19;E 19; RdRp 15)

Basic information on negative samples of SARS-CoV-2 AG

NO	Sample ID	Gender	Age	Physiologic al state	Experimental reagent Assessment test results					PCR test results				
					Sample type	Collection date	Test date	test line appearan	Determination	Sample type	Collection date	Test date	Determination	CT
1	100800171	F	22		nasal swab	2020/10/8	2020/10/8		Negative	rino oropharyngeal swab	2020/10/8	2020/10/8	Negative	N/A
2	100800179	F	59		nasal swab	2020/10/8	2020/10/8	< 12 min	Positive	rino oropharyngeal swab	2020/10/8	2020/10/8	Negative	N/A
3	100800175	M	54		nasal swab	2020/10/8	2020/10/8		Negative	rino oropharyngeal swab	2020/10/8	2020/10/8	Negative	N/A
4	100800178	F	51		nasal swab	2020/10/8	2020/10/8		Negative	rino oropharyngeal swab	2020/10/8	2020/10/8	Negative	N/A
5	100800080	F	31		nasal swab	2020/10/8	2020/10/8		Negative	rino oropharyngeal swab	2020/10/8	2020/10/8	Negative	N/A
6	101200189	M	87		nasal swab	2020/10/12	2020/10/12		Negative	rino oropharyngeal swab	2020/10/12	2020/10/12	Negative	N/A
7	101200192	M	45		nasal swab	2020/10/12	2020/10/12		Negative	rino oropharyngeal swab	2020/10/12	2020/10/12	Negative	N/A
8	101200194	F	41		nasal swab	2020/10/12	2020/10/12		Negative	rino oropharyngeal	2020/10/12	2020/10/12	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
9	101200195	F	70		nasal swab	2020/10/12	2020/10/12		Negative	rino oropharyngeal swab	2020/10/12	2020/10/12	Negative	N/A
10	101400215	F	83		nasal swab	2020/10/14	2020/10/14		Negative	rino oropharyngeal swab	2020/10/14	2020/10/14	Negative	N/A
11	101400213	M	51		nasal swab	2020/10/14	2020/10/14		Negative	rino oropharyngeal swab	2020/10/14	2020/10/14	Negative	N/A
12	101400271	M	30		nasal swab	2020/10/14	2020/10/14		Negative	rino oropharyngeal swab	2020/10/14	2020/10/14	Negative	N/A
13	101400265	F	31		nasal swab	2020/10/14	2020/10/14		Negative	rino oropharyngeal swab	2020/10/14	2020/10/14	Negative	N/A
14	100900322	F	24		nasal swab	2020/10/14	2020/10/14		Negative	rino oropharyngeal swab	2020/10/14	2020/10/14	Negative	N/A
15	101500288	M	38		nasal swab	2020/10/15	2020/10/15		Negative	rino oropharyngeal swab	2020/10/15	2020/10/15	Negative	N/A
16	103000079	M	79		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
17	103000022	F	42		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
18	103000113	M	28		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
19	103000078	F	76		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
20	103000069	M	69		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
21	103000112	F	26		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
22	103000027	M	41		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
23	103000001	M	22		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
24	103000002	M	36		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
25	103000021	F	15		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

26	103000114	F	49		nasal swab	2020/10/30	2020/10/30	< 8 min	Positive	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
27	103000042 0	F	31		nasal swab	2020/10/29	2020/10/30		Negative	rino oropharyngeal swab	2020/10/29	2020/10/30	Negative	N/A
28	103000042 3	M	58		nasal swab	2020/10/29	2020/10/30		Negative	rino oropharyngeal swab	2020/10/29	2020/10/30	Negative	N/A
29	103000139	M	39		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
30	103000119	M	31		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
31	103000132	M	6		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
32	103000133	F	50		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
33	103000193	M	19		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
34	103000277	M	48		nasal swab	2020/10/30	2020/10/30		-	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
35	103000274	F	29		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
36	103000276	F	63		nasal swab	2020/10/30	2020/10/30		Negative	rino oropharyngeal swab	2020/10/30	2020/10/30	Negative	N/A
37	103000339	F	24		nasal swab	2020/10/30	2020/10/31	< 8 min	Positive	rino oropharyngeal swab	2020/10/30	2020/11/2	Negative	N/A
38	110200001	M	59		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal swab	2020/11/2	2020/11/2	Negative	N/A
39	110200002	F	56		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal swab	2020/11/2	2020/11/2	Negative	N/A
40	110200004	M	30		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal swab	2020/11/2	2020/11/2	Negative	N/A
41	110200028	F	34		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal swab	2020/11/2	2020/11/2	Negative	N/A
42	110200051	F	49		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal swab	2020/11/2	2020/11/2	Negative	N/A
43	110200062	M	25		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal	2020/11/2	2020/11/2	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
44	110200043	M	49		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal swab	2020/11/2	2020/11/2	Negative	N/A
45	110200045	M	47		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal swab	2020/11/2	2020/11/2	Negative	N/A
46	110200044	F	45		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal swab	2020/11/2	2020/11/2	Negative	N/A
47	110200101	M	38		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal swab	2020/11/2	2020/11/3	Negative	N/A
48	110200100	F	33		nasal swab	2020/11/2	2020/11/2		Negative	rino oropharyngeal swab	2020/11/2	2020/11/3	Negative	N/A
49	110300066	F	24		nasal swab	2020/11/3	2020/11/3		Negative	rino oropharyngeal swab	2020/11/3	2020/11/3	Negative	N/A
50	110300005	M	28		nasal swab	2020/11/3	2020/11/3		Negative	rino oropharyngeal swab	2020/11/3	2020/11/3	Negative	N/A
51	110300065	M	25		nasal swab	2020/11/3	2020/11/3		Negative	rino oropharyngeal swab	2020/11/3	2020/11/3	Negative	N/A
52	110300082	M	30		nasal swab	2020/11/3	2020/11/3		Negative	rino oropharyngeal swab	2020/11/3	2020/11/4	Negative	N/A
53	110400036	M	28		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/4	Negative	N/A
54	110400016	M	33		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/4	Negative	N/A
55	110400058	M	69		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/4	Negative	N/A
56	110500084	M	30		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
57	110500037	M	28		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
58	110500090	M	42		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
59	110500137	M	30		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
60	110500094	M	38		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

61	110500131	M	27		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
62	110500023	M	24		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
63	110500093	M	40		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
64	110500019	M	50		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
65	110500117	M	29		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
66	110500108	M	27		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
67	110500091	M	31		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
68	110500097	M	30		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
69	110500127	M	65		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
70	110500110	M	28		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
71	110500095	M	51		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
72	110500122	M	30		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
73	110500038	M	39		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
74	110500107	M	19		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
75	110500105	M	30		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
76	110500103	M	29		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
77	110500136	M	21		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
78	110500018	M	47		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal	2020/11/4	2020/11/5	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
79	110500132	M	32		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
80	110500112	M	40		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
81	110500133	M	34		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
82	110500120	M	27		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
83	110500114	M	26		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
84	110500096	M	47		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
85	110500109	M	30		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
86	110500086	M	39		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
87	110500135	M	30		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
88	110500088	M	29		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
89	110500116	M	30		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
90	110500099	M	17		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
91	110500130	M	38		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
92	110500113	M	32		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
93	110500100	M	18		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
94	110500119	M	24		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
95	110500118	M	24		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

96	110500159	M	35		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
97	110500087	M	43		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
98	110500104	M	19		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
99	110500017	M	45		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
100	110500092	M	56		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
101	110500085	M	47		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
102	110500106	M	19		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
103	110500022	M	45		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
104	110500115	M	33		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
105	110500129	M	33		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
106	110500021	M	27		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
107	110500024	M	48		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
108	110500121	M	24		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
109	110500134	M	43		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
110	110500102	M	34		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
111	110500111	M	31		nasal swab	2020/11/4	2020/11/4		Negative	rino oropharyngeal swab	2020/11/4	2020/11/5	Negative	N/A
112	MARCO TADDEO	M	42		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
113	112500007	M	36		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal	2020/11/25	2020/11/30	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
114	112500034	M	52		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
115	112500057	M	48		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
116	112500046	M	61		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
117	112500017	F	26		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
118	112500058	F	50		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
119	112500004	M	28		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
120	PACIFICO VINCENZO	M	33		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
121	112500067	M	26		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
122	112500049	F	23		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
123	112500044	M	56		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
124	112500050	M	49		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
125	112500052	M	57		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
126	112500054	M	26		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
127	112500053	M	36		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
128	112500040	M	58		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
129	112500039	F	56		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
130	112500038	F	39		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

131	112500027	M	51		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
132	112500002	M	52		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
133	112500029	M	28		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
134	112500037	M	48		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
135	112500061	M	44		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
136	112500026	F	55		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
137	112500069	F	26		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
138	112500008	M	34		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
139	112500071	F	47		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
140	112500032	M	34		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
141	112500055	M	48		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
142	112500030	F	38		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
143	112500041	F	16		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
144	112500003	M	35		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
145	112500013	M	38		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
146	112500047	F	54		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
147	112500022	M	26		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
148	112500011	M	17		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal	2020/11/25	2020/11/30	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
149	112500025	M	39		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
150	112500015	F	52		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
151	112500012	F	71		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
152	112500033	F	27		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
153	112500009	M	52		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
154	112500036	M	59		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
155	112500035	F	50		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
156	112500019	M	39		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
157	112500006	F	38		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
158	112500045	M	47		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
159	112500018	F	40		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
160	112500016	M	67		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
161	112500005	M	32		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
162	112500014	M	56		nasal swab	2020/11/25	2020/11/25		Negative	Rino oropharyngeal swab	2020/11/25	2020/11/30	Negative	N/A
163	112600019	M	38		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
164	112600057	F	47		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
165	112600053	F	58		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

166	112600090	M	33		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
167	112600105	M	39		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
168	112600010	M	19		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
169	112600089	F	33		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
170	112600096	M	54		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
171	112600114	M	38		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
172	112600075	M	57		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
173	112600111	M	26		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
174	112600100	F	34		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
175	112600102	M	40		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
176	112600106	M	50		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
177	112600107	M	17		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
178	112600029	F	49		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
179	112600099	F	62		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
180	112600113	F	47		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
181	112600101	M	20		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
182	112600083	F	50		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
183	112600108	F	20		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal	2020/11/26	2020/11/30	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
184	112600110	M	54		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
185	112600112	F	52		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
186	112600109	F	45		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
187	112600097	M	37		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
188	112600012	M	32		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
189	112600103	F	29		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
190	112600095	F	36		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
191	112600031	F	21		nasal swab	2020/11/26	2020/11/26		Negative	Rino oropharyngeal swab	2020/11/26	2020/11/30	Negative	N/A
192	112800010	F	26		nasal swab	2020/11/28	2020/11/28		Negative	Rino oropharyngeal swab	2020/11/28	2020/11/30	Negative	N/A
193	112800029	M	65		nasal swab	2020/11/28	2020/11/28		Negative	Rino oropharyngeal swab	2020/11/28	2020/11/30	Negative	N/A
194	113000023	M	28		nasal swab	2020/11/30	2020/11/30		Negative	Rino oropharyngeal swab	2020/11/30	2020/11/30	Negative	N/A
195	113000002	M	32		nasal swab	2020/11/30	2020/11/30		Negative	Rino oropharyngeal swab	2020/11/30	2020/11/30	Negative	N/A
196	113000029	M	61		nasal swab	2020/11/30	2020/11/30		Negative	Rino oropharyngeal swab	2020/11/30	2020/11/30	Negative	N/A
197	113000057	F	30		nasal swab	2020/11/30	2020/11/30		Negative	Rino oropharyngeal swab	2020/11/30	2020/11/30	Negative	N/A
198	113000061	M	61		nasal swab	2020/11/30	2020/11/30		Negative	Rino oropharyngeal swab	2020/11/30	2020/11/30	Negative	N/A
199	113000072	M	41		nasal swab	2020/11/30	2020/12/1		Negative	Rino oropharyngeal swab	2020/11/30	2020/12/1	Negative	N/A
200	113000091	F	33		nasal swab	2020/11/30	2020/12/1		Negative	Rino oropharyngeal swab	2020/11/30	2020/12/1	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

201	120100014	M	38		nasal swab	2020/12/1	2020/12/1		Negative	Rino oropharyngeal swab	2020/12/1	2020/12/1	Negative	N/A
202	120100015	M	37		nasal swab	2020/12/1	2020/12/1		Negative	Rino oropharyngeal swab	2020/12/1	2020/12/1	Negative	N/A
203	120200018	F	55		nasal swab	2020/12/2	2020/12/2		Negative	Rino oropharyngeal swab	2020/12/2	2020/12/3	Negative	N/A
204	120200042	M	33		nasal swab	2020/12/2	2020/12/2		Negative	Rino oropharyngeal swab	2020/12/2	2020/12/3	Negative	N/A
205	120300019	M	40		nasal swab	2020/12/3	2020/12/3		Negative	Rino oropharyngeal swab	2020/12/3	2020/12/3	Negative	N/A
206	120300011	M	24		nasal swab	2020/12/3	2020/12/3		Negative	Rino oropharyngeal swab	2020/12/3	2020/12/3	Negative	N/A
207	120300015	F	22		nasal swab	2020/12/3	2020/12/3		Negative	Rino oropharyngeal swab	2020/12/3	2020/12/3	Negative	N/A
208	120500133	F	7		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
209	120500132	M	23		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
210	120500132	F	52		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
211	120500130	M	7		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
212	120500129	M	11		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
213	120500128	F	10		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
214	120500127	F	41		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
215	120500126	F	44	Sore throat	nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
216	120500125	F	10		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
217	120500124	M	50		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
218	120500123	F	88		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal	2020/12/5	2020/12/10	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
219	120500122	M	56		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
220	120500121	M	54		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
221	120500114	M	65		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
222	120500115	M	58		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
223	120500116	M	44		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
224	120500117	M	82		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
225	120500118	F	43		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
226	120500119	F	14	Sore throat	nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
227	120500120	M	11		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
228	120500083	F	9		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
229	120500082	M	79		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
230	120500081	F	74		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
231	120500037	F	53	Fatigue	nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
232	120500038	M	28		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
233	120500039	M	64		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
234	120500040	F	60		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
235	120500041	F	30		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

236	120500042	M	75		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
237	120500043	F	71		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
238	120500044	F	41		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
239	120500045	F	6		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
240	120500046	F	46		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
241	120500047	F	62		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
242	120500048	F	30		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
243	120500049	F	50		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
244	120500050	M	29		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
245	120500051	M	33		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
246	120500052	F	44		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
247	120500053	M	60		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
248	120500054	M	19		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
249	120500056	F	60		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
250	120500057	F	74		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
251	120500058	F	64		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
252	120500059	M	67		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
253	120500060	F	51		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal	2020/12/5	2020/12/10	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
254	120500061	F	45		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
255	120500062	F	70		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
256	120500063	M	32		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
257	120500064	M	57		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
258	120500065	M	65		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
259	120500066	F	80		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
260	120500069	F	71		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
261	120500072	F	66		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
262	120500075	F	68		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
263	120500076	M	75	Myalgia	nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
264	120500078	F	50		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
265	120500079	F	31	Fever	nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
266	120500080	M	70		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
267	120500073	F	66		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
268	120500113	M	54		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
269	120500112	F	57	Fatigue; Myalgia	nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
270	120500111	F	63		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

271	120500086	M	43		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
272	120500087	F	50		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
273	120500088	M	44		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
274	120500089	M	51		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
275	120500090	F	83		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
276	120500091	M	60		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
277	120500092	F	43		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
278	120500093	M	82		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
279	120500094	F	80		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
280	120500077	F	29		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
281	120500068	M	31		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
282	120500105	F	46	Sore throat; Headache	nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
283	120500106	M	81		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
284	120500107	M	20		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
285	120500108	M	63		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
286	120500096	M	54		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
287	120500109	F	21		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
288	120500110	F	33		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal	2020/12/5	2020/12/10	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
289	120500097	M	28		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
290	120500098	M	59		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
291	120500055	M	80		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
292	120500103	M	50		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
293	120500102	M	45		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
294	120500101	F	47		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
295	120500100	F	44		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
296	120500099	M	71		nasal swab	2020/12/5	2020/12/5		Negative	Rino oropharyngeal swab	2020/12/5	2020/12/10	Negative	N/A
297	12220A51	M	44		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
298	12220A02	F	32		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
299	12220A03	M	56		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
300	12220A04	F	46		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
301	12220A05	F	48		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
302	12220A06	M	43		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
303	12220A07	F	35		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
304	12220A08	M	73		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
305	12220A09	M	58		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

306	12220A10	F	33		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
307	12220A11	M	73		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
308	12220A12	M	31		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
309	12220A13	M	34		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
310	12220A14	F	39		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
311	12220A15	F	61		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
312	12220A16	F	26		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
313	12220A17	F	65		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
314	12220A18	M	21		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
315	12220A19	F	24		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
316	12220A20	F	62		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
317	12220A21	F	68		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
318	12220A22	F	45		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
319	12220A23	M	73		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
320	12220A24	M	65		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
321	12220A25	M	34		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
322	12220A26	F	28		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
323	12220A27	M	35		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal	2020/12/22	2020/12/23	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
324	12220A28	M	77		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
325	12220A29	F	85		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
326	12220A30	M	32		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
327	12220A31	M	42		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
328	12220A32	F	25		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
329	12220A33	M	63		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
330	12220A34	M	37		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
331	12220A35	M	33		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
332	12220A36	F	59		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
333	12220A37	M	61		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
334	12220A38	M	58		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
335	12220A39	F	60		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
336	12220A40	M	51		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
337	12220A41	F	66		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
338	12220A42	F	28		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
339	12220A43	M	29		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
340	12220A44	M	29		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

341	12220A45	M	44		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
342	12220A46	F	35		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
343	12220A47	F	23		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
344	12220A48	M	57		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
345	12220A49	M	39		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
346	12220A50	F	37		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
347	12220A52	F	58		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
348	12220A53	F	58		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
349	12220A54	F	56		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
350	12220A55	F	64		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
351	12220A56	F	47		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
352	12220A57	F	43		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
353	12220A58	F	23	Headache	nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
354	12220A59	M	55		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
355	12220A60	M	66		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
356	12220A61	M	22		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
357	12220A62	M	70		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
358	12220A63	F	30	Headache	nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal	2020/12/22	2020/12/23	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

										swab				
359	12220A64	M	64		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
360	12220A65	F	52		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
361	12220A66	F	45		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
362	12220A67	F	55		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
363	12220A68	F	76		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
364	12220A69	M	68		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
365	12220A70	M	55		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
366	12220A71	M	22		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
367	12220A72	M	73		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
368	12220A73	F	50		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
369	12220A74	M	57		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
370	12220A75	F	62		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
371	12220A76	M	67		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
372	12220A77	F	31		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
373	12220A78	F	42		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
374	12220A79	M	42		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
375	12220A80	F	54		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A

SARS-CoV-2 Antigen Rapid Test Kit (Colloidal Gold) Clinical Evaluation Report

376	12220A81	F	42		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
377	12220A82	M	27		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
378	12220A83	F	25		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
379	12220A84	M	33		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
380	12220A85	M	25		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
381	12220A86	M	67		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
382	12220A87	M	27	Fatigue	nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
383	12220A89	M	36		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
384	12220A90	F	76		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A
385	12220A91	F	64		nasal swab	2020/12/22	2020/12/22		Negative	Rino oropharyngeal swab	2020/12/22	2020/12/23	Negative	N/A