In addition to IBC 704.7 2018, if you need to follow the FCIA (Firestop Contractors International Association) guidelines, they recommend that Firewall Signs have a minimum of 3" text and be 6ft in length for emergency personal to easily spot a fire and/or smoke rated barrier. Our FCIA rated sign is available in our standard premium vinyl.

Product Specifications

3" Text Height

FIRE AND / OR SMOKE BARRIER PROTECT ALL OPENINGS

8"

72"

Sizing	
Overall Dimensions	8" High x 72" Wide
Rating Text Size	3" High

Physical Properties

Standards Met	IBC (International Building Code) 703.7 2018, FCIA (Firestop Contractors International Association)
Installation Instructions	Applied to a clean dry surface above 32°F (0°C)
Service Temp	-40°F to 176°F (-40°C to 80°C)
Water Resistance	Good, Product has passed submersion tests
Finish	High Gloss
Material Properties	6 Mil vinyl with pressure sensitive adhesive backing
Adhesive Properties	Aggressive permanent acrylic adhesive
	Stainless Steel 54 oz/in (594 N/m), Acrylic 56 oz/in (616 N/m)
	Glass 53 oz/in (599 N/m), Polypropylene 51 oz/in (561 N/m) Expected Shear: 5 hours, Tack gm (740)
Ink Properties	Inks resistant to fading with UV exposure, Semi-Gloss Finish
Storage Stability	2 years stored at 70°F (21°C) and 50% RH
Outdoor Durability	4 to 6 years
Abrasion Resistance	Good
Chemical Resistance	Resistant to Acids, Alkalis and Salts

Project

DATE _____ / _____ / _____
MM / DD / YYYY

JOB _____

CONTRACTOR NAME _____