



Sani SUBMERSIBLE



Positioned within the storage tank UV-C light will have adequate contact time with the water. Filtration of the water is an important first step to remove any excess particulates. There are 3 different models in the submersible range.

MODEL SANI SUBMERSIBLE 55 W

- Input 220 V
- Ampere 0.3 A
- Frequency 50 Hz
- Wattage 5 W
- 5000 L Storage tank
- Dimensions 1.6 m
- Enclosure Quartz sleeve
- Source UV-C 253.7 nm germicidal
- Lamp replacement after 24 months or 8000 h

5 000ℓ
CAPACITY

MODEL SANI SUBMERSIBLE 145 W

- Input 220V
- Ampere 0.3A
- Frequency 50Hz
- Wattage 55 W
- 10 000 L storage tank
- Dimensions 1.8 m
- Enclosure Quartz sleeve
- Source UV-C 253.7nm germicidal
- Lamp replacement after 24 months or 8000 h

10 000ℓ
CAPACITY

MODEL SANI 100 W SUBMERSIBLE (DISPOSABLE)

- Input 220V
- Ampere 0.3A
- Frequency 50Hz
- Wattage 55 W
- 5000L – 7000 L storage tank
- Dimensions 1.2 m
- Enclosure Quartz sleeve
- Source UV-C 253.7nm germicidal
- Lamp replacement after 24 months or 8000 h

5000ℓ - 7000ℓ
CAPACITY

APPLICATIONS

- Sanitize water within tanks

PROD CODE 11

Please note that we reserve the right to alter, amend or change all units without prior notice. E&OE