


PUTTING THE SEAL ON SURVIVAL
IN THE WORLD'S MOST HOSTILE
ENVIRONMENTS



USERADVICE

When opening and closing the fastener, ensure that the slider is pulled STRAIGHT along the chain, using the puller provided. Pull the sides of the zipper as close together as possible, when operating the slider. If the zipper is on the back of a suit, someone else MUST close (and open) the zipper for you.

During slider movement, if any sudden resistance is felt, STOP the slider, move it back at least 15cm and investigate the reason for the snag.

DO NOT FORCE THE SLIDER FORWARD OVER A POINT OF RESISTANCE

Forcing the zipper may damage or dislodge the inner elements.

Ensure these instructions are read by anyone who operates the zipper.

CLEANING & MAINTENANCE

Zippers in diving and other protective clothing should be rinsed with clean water after every use.

The zipper should also periodically be cleaned and the elements lubricated. We recommend BDM Zipcare Fluid and BDM Zip Wax to ensure smooth and easy operation of the slider.

The precise timing of this cleaning depends on how often you use the zipper. However, note that whenever slider resistance feels greater than usual, BDM products should be cleaned and lubricated as instructed above.

The top seal is greased prior to delivery, and should be re-greased whenever the seal appears dry. Light silicone grease is recommended.

Do not dry clean, machine wash or iron.

STORAGE

All sealed zippers should be stored OPEN.

Suits can be rolled up, zipper open, but MUST be rolled in such a way as to place the zipper around the outside of the bundle. Folding the zipper may cause damage.

DO NOT store Neoprene products near Ozone sources.

DO NOT store any suit or zipper in extreme cold or heat.



"YKK" and the combined mark of "YKK Little Parts. Big Difference." are registered trademarks of YKK CORPORATION in Japan and other countries/regions. "BDM" is a trademark of YKK Europe Limited in the EU in other countries and regions