ICB Twin Tall Platinum Edn, 120/240V SST

35.0" x 22.0" x 20.0" (88.9cm x 55.9cm x 50.8cm)



- 4.3" Color Touchscreen aides in customizing recipes, brewing options and control
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- USB programming for uploading and downloading recipes and software updates, all in less than a minute
- Brews into 2.5 to 3.8L (84 to 128 oz) airpots and 3.8 to 5.7L (1 to 1.5 gallon) baseless Thermofresh servers
- Large 5.6 gallon (21.2L) tank provides back-to-back brewing capacity
- BUNN Infusion Series technology allows for multiple recipes from one footprint
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction[™] Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of the brew funnel until drip- through is complete
- · Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing
- · Hot water faucet (supplied for custom installation)

Agency:



Additional Features

Specifications Product #: 53400.0101

Water Access: Plumbed Interface: Wireless Finish: Stainless Funnel: Stainless Steel

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120/240	25	6000	Yes/	-	280	60°F (15.5°C)	1	3	60

Plumbing Requirements

CAD Drawings


	<u> </u>	Í.				
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	3/8" Male Flare Fitting	1.00			

For most current specifications and other info visit bunn.com.



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

Created on: 01/24/2019



Unit				Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	20.0 in.	35.0 in.	22.0 in.	-	-	-	89.000 lbs	-	
Metric	50.8 cm	88.9 cm	55.9 cm	-	-	-	40.370 kgs	-	



 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 01/24/2019

 For most current specifications and other info visit bunn.com.
 01/24/2019

Related Products & Accessories: ICB Twin Tall Platinum Edn, 120/240V SST(53400.0101)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:


 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 01/24/2019

 For most current specifications and other info visit bunn.com.
 01/24/2019

Serving & Holding Options: ICB Twin Tall Platinum Edn, 120/240V SST(53400.0101)







Created on: 01/24/2019