

Safety Data Sheet

Revision Date: 04/07/2023
000000063752/Version: 2.0
Print Date: 05/04/2023
Page: 1/12



1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK CYAN ECFTF INK

Product code: 7494719

Synonyms: None.

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: ink or inkjet chemical

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email us-pep@kodak.com.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Eye irritation	Category 2A	--
Reproductive toxicity	Category 2	--

GHS-Labeling

Contains:

Ethoxylated tetramethyldecynediol (9014-85-1), 1H-Pyrazole, 3,5-dimethyl- (67-51-6)

Symbol(s):



Signal word: Warning

Hazard statements: Causes serious eye irritation. Suspected of damaging fertility or the unborn child.

Safety Data Sheet

Revision Date: 04/07/2023

000000063752/Version: 2.0

Print Date: 05/04/2023

Page: 2/12

Precautionary statements:

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF exposed or concerned: Get medical advice/ attention.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

HMIS IV Hazard Ratings: Health - 2*, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 2, Flammability - 1, Instability - 0

NOTE: HMIS IV and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
10 - 15	Diethylene glycol (111-46-6)
5 - 10	Glycerol (56-81-5)
3 - 5	Copper, (29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32)-, (SP-4-1)- (147-14-8)
0.1 - 1.5	Ethoxylated tetramethyldecynediol (9014-85-1)
0.05 - 0.5	Poly(oxy-1,2-ethanediyl), a,a'-[1,4-dimethyl-1,4-bis(3-methylbutyl)-2-butyne-1,4-diyl]bis[w-hydroxy- (169117-72-0)
0.1 - 0.3	1H-Pyrazole, 3,5-dimethyl- (67-51-6)

4. First aid measures

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Safety Data Sheet

Revision Date: 04/07/2023
000000063752/Version: 2.0
Print Date: 05/04/2023
Page: 3/12

Eyes: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If easy to do, remove contact lens, if worn. If eye irritation persists: Get medical advice/ attention.

Skin: Wash off immediately with soap and plenty of water. Get medical attention if symptoms occur.

Ingestion: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed: Eye Irritation: Signs/symptoms may include localized redness, swelling, lachrymation, itching, dryness, and pain.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

5. Firefighting measures

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment..

Special hazards arising from the substance or mixture

Hazardous Combustion Products: Carbon oxides

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective suit. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

Environmental precautions: Prevent runoff from entering drains, sewers, or streams.

For Large Spills: Prevent runoff from entering drains, sewers, or streams.

7. Handling and storage

Precautions for safe handling

Safety Data Sheet

Revision Date: 04/07/2023
000000063752/Version: 2.0
Print Date: 05/04/2023
Page: 4/12

Personal precautions: Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapour. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials.

Ventilation: Match ventilation rates to conditions of use so as not to exceed any applicable exposure limits (see Section 8).

Conditions for safe storage, including any incompatibilities: Keep in a dry, cool and well-ventilated place. Cool conditions (5 - 30°C). Keep container tightly closed. Keep away from food, drink and animal feeding stuffs. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical name	Regulatory List	Value Type	Value
Glycerol	OSHA	Time weighted average	5 mg/m3 <i>Form of exposure: mist, respirable fraction</i>
Glycerol		Time weighted average	15 mg/m3 <i>Form of exposure: mist, total particulate</i>
		Time weighted average	10 mg/m3 <i>Form of exposure: total dust</i>
		Time weighted average	5 ppm <i>Remarks: mist</i> <i>Form of exposure: respirable fraction</i> <i>Remarks: mist</i>
Copper, (29H,31H-phthalocyaninato(2-)- .kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32)-, (SP-4-1)-	ACGIH	Time weighted average	1 mg/m3 <i>Expressed as Cu</i> <i>Form of exposure: dust and mist</i>

Appropriate engineering controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Safety Data Sheet

Revision Date: 04/07/2023
00000063752/Version: 2.0
Print Date: 05/04/2023
Page: 5/12

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear protective gloves/ protective clothing.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

9. Physical and chemical properties

Physical form: liquid

Colour: opaque cyan

Odour: mild

Specific gravity: 1 - 1.05

Vapour pressure (at 20.0 °C (68.0 °F)): 22.66 mbar (17.0 mm Hg)

Vapour density: No data available - testing not performed

Boiling point/boiling range: 105 °C (221.0 °F)

Water solubility: partly soluble

pH: No data available - testing not performed

Flash point: No data available - testing not performed

Evaporation rate: No data available - testing not performed

Flammability (Solid; gas): No data available - testing not performed

Upper explosion limit: No data available - testing not performed

Lower explosion limit: No data available - testing not performed

Partition coefficient: n-octanol/water: No data available - testing not performed

Auto-ignition temperature: No data available - testing not performed

Decomposition temperature: No data available - testing not performed

Safety Data Sheet

Revision Date: 04/07/2023
000000063752/Version: 2.0
Print Date: 05/04/2023
Page: 6/12

Viscosity: No data available - testing not performed

Explosive properties: Not explosive

Oxidizing properties: The substance or mixture is not classified as oxidizing.

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: Extremes of temperature and direct sunlight..

Incompatible materials: Strong oxidizing agents, Strong acids and strong bases.

Hazardous decomposition products: None under normal conditions of use.

11. Toxicological information

Effects of Exposure

General advice: The toxicological properties of this material have not been fully investigated and its handling and use may present additional hazards.

Contains: Diethylene glycol. Based on animal data, may cause adverse effects on the following organs/systems: Kidney injury may occur.

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: Causes serious eye irritation.

Skin: Expected to be a low hazard for recommended handling.

Ingestion: Expected to be a low ingestion hazard.

Data for Glycerol (CAS 56-81-5):

Acute Toxicity Data:

Oral LD50 (Rat): 12,600 mg/kg

- Inhalation LC50 (Rat): > 2.75 mg/l / 4 hr
- Dermal LD50 (Rabbit): > 10 g/kg

Safety Data Sheet

Revision Date: 04/07/2023

000000063752/Version: 2.0

Print Date: 05/04/2023

Page: 7/12

- Skin irritation: slight
- Eye irritation: very slight

Data for Copper, (29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32)-, (SP-4-1)- (CAS 147-14-8):

Acute Toxicity Data:

Oral LD50 (male and female Rat): > 12,800 mg/kg

- Oral LD50 (male and female Mouse): > 24,600 mg/kg
- Dermal LD50 (Guinea pig): > 5.000
- Dermal LD50 (Rat): > 5,000 mg/kg
- Skin irritation: slight
- Sensitisation (Guinea pig): negative

Data for Diethylene glycol (CAS 111-46-6):

Acute Toxicity Data:

Oral LD50 (Rat): 12,565 mg/kg

- Oral LD50 Oral (Humans): 1,120 mg/kg
- Inhalation LC50 (Rat): > 5.08 mg/l / 4 hr
- Dermal LD50 (Rabbit): 11,890 mg/kg

Mutagenicity/Genotoxicity Data:

- Ames test: negative (in presence and absence of activation)

Data for Ethoxylated tetramethyldecynediol (CAS 9014-85-1):

Acute Toxicity Data:

Oral LD50 (Rat): 6,300 mg/kg

- Inhalation LC50 (Rat): > 20 mg/l / 1 hr
- Dermal LD50 (Rabbit): > 2,000 mg/kg (Highest dose tested - no evidence of absorption at this dose level.)
- Skin irritation: Mild skin irritation
- Eye irritation: severe

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Feeding study (28-day, Rat): NOEL; 6000 ppm
- Oral (90 days, Dog): NOEL; 200 mg/kg/day
- Oral (90 days, Dog): NOEL; 400 mg/kg/day (minor target organ effects: liver)

Reproductive Toxicity Data:

- Feeding Study (male and female Rat): NOEL for reproductive toxicity; 1,000 mg/kg/day

Safety Data Sheet

Revision Date: 04/07/2023

000000063752/Version: 2.0

Print Date: 05/04/2023

Page: 8/12

Data for Poly(oxy-1,2-ethanediyl), a,a'-[1,4-dimethyl-1,4-bis(3-methylbutyl)-2-butyne-1,4-diyl]bis[w-hydroxy- (CAS 169117-72-0):

Acute Toxicity Data:

Oral LD50 (Rat): > 2,000 mg/kg

- Dermal LD50 (Rabbit): > 2,000 mg/kg
- Skin irritation: Mild skin irritation
- Eye irritation: Severe eye irritation

Data for 1H-Pyrazole, 3,5-dimethyl- (CAS 67-51-6):

Acute Toxicity Data:

- Dermal LD50 (Rat): > 2,000 mg/kg

Carcinogenicity

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Ethylene glycol

12. Ecological information

Safety Data Sheet

Revision Date: 04/07/2023
000000063752/Version: 2.0
Print Date: 05/04/2023
Page: 9/12

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): > 100 mg/l estimated

Toxicity to daphnia (EC50): > 100 mg/l estimated

Persistence and degradability: Readily biodegradable

This product has not been tested for environmental effects.

Bioaccumulative potential

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	Not all listed
DSL	Not all listed
NDSL	Listed
EINECS	Not all listed
ELINCS	None listed

Safety Data Sheet

Revision Date: 04/07/2023

000000063752/Version: 2.0

Print Date: 05/04/2023

Page: 10/12

NLP	Listed
AICS	Not all listed
IECS	Not all listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	Not all listed
PICCS	Not all listed
TCSI	Not all listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	No components of this product are subject to the SARA Section 302 (40 CFR 302.4) reporting requirements.
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Copper, (29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32)-, (SP-4-1)-
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Copper, (29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32)-, (SP-4-1)-

Safety Data Sheet

Revision Date: 04/07/2023
000000063752/Version: 2.0
Print Date: 05/04/2023
Page: 11/12

U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Glycerol
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	Glycerol , Copper, (29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32)-, (SP-4-1)-
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	Diethylene glycol , Glycerol
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Water , Diethylene glycol , Glycerol , Polymer , Copper, (29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32)-, (SP-4-1)- , Ethylene glycol

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

KODAK CYAN ECFTF INK

Contains:

Ethoxylated tetramethyldecynediol (9014-85-1), 1H-Pyrazole, 3,5-dimethyl- (67-51-6)

Symbol(s):



Signal word: Warning

Hazard statements: Causes serious eye irritation. Suspected of damaging fertility or the unborn child.

Precautionary statements:

Safety Data Sheet

Revision Date: 04/07/2023

00000063752/Version: 2.0

Print Date: 05/04/2023

Page: 12/12

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF exposed or concerned: Get medical advice/ attention.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

This Safety Data Sheet has been compiled and is solely intended for this product. The information is based upon the present state of our knowledge.

R-1, S-2, F-1, C-0 REPO